



**METROPOLITAN SERVICE DISTRICT**  
527 SW. HALL ST., PORTLAND, OR. 97201, 503/221-1646

8/20/81

Rick Gustafson  
EXECUTIVE OFFICER

Metro Council  
Marge Kafoury  
PRESIDING OFFICER  
DISTRICT 11

Jack Delnes  
DEPUTY PRESIDING  
OFFICER  
DISTRICT 5

Donna Stuhr  
DISTRICT 1

Charles Williamson  
DISTRICT 2

Craig Berkman  
DISTRICT 3

Corky Kirkpatrick  
DISTRICT 4

Jane Rhodes  
DISTRICT 6

Betty Schedeon  
DISTRICT 7

Ernie Bonner  
DISTRICT 8

Cindy Banzer  
DISTRICT 9

Gene Peterson  
DISTRICT 10

Mike Burton  
DISTRICT 12

Dear Mr. Kistler

Please find enclosed a copy of the Special Waste Application for your records. The application and material specified on the permit have been approved for disposal at the St. Johns Landfill.

A copy of the permit and/or the number on the permit will be required for verification by the gatehouse personnel before disposal of the special waste material is permitted.

An appointment must also be made before the special waste material may be disposed of. Please call us at 286-9614 for a time to dispose of the special waste materials. No materials may be disposed of without a prior appointment.

This permit is valid only for the type of material specified on the application. If the material changes or is modified in any way, a new application must be submitted. The analysis record of the samples submitted with the original application will be kept for periodic verification of materials being disposed of under the assigned permit number.

A periodic review and possible new sample requirements will be standard procedure. You will be informed of any changes in the status of your permit.

If there are any questions, please contact either myself or Eric Dutson at 286-9614.

Yours truly,

James L. Parr  
Operations Assistant  
Solid Waste Department



878454

Appendix40-000001

APPROVED

DATE 18-4

PLEASE READ IMPORTANT INSTRUCTIONS ON OTHER SIDE

1. Applicant's Name Ash Grove Cement Co. EPA and/or DEQ I.D. no. \_\_\_\_\_  
Address 13939 N. Rivergate Blvd. Telephone number 236-1877  
Contact Person William A. Kistler

2. Description of Special Waste: Hydrate tailings & waste line from kilns  
(physical, chemical, manufacturing process conversion of limestone to quicklime  
from which waste originated) and quicklime to Hydrated Lime

QTY \_\_\_\_\_ Gal. \_\_\_\_\_

Container \_\_\_\_\_ LB. \_\_\_\_\_ Cu. Ft. 500 - 300 ton

Physical State (circle): solid liquid sludge other \_\_\_\_\_

Hazardous (circle): yes no

If hazardous, what is major hazard (circle): toxic corrosive ignitable  
infectious reactive other \_\_\_\_\_

Handling and Spill cleanup directions: Will be dusty - can be used for odor control and

Special Information also for soil stabilization

Method of Transportation Dump truck

Will all pertinent warning labels and descriptions accompany the waste: yes no

NO SEALED EMPTY CONTAINERS WILL BE ACCEPTED. If empty containers only: a. Describe material originally in containers \_\_\_\_\_

b. Describe method of cleansing, rinsing and preparation of containers \_\_\_\_\_

c. Will all pertinent warning labels and descriptions accompany empty containers: yes no

3. Certificate of Accuracy of Description: This is to certify that the above described materials are properly classified, identified, packaged, marked, labeled, cleansed, rinsed and prepared as indicated above.

SIGNATURE W.A. Kistler DATE \_\_\_\_\_

TYPE OR PRINT NAME William A. Kistler

4. DEQ Review: The above described special waste or empty container(s) is approved \_\_\_\_\_

disapproved \_\_\_\_\_ for disposal at the \_\_\_\_\_ Landfill/Facility.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

Type or print name \_\_\_\_\_

Special Instructions: \_\_\_\_\_

5. METRO Action: Disposal of the above described special waste or empty container(s) is approved X

disapproved \_\_\_\_\_ for disposal at the St. Johns Landfill Landfill/Facility

at the disposal fee described below:

Disposal Fee \$ 9.73 per ton

Testing Fee \$ \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

cash payment required  
with disposal without  
prior credit account

Signature James J. Farr Date 8/20/81

Type or Print Name \_\_\_\_\_

Special Instructions: Appointment required for disposal.

Dumper loads to prevent blocking and

dusting of material. Prevent dust when

unloading.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



# Application to Dispose of Special Wastes

METROPOLITAN SERVICE DISTRICT  
527 S.W. Hall St., Portland, OR 97201 • 503/221-1646

Permit # 7-45  
Expires Nov 7, 1985

**APPROVED**

*HR*  
*18-4*

**INSTRUCTIONS:** Please read important information on other side. Type, or print heavily in ink. The person responsible for accuracy of information must sign. Return all copies of completed application and any supporting information to Metro.

Applicant's Name Ash Grove Cement Co.  
Address 13030 N. Rivergate Blvd. City Portland Zip Code 97203  
Contact Person William A. Kistler Phone Number 286-1677  
Description of Special Waste Hydrate tailings & waste lime from kilns  
(waste composition and physical, chemical, manufacturing process from which waste originated)  
Dust & some larger pebbles from quicklime & hydrate produced by the  
conversion of limestone to quicklime  
Quantity (gallons, drums, lbs., cubic yards) 400 Ton One time disposal? No  
Disposal Frequency (if more than one time) 3 times year Quantity per year: 1,200 Ton  
Hazardous (circle) Yes No If Hazardous, what is major hazard? (Circle): Can be used for soil  
toxic corrosive ignitable infectious reactive other acid neutralization etc.  
Handling and spill cleanup directions: Will be dusty - also works for odor control  
Method of Transportation Dump truck  
Previous permit for this waste, if any. Number 487-495  
**NO SEALED EMPTY CONTAINERS WILL BE ACCEPTED.** If empty contains only: (a) Describe material originally in containers.  
(b). Describe method of cleansing, rinsing and preparation of containers.

**Certificate of Accuracy of Description:** This is to certify that the above described materials are properly classified, identified, packaged, marked, labeled, cleansed, rinsed and prepared as indicated above.

X--Signature: William A. Kistler WILLIAM A. KISTLER Date October 16, 1984  
(also type or print name)

DEQ Review: The above described special waste or empty container(s) is approved X disapproved for disposal at the St. Johns Landfill.

Signature: Peter A. Resler Date 10-31-84  
(also type or print name) PETER A. RESLER 329-5245

Special Instructions in 10-31-84 - SPANAD & CHAK, WPC  
HELP NEUTRALIZE ACIDIC LIMEHATE.

**METRO Action:** Disposal of the above described special waste or empty container(s) is approved X disapproved for disposal at the St. Johns Landfill at a disposal rate of \$ 13.48 per ton.

Signature: Dennis O'Neil Date Nov 7, 1984  
(also type or print name) DENNIS O'NEIL

**GENERAL INSTRUCTIONS:** Appointment required 24 HOURS prior to each disposal. Call 286-9614. Cash on disposal (NO CHECKS) or have prior account established. To establish an account, call Accounting at 221-1646.

**SPECIAL INSTRUCTIONS:**



# Application to Dispose of Special Wastes

METROPOLITAN SERVICE DISTRICT

527 S.W. Hall St., Portland, OR 97201 • 503/221-1646

Permit # 715

Expires Nov 14, 1986

**APPROVED**

**INSTRUCTIONS:** Please read important information on other side. Type, or print heavily in ink. The person responsible for accuracy of information must sign. Return all copies of completed application and any supporting information to Metro.

Applicant's Name Ash Grove Cement Co.

Address 13030 N. Rivergate Blvd. City Portland Zip Code 97203

Contact Person William A. Kistler Phone Number 286-1677

Description of Special Waste Hydrate tailings & waste lime from kilns

(waste composition and physical, chemical, manufacturing process from which waste originated)

Dust & some larger pebbles from quicklime & hydrate produced by the conversion of limestone to quicklime

Quantity (gallons, drums, lbs., cubic yards) 400 Ton One time disposal? No

Disposal Frequency (if more than one time) 3 times year Quantity per year: 1,200 Ton

Hazardous (circle) Yes No If Hazardous, what is major hazard? (Circle): Can be used for soil toxic corrosive ignitable infectious reactive other acid neutralization, etc.

Handling and spill cleanup directions: Will be dusty - also works for odor control

Method of Transportation Dump truck

Previous permit for this waste, if any. Number #495

NO SEALED EMPTY CONTAINERS WILL BE ACCEPTED. If empty containers only: (a) Describe material originally in containers.

(b) Describe method of cleansing, rinsing and preparation of containers.

Certificate of Accuracy of Description: This is to certify that the above described materials are properly classified, identified, packaged, marked, labeled, cleansed, rinsed and prepared as indicated above.

X--Signature: W.A. Kistler WILLIAM A. KISTLER Date November 13, 1985

(also type or print name)

DEQ Review: The above described special waste or empty container(s) is approved

disapproved for disposal at the St. Johns Landfill.

Signature: [Signature] Date Nov 14, 1985

(also type or print name)

Special Instructions VIA

METRO Action: Disposal of the above described special waste or empty container(s) is approved X disapproved for disposal at the St. Johns Landfill at a disposal rate of \$ 13.48 per ton. AT PRESENT

Signature: Dennis O'Neil Date Nov 14, 1985

(also type or print name) DENNIS O'NEIL

✓ GENERAL INSTRUCTIONS: Appointment required 24 HOURS prior to each disposal. Call 286-9614. Cash on disposal (NO CHECKS) or have prior account established. To establish an account, call Accounting at 221-1646.

SPECIAL INSTRUCTIONS: Approval for same items described in #495



**METROPOLITAN SERVICE DISTRICT**  
Providing Zoo, Solid Waste and Local Government Services

527 S.W. Hall St.  
Portland, Oregon  
97201-5287  
(503) 221-1646

January 2, 1986

Rick Gustafson  
Executive Officer

**Metro Council**

Ernie Bonner  
Presiding Officer  
District 8

Richard Waker  
Deputy Presiding  
Officer  
District 2

Bob Oleson  
District 1

Jim Gardner  
District 3

Corky Kirkpatrick  
District 4

Tom DeJardin  
District 5

George Van Bergen  
District 6

Sharon Kelley  
District 7

Hardy Myers  
District 9

Larry Cooper  
District 10

Marge Kafoury  
District 11

Gary Hansen  
District 12


William A. Kistler  
Ash Grove Cement Co.  
13939 North Rivergate Blvd.  
Portland, OR 97203

Dear Mr. Kistler:

Today, I was notified by a representative of Browning Ferris Industries, our Landfill Contractor, that a load of special waste disposed under Permit 715 caused a minor fire in the other solid waste at St. Johns Landfill. As I informed a representative of your company today, Permit No. 715 is revoked. You will be notified of any fire suppression costs to be charged to Ash Grove Cement Co.

If you wish to dispose of the special waste as described under Permit 715 at St. Johns Landfill, please submit a new application for a special waste permit. A copy of the application form is enclosed. Please describe thoroughly how you will ensure that none of your waste will enter St. Johns Landfill if it exhibits the hazardous waste characteristics of reactivity or corrosivity.

Sincerely,

  
Dennis M. O'Neil  
Senior Analyst

DMO:mn

cc: Norm Wietting, Metro  
Charles Gray, DEQ

Encl.



**METRO**

2000 S.W. First Avenue  
Portland, OR 97201-5398  
503/221-1646

Application to Dispose  
of Special Waste **APPROVED**

INSTRUCTIONS: Please read important information on other side. Type, or print heavily in ink. The person responsible for accuracy of information must sign. Return all copies of completed application and any supporting information to Metro along with a check for the \$25 application fee.

Office use only
Permit no. <u>1253</u>
Expires <u>12/14/87</u>

Applicant's Name Ash Grove Cement West, Inc.

Address 13939 N. Rivergate Blvd.

City Portland

Zip Code 97203

Contact Person W. A. Kistler

Phone 286-1677

Description of Special Waste (waste composition and physical, chemical, manufacturing process from which waste originated)

Dust and Dust Collector bags from Quicklime, Hydrate, and Coal Bag Houses.

One time disposal? yes ☒ no ☐

Disposal frequency (if more than one time) 4 times year

Quantity; (gallons, drums, lbs., cubic yards) 1500#

Quantity per year 6000#

Hazardous yes ☒ no ☐ How did you determine whether hazardous or not? Material Safety Data Sheet X

test results other (enclose documents)

Handling and spill cleanup directions N/A

Transporter Company Truck

Previous permit for this waste, if any. Number #495 & #715

NO SEALED EMPTY CONTAINERS WILL BE ACCEPTED. If empty pesticide containers only: (a) Describe material originally in containers

(b) Describe method of cleansing, rinsing and preparation of containers

Certificate of Accuracy of Description: This is to certify that the above describe materials are properly classified, identified, packaged, marked, labeled, cleansed, rinsed and prepared as indicated above.

X - Signature W. A. Kistler

Date 11-13-87

(also type or print name) W. A. Kistler

DEQ Review: The above described special waste or empty container(s) is approved disapproved for disposal at the St. Johns Landfill.

Signature \_\_\_\_\_ Date \_\_\_\_\_

(also type or print name) \_\_\_\_\_

Special Instructions \_\_\_\_\_

Metro Action: Disposal of the above described special waste or empty container(s) is approved ☒ disapproved

for disposal at the St. Johns Landfill at a disposal rate of \$ 20<sup>70</sup> per ton; 50<sup>00</sup> per trip minimum charge.

Signature Rob Smoot

Date 12/14/87

(also type or print name) Rob Smoot

GENERAL INSTRUCTIONS: Appointment required 24 HOURS prior to each disposal. Call 286-9614. Cash on disposal (NO CHECKS) or have prior account established. To establish an account, call Accounting at 221-1646.

SPECIAL INSTRUCTIONS: This material must be ~~thoroughly~~ thoroughly wetted. The pH must be between 3-12, and should be at ambient temperature.

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. Manifest Document No. 0-0-0-0-1  
 2. Page 1 of 1  
 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address Ash Grove Cement 13939 N. Rivergate Blvd., Portland, OR 97203		A. State Manifest Document Number	
4. Generator's Phone (503) 286-1677		B. State Generator's ID	
5. Transporter 1 Company Name Eastern Electric	6. US EPA ID Number W.A.D.9.8.0.7.3.8.4.6.2	C. State Transporter's ID	
7. Transporter 2 Company Name	8. US EPA ID Number	D. Transporter's Phone (206) 767-9506	
9. Designated Facility Name and Site Address Eastern Electric 10831 E. Marginal Way S. Seattle, WA 98168		E. State Transporter's ID	
10. US EPA ID Number W.A.D.9.8.0.7.3.8.4.6.2		F. Transporter's Phone	
		G. State Facility's ID	
		H. Facility's Phone (206) 767-9506	

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
HM		No.	Type		
a.	R.Q. Hazardous Substance Liquid, N.O.S., ORM-E, NA 9188 (Polychlorinated Biphenyls)	0-0-1	C-M	1-3-8-0-0	P
b.	R.Q. Hazardous Substance Solid, N.O.S., ORM-E, NA 9188 (Polychlorinated Biphenyls)	0-21	C-M	0-1-3-3-0	P
c.					
d.					

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in accordance with applicable Federal law.

Printed/Typed Name Richard A. Gabel	Signature Richard A. Gabel	Month Day Year 6-1-2-3-8-8
17. Transporter 1 Acknowledgement of Receipt of Materials	Signature Larry Robinson	Month Day Year 6-1-2-3-8-8
Printed/Typed Name Larry Robinson	Signature	Month Day Year
18. Transporter 2 Acknowledgement of Receipt of Materials	Signature	Month Day Year
Printed/Typed Name	Signature	Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Date
Printed/Typed Name LARRY ROBINSON	Signature Larry Robinson	Month Day Year 6-1-2-5-8-8

ORIGINAL-RETURN TO GENERATOR



# EASTERN

ELECTRIC  
APPARATUS  
REPAIR  
COMPANY, INC.

18-6  
P.O. BOX 105718  
ATLANTA, GEORGIA 30348-5718  
(404) 669-2300

REMIT TO:

EASTERN ELECTRIC  
P.O. BOX 105544  
ATLANTA, GA.  
30348-5544

CUSTOMER P.O. NO. R87-330

INVOICE DATE 02/18/88

REL/REQ. NO.

OUR JOB NO. 1689175B

INVOICE NO. T51540\*01

TERMS: DUE ON PRESENTATION

CUSTOMER NO. 30100

PAYMENT DUE WITHIN TERMS STATED ABOVE.  
OVER DUE AMOUNTS SUBJECT TO FINANCE CHARGE.

CHARGE TO

ASH GROVE CEMENT WEST INC  
P O BOX 03007  
PORTLAND, OR 97203

SHIP TO

ASH GROVE CEMENT WEST INC  
P O BOX 03007  
PORTLAND, OR 97203

Please contact our Plant at (206) 7679506, or Corporate Credit at (404) 669-2328

## ITEM DESCRIPTION

## AMOUNT

\* EXEMPT FROM TAX

16070.00

0.00

PCB Disposal Service For E.E.A.P. - Portland, OR

Picked up one pure PCB Transformer from Ash Grove Cement West, Inc. in  
Portland \$ 13,144.00 FOR DISPOSAL

Picked up one Blue Bin of caps and placed in storage with a total weight  
of 1330 pounds @ \$2.20 per pound \$ 2,926.00 FOR DISPOSAL

Pumped out 383.5 gallons of pure PCB from transformer and stored in yellow  
tank. Also pumped out 385.0 gallons of flush oil and stored in yellow tank.

Thank you for this order.

O.K. to pay

STEVE DALMADITH

FEB 22 1988

CC: WAK

CC: DG

THANK YOU. SERVICE WITH PRIDE IS BACK  
TAXABLE AMOUNT

FAX DATE 11:00 AM TIME TOTAL DUE

16070.00

ESMAN NO.	CATEGORY CODE	TAX CODE	PARTIAL/FINAL	SHIPPED FROM	VIA	PPD/COLLECT
99	601*01			SEATTLE, WA		

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTION 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE U.S. DEPARTMENT OF LABOR ISSUED UNDER SECTION 14, THEREOF.

NOTICE: PRICE(S) HEREON, FOLLOWING OUR COMPANY POLICY, MAY BE BASED UPON PRICE(S) IN EFFECT AT TIME OF SHIPMENT, THEREFORE MAY NOT BE THE SAME AS THE PRICE(S) ON YOUR ORDER.

CUSTOMER COPY

290

HDQ-08

WATC  
18-6



**EASTERN**

ELECTRIC  
APPARATUS  
REPAIR  
COMPANY, INC.

10831 EAST MARGINAL WAY SOUTH  
SEATTLE, WASHINGTON 98168  
(206) 767-9506

June 22, 1988


Ash grove Cement  
13939 N. Rivergate Blvd.  
Portland, OR 97203

Attn: Richard Gabel

This letter is to certify that the PCB transformer(s) with the Serial Number(s) and liquid amount(s) listed below delivered to Eastern Electric Service Plant, Seattle, WA on 1/23/88 were disposed of according to 40CFR Part 761.60 (b) (1) (i) (B).

Attached are copies of the Arkansas Waste Manifest, Ticket Number AR-160050 (liquids), Hazardous Waste Manifest Number 00015 (Transformer Carcass), and Certificate of Destruction (liquids) in which your materials were included.

Should you have any questions, please feel free to call.


  
EASTERN ELECTRIC CORPORATION

Transformer Serial Number(s):

E-686940

Liquid Amount(s)  
Gallons:      Kilograms:

383.5      2224.30



P/C 15-1



STATE OF ARKANSAS  
Department of Pollution Control and Ecology  
P. O. Box 9583 Little Rock, Arkansas 72219  
Telephone 501-562-7444

1

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-88

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WA 198073846200020		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Eastern Electric 10831 E. Marginal Way S., Seattle, WA 98168						A. State Manifest Document Number AR-160050			
4. Generator's Phone (206) 767-9506						B. State Generator's ID WA 198073846200020			
5. Transporter 1 Company Name Ensco, Inc., El Dorado, AR			6. US EPA ID Number AR 198069748192			C. State Transporter's ID H10 PC708		D. Transporter's Phone 501-863-7173	
7. Transporter 2 Company Name			8. US EPA ID Number			E. State Transporter's ID		F. Transporter's Phone	
9. Designated Facility Name and Site Address Ensco, Inc. American Road El Dorado, AR 71730						10. US EPA ID Number AR 198069748192		G. State Facility's ID H10 PC708	
						H. Facility's Phone (501) 863-7173			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity	
a. Hazardous waste, liquid, N.O.S., ORM-E, NA 9189 (PCB) R.Q.						0 0 1 T T		39900 P	
b.									
c.									
d.									
J. Additional Descriptions for Materials Listed Above a. Liquid						K. Handling Codes for Wastes Listed Above Emergency Response Larry Robinson (206) 767-9506			
if no alternate TSDF, return to generator									
15. Special Handling Instructions and Additional Information Dike and contain spills, avoid contact with skin. Alternate TSDF: Return to Generator.									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Larry Robinson						Signature <i>Larry Robinson</i>		Month Day Year 10 21 09 18	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Van Edmondson						Signature <i>Van O. Edmondson</i>		Month Day Year 10 21 09 18	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name						Signature		Month Day Year	
19. Discrepancy Indication Space 11a-40,860#						TMS			
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Printed/Typed Name Sharon Morgan						Signature <i>Sharon Morgan</i>		Month Day Year 10 21 288	

EPA Form 8700-22 (Rev. 9-86) Previous edition is obsolete.

NOTICE: THE ORIGINAL AND NOT LESS THAN TWO (2) COPIES MUST MOVE WITH THE HAZARDOUS WASTE SHIPMENT. ONCE DELIVERED, THE TREATMENT/STORAGE/DISPOSAL FACILITY MUST RETURN THIS ORIGINAL COPY TO THE GENERATOR.



**ensco**

a subsidiary of environmental systems company

**CERTIFICATION**

P.O. BOX 8513 333 EXECUTIVE COURT LITTLE ROCK, AR 72205 (501) 223-4100 **No.**


40007


**CERTIFICATION OF COMPLIANCE AND DISPOSAL**

EASTERN ELECTRIC APPARATUS  
REPAIR CO. INC.  
10831 EAST MARGINAL WAY SOUTH  
SEATTLE, WA 9816800000

ENSCO CERTIFIES THAT AS OF THE 12TH OF FEBRUARY  
1988, ALL MATERIAL RECEIVED FROM EASTERN ELECTRIC APPARATUS  
DESCRIBED ON ENSCO INVOICE NUMBER 00001533, DATED 2/12/88,  
ENSCO RECEIVING REPORT NUMBER (DELIVERY TICKET NUMBER) EEK-1533  
AND MANIFEST NUMBER 68000160050, WAS DISPOSED OF IN COMPLIANCE  
WITH ALL LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS.

ENSCO INCORPORATED

BY   
NAME JOHN T. CORCIA  
TITLE VICE PRESIDENT / SALES & MARKETING  
DATE 4/06/88



Use print or type  
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2000-0404, Expires 7-31-86

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAD980738462	Manifest Document No. 100015	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Eastern Electric 10831 E. Marginal Way So., Seattle, WA 98168			A. Gross:			
4. Generator's Phone (206) 767-9506			B. Tare:			
5. Transporter 1 Company Name Dorwin Trucking			6. US EPA ID Number WAD055486765		D. Transporter's Phone (206) 922-6588	
7. Transporter 2 Company Name			8. US EPA ID Number		E. State Transporter's ID	
9. Designated Facility Name and Site Address Chem-Security Systems, Inc. Star Route Arlington, Oregon 97812			10. US EPA ID Number ORD 089 452 353		F. Transporter's Phone	
					G. State Facility's ID	
					H. Facility's Phone 503-454-2643	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers	13. Total Quantity	14. Unit	EPA/I. Waste No.
			No.	Type	Wt/Vol	
a.	Empty PCB Transformers Not subject to 49 C.F.R.	009	CM	3625	P	X002
b.	Empty PCB Transformers Not subject to 49 C.F.R.	004	CM	22254	P	X002
c.	X R.Q., Hazardous Substance, solid, N.O.S., ORM-E, N.A. 9188 (Polychlorinated Biphenyls)	004	DM	780	P	X002
d.	Empty PCB Drums not Subject to 49 C.F.R.	022	DM	880	P	X002
J. Additional Descriptions for Materials Listed Above			K. WPS		Handling Code	
a. PCB Transformers Under 500 PPM - Drained					Cu. Yd.	
b. PCB Transformers Over 500 PPM - Drained and Flushed						
c. PCB Contaminated Solids						
d. Empty PCB Drums						
15. Special Handling Instructions and Additional Information			Waste Profile Sheet Number(s)			
a. D-97374						
b. D-97371						
c. D-97370						
d. D-97373						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
Unless I am a small quantity generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment.						
Printed/Typed Name Larry Robinson			Signature <i>Larry Robinson</i>		Date 06/07/88	
17. Transporter 1 Acknowledgement of Receipt of Materials			Signature <i>Terry E. McInnis</i>		Date 06/08/88	
Printed/Typed Name TERRY E. MCINNIS						
18. Transporter 2 Acknowledgement of Receipt of Materials			Signature		Date	
Printed/Typed Name						
19. Discrepancy Indication Space Section 16 generator's certification is outdated, form expired 7-31-86.						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Betty L Reed			Signature <i>Betty L Reed</i>		Date 06/13/88	



**EASTERN**

ELECTRIC  
APPARATUS  
REPAIR  
COMPANY, INC.

10831 EAST MARGINAL WAY SOUTH  
SEATTLE, WASHINGTON 98168  
(206) 767-9506

December 27, 1988

Ash Grove Cement  
13939 N. Rivergate Blvd.  
Portland, Or 97203

Attn: Richard Gabel

This letter is to certify that the 21 PCB capacitors delivered to Eastern Electric Apparatus Service Plant, Seattle, WA on 1-23-88 were disposed of according to 40 CFR Part 761.60 (b) (2) (iii) (A).

Attached are copies of the Hazardous Waste Manifest, Ticket Number 00484842, and the Certificate of Destruction in which your capacitors were included.

Should you have any questions, please feel free to call.

EASTERN ELECTRIC CORPORATION

PLC 15-1

TEXAS WATER COMMISSION

P. Box 13087, Capitol Station  
Austin, Texas 78711-3087



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form approved: OMB No. 2050-0039, expires 9-30-88

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. WAD 980738462		Manifest Document No. 84842		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Eastern Electric 10831 E. Marginal Way South Seattle, WA 98168 4. Generator's Phone (206) 767-9506						A. State Manifest Document Number NO 00484842			
5. Transporter 1 Company Name Custom Environmental Transport						6. US EPA ID Number DED980918858		C. State Transporter's ID 40756	
7. Transporter 2 Company Name						8. US EPA ID Number		D. Transporter's Phone (713) 479-4801	
9. Designated Facility Name and Site Address Rollins Environmental Services P.O. Box 609 2027 Battleground Deer Park, TX 77536						10. US EPA ID Number TXD05S141378		G. State Facility's ID AXET 01429T2 WA STATE	
H. Facility's Phone (713) 479-6001									
11A. HM		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No. Type		13. Total Quantity Unit	
		a. R.Q., WASTE HAZARDOUS SUBSTANCE SOLID, N.O.S., ORM-E, NA 9188 (POLYCHLORINATED BIPHENYLS)				2 CM		4005 P	
		b.							
		c.							
		d.							
14. Additional Descriptions for Materials Listed Above						15. Handling Codes for Wastes Listed Above T-07			
15. Special Handling Instructions and Additional Information									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations, including applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Larry Robinson						Signature <i>Larry Robinson</i>		Month Day Year 10/13/88	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name CHARLES S. KABAUKA						Signature <i>Charles S. Kabauka</i>		Month Day Year 10/13/88	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name						Signature		Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous material covered by this manifest except as noted in item 18.									
Printed/Typed Name C. BARRON						Signature <i>C. Barron</i>		Month Day Year 10/13/88	



**Rollins**

DECEMBER 13, 1988

EASTERN ELECTRIC  
10831 MARGINAL WAY SOUTH  
SEATTLE, WA 98168

ATTN: Mr. Larry Robinson

Dear Mr. Robinson:

This is to certify the material referenced below was incinerated as of 11/18/88 at our Deer Park facility - Rollins Environmental Services (TX) Inc., P. O. Box 609, Deer Park, Texas 77536 in accordance with 40 CFR 761 as it pertains to incineration of PCB solids, liquids, and capacitors.

TOTAL POUNDS	-4205
H. O. NUMBER	-11553-39
DATE RECEIVED	-10/13/88
RES (TX) INC. B/L NUMBER	-102596
RES (TX) INVOICE NUMBER	-10001968
TWC MANIFEST NUMBER	-00484842

SINCERELY,  
RES (TX) INC.

VELMA K. SHAFFER  
PCB RECORDS ADMINISTRATOR

cc: Pat McGrath

Please call (713) 479-6001 Ext. 212 if there are any questions concerning the information on this Certificate of Destruction.

**METRO**2000 S.W. First Avenue  
Portland, OR 97201-5398  
503/221-1646**Application to Dispose  
of Special Waste****APPROVED**CK# 1537  
DE  
WAK  
FILE  
18-6

INSTRUCTIONS: Please read important information on other side. Type, or print heavily in ink. The person responsible for accuracy of information must sign. Return all copies of completed application and any supporting information to Metro along with a check for the \$25 application fee.

Office use only  
Permit no. 2721  
Expires 1/1/91Applicant's Name ASH GROVE CEMENT WEST, INC.Address 13939 No. Rivergate Blvd.City Portland, OR.Zip Code 97203Contact Person DICK GABELPhone 286-1677

Description of Special Waste (waste composition and physical, chemical, manufacturing process from which waste originated)

Soil, dirt, grease, PCB less than 50 PPM, absorb-all, sand, limestone,One time disposal? yes ☒ no ☐Disposal frequency (if more than one time) 2 timesQuantity: (gallons 55 GAL drums) 20 drums lbs., cubic yards)Quantity per year 40Hazardous yes ☐ no ☒ How did you determine whether hazardous or not? Material Safety Data Sheettest results ✓ other to (enclose documents)

Handling and spill cleanup directions

Transporter

Previous permit for this waste, if any. Number

NO SEALED EMPTY CONTAINERS WILL BE ACCEPTED. If empty pesticide containers only: (a) Describe material originally in containers Teammie

(b) Describe method of cleansing, rinsing and preparation of containers

Certificate of Accuracy of Description: This is to certify that the above describe materials are properly classified, identified, packaged, marked, labeled, cleansed, rinsed and prepared as indicated above.

X - Signature Richard GabelDate 12-13-90(also type or print name) Richard GabelDEQ Review: The above described special waste or empty container(s) is approved disapproved for disposal at the St. Johns Landfill.

Signature \_\_\_\_\_ Date \_\_\_\_\_

(also type or print name) \_\_\_\_\_

Special Instructions \_\_\_\_\_

Metro Action: Disposal of the above described special waste or empty container(s) is approved X disapprovedfor disposal at the St. Johns Landfill at a disposal rate of \$ 52.00 per ton; 15.00 per trip minimum charge.Signature Bill SmartDate 12/17/90

(also type or print name) \_\_\_\_\_

GENERAL INSTRUCTIONS: Appointment required 24 HOURS prior to each disposal. Call 286-9614. Cash on disposal (NO CHECKS) or have prior account established. To establish an account, call Accounting at 221-1646.

SPECIAL INSTRUCTIONS: \_\_\_\_\_

## **WASTE MANAGEMENT PLAN**

### **ASH GROVE CEMENT COMPANY - RIVERGATE PLANT**

#### **1. QUICKLIME DUST:**

It is the nature of our process that a certain amount of dust will be generated. This material is returned to the process stream whenever possible. Clean up dust is returned to the process via conveyors or put back into ag stockpiles to be reclaimed. All clean up material is to be properly disposed of, being careful to exclude any foreign items such as wood, paper, bricks, iron, steel, etc.

#### **2. AG-LIME DUST:**

It is the nature of our process that a certain amount of dust will be generated. This material is returned to the process stream whenever possible. Clean up dust is returned to the process via the ag stock pile. All clean up material is to be properly disposed of, being careful to exclude any foreign items such as wood, paper bricks, iron, steel, etc.

#### **3. PAPER AND FOOD WASTES:**

Paper and food wastes are stored in their proper waste receptacles throughout the plant. All receptacles of this nature are marked "TRASH". All food waste containers are stored in covered containers until they are hauled to the dumpster located against the North center wall of the warehouse. Waste Management picks up this dumpster for disposal.

#### **4. WOOD:**

Wood that is reusable for Bromley work is stored just South of the #3 Kiln. Pallet material and junk wood is stored along the North fence line just North of the warehouse. Excess accumulations of wood is hauled off by Waste Management.

#### **5. STEEL AND METAL SCRAP:**

Steel and metal scrap is stored in a dumpster South of Kiln #3. Maximum length for this dumpster cannot exceed 3' in length. Longer material must be cut and then disposed of in the dumpster. When the dumpster gets full, Schnitzer Steel is called to dispose of the scrap and returns with an empty dumpster.

D1

#### **6. STAINLESS STEEL:**

Stainless steel scrap is stored in a dumpster located just East of Bin 6 pebble bin. Only stainless steel is put in this dumpster. When the dumpster gets full, Schnitzer Steel is called to dispose of the scrap and returns with an empty dumpster.

7. **OILY RAGS:**

Oily rags are stored in a covered 20 gallon drum in the Southwest side of the maintenance shop. Cintas picks the soiled rags up bi-monthly for cleaning.

8. **FLOOR DRY, OIL ABSORBENT MATERIALS:**

This material is discarded into 55 gallon drums with lids. The drums are located South of the berm area of the oil storage tanks. The drum when full, is sent to Bill Briggs at Oil Re-refining Company for disposal.

9. **AEROSOL CONTAINERS:**

This category includes belt dressing cans, paint cans, etc. Every effort should be made to find an environmentally safe alternative product that doesn't use an aerosol spray. However, if no suitable substitute exists and it is necessary to use an aerosol, the can when empty should be placed in a container labeled "TRASH". This will be handled according to the guideline established under PAPER AND FOOD WASTE.

10. **JANITORIAL WASTES:**

Cleaning solutions used by the janitor should be biodegradable and non-caustic whenever possible. Caustic wastes should be neutralized before being put into the septic system.

11. **LAB WASTES**

Acidic and basic solutions should be neutralized before being put into the septic system.

12. **LANDSCAPING WASTES:**

Landscaping wastes (tree limbs, grass, vegetation) are hauled to the designated composting area and put on the compost pile. This pile is located in the Southwest corner of the plant. If the landscaping waste is not taken to the compost pile it is taken to an outside disposal site.

## **WASTE MANAGEMENT PLAN**

### **ASH GROVE CEMENT COMPANY - RIVERGATE PLANT**

#### **1. QUICKLIME DUST:**

It is the nature of our process that a certain amount of dust will be generated. This material is returned to the process stream whenever possible. Clean up dust is returned to the process via conveyors or put back into ag stockpile to be reclaimed. All clean up material is to be properly disposed of, being careful to exclude any foreign items such as wood, paper, bricks,, iron, steel, etc.

#### **2. AG-LIME DUST:**

It is the nature of our process that a certain amount of dust will be generated. This material is returned to the process stream whenever possible. Clean up dust is returned to the process via the ag stock pile. All clean up material is to be properly disposed of, being careful to exclude any foreign items such as wood, paper, bricks, iron, steel, etc.

#### **3. PAPER AND FOOD WASTES:**

Paper and food wastes are stored in their proper waste receptacles through out the plant. All receptacles of this nature are marked "TRASH." All food waste containers are stored in covered containers until they are hauled to the dumpster located against the North center wall of the warehouse. M.D.C. (Metropolitan Disposal Corporation) picks up this dumpster bi-monthly for disposal.

#### **4. WOOD:**

Wood that is reusable for Bromley work is stored just South of #3 Kiln. Pallet material and junk wood is stored along the North fence line just North of the warehouse. Excess accumulations of wood is hauled off by Metropolitan Disposal Corporation when called.

#### **5. STEEL AND METAL SCRAP:**

Steel and metal scrap is stored in a dumpster South of Kiln #3. Maximum length for this dumpster cannot exceed 3' in length. Longer material must be cut and then disposed of in the dumpster. When the dumpster gets full, Schnitzer Steel is called to dispose of the scrap and returns with an empty dumpster.

#### **6. STAINLESS STEEL:**

Stainless steel scrap is stored in a dumpster located just East of bin 6 pebble bin. Only stainless steel is put in this dumpster. When the dumpster gets full, Schnitzer Steel is called to dispose of the scrap and returns with an empty dumpster.

7. **OILY RAGS:**

Oily rags are stored in a covered 20 gallon drum in the Southwest side of the maintenance shop. Aratex Services picks the soiled rags up bi-monthly for cleaning.

8. **FLOOR DRY, OIL ABSORBENT MATERIALS:**

This material is discarded into 55 gallon drums with lids. The drums are located South of the berm area of the oil storage tanks. The drum when full, is sent to Bill Briggs at Oil Re-refining Company for disposal.

9. **AEROSOL CONTAINERS:**

This category includes belt dressing cans, paint cans, etc. Every effort should be made to find an environmentally safe alternative product that doesn't use an aerosol spray. However, if no suitable substitute exist and it is necessary to use an aerosol, the can when empty should be placed in a container labeled "TRASH." This will be handled according to the guideline established under PAPER AND FOOD WASTE.

10. **JANITORIAL WASTES:**

Cleaning solutions used by the janitor should be biodegradable and non-caustic whenever possible. Caustic wastes should be neutralized before being put into the septic system.



11. **LAB WASTES:**

Acidic and basic solutions should be neutralized before being put into the septic system.





12. **LANDSCAPING WASTES:**

Landscaping wastes (tree limbs, grass, vegetation) are hauled to the designated composting area and put on the compost pile. This pile is located in the Southwest corner of the plant. If the landscaping waste is not taken to the compost pile it is taken to an outside disposal site.

BARGE UNLOADING DOCK







Δ 4



112 Δ

Δ DOL. STORAGE



Δ 11 RUBBER

SETTLING POND


Δ 12 BRICK

Δ 4

Δ 5

Δ 8


SUB STATION 2000 KVA



Δ PROFANE

# Area ID

1. QUICKLIME DUST Δ
2. AG LIME DUST Δ
3. PAPER & FOOD WASTES Δ
4. WOOD Δ
5. STEEL & METAL SCRAP Δ
6. STAINLESS STEEL Δ
7. OILY RAGS Δ
8. FLOOR DRY Δ
9. AEROSOL CANS Δ
10. LANDSCAPING WASTES Δ
11. RUBBER Δ
12. BRICK Δ
13. CARDBOARD Δ



HILLSBORO LANDFILL, INC.  
 205 S.E. Minter Bridge Road  
 Hillsboro, OR 97123  
 Phone: 503-640-9427 FAX: 648-2490

# Application to Dispose of Asbestos

289-2272

INSTRUCTIONS: Please read important sheet attached. Type, or print heavily in ink.  
 The person responsible for accuracy of information must sign. Return all copies of  
 completed application and any supporting information to Hillsboro Landfill, Inc.

Applicant's Name Ash Grove Cement  
 Address 13939 N. Rivergate  
 City Portland State OR Zip 97203  
 Contact Person Howard Madison Phone 286-1677

Office use only

Permit no. 6068Expires 5-3-95

FRIABLE \_\_\_\_\_ NONFRIABLE A  
 Description of asbestos (house siding, insulation, tape, transite, etc.) transite siding

One time disposal? ☒ yes ☐ no Approximate quantity (cubic yards) 100

Previous permit for this waste, if any. Number \_\_\_\_\_

## INSTRUCTIONS FOR FRIABLE ASBESTOS ONLY:

The landfill will accept disposal of friable asbestos from 8:30 am to 3:30 pm Tuesdays and Thursdays only. Appointments are required 24 hours prior to each disposal. Call 640-9427 for appointments. Cash on disposal or have prior account established.

Packaging and transporting requirements: Wet thoroughly with mist of soap or detergent and water. Double bag in 6 mil. or thicker plastic bags (transparent outer bag), fiber or metal drums completely sealed and labeled as required by OAR 340-25-465. Transport to landfill in a closed van or covered dropbox, truck or trailer not compacted nor mixed with other waste.

Certificate of Accuracy of Description: This is to certify that the above described materials are properly classified, identified, packaged, marked, labeled, cleansed and prepared as indicated above.

Signature Telephons Date 2-3-95

Also type or print name \_\_\_\_\_

Disposal of the above described asbestos containing material is approved ☒ disapproved \_\_\_\_\_ for disposal at the Hillsboro Landfill at disposal rate of:

Friable Asbestos \$ \_\_\_\_\_ /ton, \$ \_\_\_\_\_ per trip minimum

Non-Friable Asbestos \$ 5286 /ton, \$ 2800 per trip minimum

Signature Don Date 2-3-95

Special Instructions \_\_\_\_\_

NOTE: Disposal rates may be subject to change without prior notice.

1995 05-03

MATER-H MANIFE

R-8b

(End Asbestos

Containing Materials Info)

JUAL P.01

ADDITIONAL TERMS AND CONDITIONS

Contractor: KEYSTONE CONTRATING INC. 417 N.W. 209<sup>TH</sup> STREET, VNCOUVER, WA 98642

Client: ASH GROVE CEMENT COMPANY, 13939 N. RIVERGATE BLVD., PORTLAND, OR 97203

Purchase Order #/Date: 89799036 - May 22, 1997

Project: COVERING ON SITE ASBESTOS REMOVAL AS PER CITY, STATE & FEDERAL REQUIREMENTS.

Contractor's Proposal Dated: \_\_\_\_\_

1. Client's Purchase Order (if specifically identified above), the written Proposal of Contractor (if specifically identified above), and these Additional Terms and Conditions comprise the entire agreement between the parties (the "Agreement"). There are no agreements, terms, conditions, or representations, oral or written, relating to the Project that are not merged herein and superseded hereby. The terms of these Additional Terms and Conditions control over any inconsistent terms in Contractor's Proposal, including without limitation any statement that terms or conditions contained in Contractor's Proposal are to take precedence over inconsistent or contrary provisions in any document regarding the Project. This Agreement may not be amended except by a writing signed by both parties.

2. Notwithstanding any term or condition to the contrary contained in the Agreement, Client may utilize any reports, boring logs, field data, field notes, laboratory test data, calculations, estimates and other documents prepared hereunder as necessary to fulfill the obligations contemplated by this Agreement.

3. No work shall be undertaken that entails fees or charges in excess of the amount set forth in this Agreement without prior written approval of Client. Hourly fee rates and/or classifications of personnel (if any) specified in this Agreement shall remain effective throughout the term of the Agreement and will not be subject to change without Client's prior written approval.

4. Contractor shall in its performance of work and/or services comply with all applicable statutes and governmental rules and regulations, including without limitation those relating to safety, health and environment.

5. Contractor understands that the facility involved in the Project may include quarrying operations that involve open pit and/or underground mining, and in such cases, Contractor is responsible for ensuring that, prior to entering Client's facility, all personnel caused to be brought on-site by Contractor shall have been provided all training required by the Mines Safety and Health Administration, if applicable.

6. A. Throughout the period when work is being performed on the Project and until its final acceptance by Client, Contractor shall maintain the following insurance, in form and with insurers acceptable to Client, and providing the following coverages:

(1) Commercial General Liability. Contractor shall maintain commercial general liability insurance with limits of not less than Two Million Dollars (\$2,000,000) per occurrence for bodily injury, including death, and property damage. Such insurance shall contain coverage for broad form property damage, contractual liability (including, without limitation, that specifically assumed herein), and products and completed operations insurance for a minimum of twenty-four (24) months after final acceptance of work by Client, and shall not exclude explosion, collapse, underground excavation or lateral support. Any policy shall (i) be endorsed to name Client and any affiliated corporation(s) and their respective directors, officers and employees (collectively, "Affiliates") as additional insureds; (ii) be endorsed to be primary to and noncontributory with any insurance maintained by Client and Affiliates; (iii) contain a waiver of any rights of subrogation in favor of Client and Affiliates; and (iv) contain a separation of insureds provision.

(2) Automobile Liability. If licensed vehicles will be used in connection with the performance of the Project, Contractor shall carry and maintain automobile liability insurance covering all vehicles, whether owned, hired, rented, borrowed or otherwise, with limits of liability of not less than One Million Dollars (\$1,000,000) per occurrence combined single limits for bodily injury and property damage. If the work includes transportation of hazardous materials, the policy shall include, without limitation, coverage for risks of transportation of hazardous materials, including overturn and upset.

(3) Workers' Compensation. Contractor shall carry and maintain insurance in accordance with the applicable laws relating to workers' compensation, with respect to all of its employees working on the Project, regardless of whether such coverage or insurance is mandatory or merely elective under the law. Contractor shall also provide, if required by law, insurance to meet the requirements of the Federal Longshoreman and Harbor Workers Act or Federal Maritime Employers Liability Law (Jones Act). Contractor shall also maintain employers liability coverage with limits of not less than One Million Dollars (\$1,000,000) per accident. Any policy shall contain a waiver of rights of subrogation to Client and Affiliates. If Client is required by any applicable law to pay any workers' compensation premiums with respect to employees of Contractor, Contractor shall reimburse Client for such payment.

# ASN-4 Asbestos Waste Shipment Report Form

JOB # 9856  
Permit: 10341



PLEASE PRINT OR TYPE, except for required signatures. Questions? Contact the DEQ Asbestos Control Section, 2020 SW 4th, Ste., 400, Portland, OR 97201, (503) 229-5982, OR call 1-800-452-4011 for the phone number and location of your local regional DEQ office.

## WASTE GENERATOR: (Contractor - Facility - Operator)

1. Asbestos removal site name and address: Ash Grove 13934 N Rivergate  
port one 97203  
Street City County Zip  
Contact person: GARY WRIGHT Phone: 386-1677
2. Operator's name and address: KEYSTONE CONTRACTING INC Phone: (360) 887-0868  
417 NW 209th Street Ridgefield, WA Clark 98642  
Street City County Zip
3. Waste disposal site: HILLSBORO LANDFILL Phone: (503) 640-9427  
3205 SE Minter Bridge Road Hillsboro, OR Multnomah 97123  
Street City County Zip
4. Describe asbestos materials: TSI
5. Containers: Number: 6 BAGS Type: DBL 6 mil Bags
6. Total quantity (cubic yards): \_\_\_\_\_

7. OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to government regulations; all movement of asbestos-containing material shall be recorded on a Waste Shipment Record Form.

Name: Charles Knight Company: KEYSTONE CONTRACTING INC.  
Signature: Charles Knight Date: 5-27-98

## TRANSPORTER(S):

8. Transporter #1: (Acknowledgment of receipt of materials)  
Agent: Rob W. Henhaue Company: KEYSTONE CONTRACTING INC.  
Address: 417 NW 209th Street, Ridgefield, WA 98642 Phone: (360) 887-0868  
Signature: [Signature] Date: \_\_\_\_\_
9. Transporter #2: (Acknowledgment of receipt of materials)  
Agent: \_\_\_\_\_ Company: \_\_\_\_\_  
Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## DISPOSAL: (Certification of receipt of asbestos materials covered by this manifest, except as noted in item 11 below.)

10. Waste Disposal Site: HILLSBORO LANDFILL  
Name and title: CHRIS THOMAS Date: \_\_\_\_\_  
Signature: [Signature] Phone: \_\_\_\_\_  
MAY 28 1998

## 11. DISCREPANCY SPACE: (Add attachments as needed)

<b>WASTE MANAGEMENT STANDARD OPERATING PROCEDURE</b>		
<b>Procedure No.:</b>	<b>Ash Grove Cement Company Rivergate Lime Plant, Portland, OR</b>	<b>Page: 1 of x</b>
<b>Approved By: Robert Vantuyl</b>	<b>Dept.: Facility-Wide</b>	<b>Rev No.:</b>
<b>Date Approved: 9/25/02</b>	<b>System:</b>	<b>Rev. Date:</b>

## 1. Purpose

The purpose of this procedure is to outline facility practices regarding the generation, management and disposal of RCRA hazardous wastes.

## 2. Scope

This procedure applies to hazardous wastes that are generated at the Rivergate plant and includes lab wastes, shop wastes, computers, and universal wastes. The facility EPA ID number is ORD027707256. The facility is currently a conditionally exempt generator of hazardous waste.

## 3. RCRA Characterization

The following wastes are generated at the Rivergate facility.

3.1 Laboratory: The following solutions are generated by the laboratory on a routine basis.

3.1.1 Available CaO solution. Approximately \_\_ mls. of waste solution is generated per test. The resultant pH of the waste solution is in the range of \_\_ to \_\_ pH units. Based on this process knowledge, this solution is not a hazardous waste. There are no heavy metals used in preparing the reagents for this test. The waste reagent is disposed down the lab drain which discharges to the local POTW.

3.1.2 CaCO<sub>3</sub> equivalent/MgO neutralization solution. Approximately \_\_ mls. of solution is generated per test. The resultant pH of the waste solution is in the range of \_\_ to \_\_ pH units. Based on this process knowledge, this solution is not a hazardous waste. There are no heavy metals used in preparing the reagents for this test. The waste reagent is disposed down the lab drain which discharges to the local POTW.

3.1.3 Conductivity solution. Approximately \_\_ mls. of solution is generated per test. The resultant pH of the waste solution is in the range of \_\_ to \_\_ pH units. Based on this process knowledge, this solution is not a hazardous waste. There are no heavy metals used in preparing the reagents for this test. The waste reagent is disposed down the lab drain which discharges to the local POTW.

3.1.4 pH determination on flour and Ag lime. Approximately \_\_ mls. of solution is generated per test. The resultant pH of the waste solution is in the range of 8 to 9 pH

<b>WASTE MANAGEMENT STANDARD OPERATING PROCEDURE</b>		
<b>Procedure No.: C.</b>	<b>Ash Grove Cement Company Rivergate Lime Plant, Portland, OR</b>	<b>Page: 2 of 3</b>

units. Based on this process knowledge, this solution is not a hazardous waste. There are no heavy metals used in preparing the reagents for this test. The waste reagent is disposed down the lab drain which discharges to the local POTW.

3.1.5 Solid residues from fineness determinations and slake tests. Residues from these product quality tests are placed with the Ag lime feedstock ingredients and marketed as Ag lime.

3.1.6 Other chemicals. Occasionally, the lab may perform analyses on a non-routine basis. Laboratory personnel have been instructed to evaluate for the presence of heavy metals and organic solvents prior to disposal. If present, the Environmental Manager is consulted for documenting proper disposal procedures. Any other reagents are neutralized to a pH between 5 and 11.5 prior to discarding down the sink drain.

### 3.2 Maintenance Shop Wastes.

3.2.1 Parts cleaner solvent. Spent parts cleaner is generated by the facility at a rate of about 55 gallons per year. This waste is presumed to be a characteristic hazardous waste for ignitability.

3.2.2 Empty aerosol cans. Spent aerosol cans are managed as universal waste.

3.2.3 Oily rags. Greasy rags are collected in a covered 20 gallon drum on the southwest side of the maintenance shop. They are picked up bimonthly for cleaning.

3.2.4 Batteries. Heavy equipment and vehicle batteries are recycled through the local distributor.

3.2.5 Antifreeze. Used antifreeze generated at the facility has been tested and determined to be non-hazardous. Antifreeze is recycled offsite by a local recycling company.

3.2.6 Floor dry/oil absorbent materials. This material is discarded into 55 gallon drums with lids. The drums are located south of the berm area of the oil storage tanks. Full containers are sent to Oil Re-refining for disposal.

3.2.7 Used oil filters are hot drained and collected in 55-gallon drums prior to shipment offsite for recycling.

3.2.8 Used Oil is managed in 200 gallon totes located in the maintenance and heavy equipment shops. The totes are located within secondary containment and labeled with the words "Used Oil". Used oil is either utilized as burner fuel or collected by a

<b>WASTE MANAGEMENT STANDARD OPERATING PROCEDURE</b>		
<b>Procedure No.: C.</b>	<b>Ash Grove Cement Company Rivergate Lime Plant, Portland, OR</b>	<b>Page: 3 of 3</b>

recycling company and recycled off-site. Employees have been trained not to mix any other substances with the used oil. If used oil has become inadvertently contaminated to the point that they are classified as hazardous waste, it will be managed as such. Contact the environmental manager for further instructions. Proper management includes collecting and storing in 55-gallon metal drums in the facility hazardous waste accumulation area with proper labeling. The contaminated used oil or other lubricants shall not be discarded in the general plant refuse, poured down a drain, or handled in any way inconsistent with this SOP.

3.2.9 Gear greases sometimes may contain constituents such as chlorinated solvents that may render the material a RCRA hazardous waste. It is the policy of Ash Grove Cement to discontinue used of these types of lubricants. In the event these types of lubricants or greases are used, the waste material will be managed as hazardous waste. Otherwise, non-hazardous greases and lubricants will be recycled using a reputable recycling company.

### 3.3 Electrical Shop Wastes

3.3.1 Mercury switches/thermostats. The facility is currently phasing out the use of these materials and are collecting materials removed from service as universal waste.

3.3.2 Mercury vapor lamps. The facility is currently phasing out the use of these materials and are collecting materials removed from service as universal waste.

3.3.3 Fluorescent tubes. The facility is currently managing fluorescent tubes as universal waste.

### 3.4 Process Wastes

3.4.1 Quicklime Dust. This material is returned to the process whenever possible. Clean up dust is returned to the process via the ag-lime stockpile for reclamation.

3.4.2 Ag Lime Dust. This material is returned to the process whenever possible. Clean up dust is returned to the process via the ag-lime stockpile for reclamation.

### 3.5 Other Wastes

3.5.1 Computer monitors and hardware. Spent computers and monitors are handled in accordance with State of Oregon Interim policy for managing used computers and other electronic equipment.

WASTE MANAGEMENT STANDARD OPERATING PROCEDURE		
Procedure No.: C.	Ash Grove Cement Company Rivergate Lime Plant, Portland, OR	Page: 4 of 3

3.5.2 Steel. All scrap metal is segregated by type and shipped offsite for recycling.

4150 N. Suttle Road  
Portland, Oregon 97217  
701 Bozarth Street  
Woodland, Washington



24 Hour Emergency  
Service 503.286.8352  
Toll Free 800.367.8894  
EPA #WAD980986012

No. 130140

Date: 3-1-04

Cust ID# 3138

Generator	Ashgrove Cement Ivan (503) 286-1677	
	Name	Contact Person
Transportation	13939 N. Rivergate Blvd. Portland, OR 97240	
	Address	City State Zip County
Transportation	Consigned To: Fuel Processors Inc.	
	Destination: 4150 N. Suttle Rd. Portland, OR 97217	
	Via Carrier: Oil Re-Refining company	
	Driver: Steve P Truck # 7677 Miles Run:	

Billing Address	Same	
	Check# PO#	
	Profile Date: 10-10-03	
	Load Ticket #	

Gal. (Brl)	Description	Sniffer P / F	CDT / HCDT	pH	Flash Point	Rate per Gal. / Brl	Rate per Hour	Charge
10	Oily Solids (Clean-up material) Flash > 200°F	P				Per Terry		
1	Oil Filters (Profile attached)	P				Per Terry		
1	Used Oil (Profile attached)	P				Per Terry		
1	Used Anti-freeze (Profile Attached) Flash > 200°F	P		8		Per Terry		

Above material being transported for Recycling EPA#

Total:

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED X *Steve P*

DATE: 3/1/04

4150 N. Suttle Road  
Portland, Oregon 97217  
701 Bozarth Sreet  
Woodland, Washington



24 Hour Emergency  
Service 503.286.8352  
Toll Free 800.367.8894  
EPA #WAD980986012

No. 138127

Date: 8-31-04

Cust ID# 3138

Generator  
Ash Grove  
Name 13939 N. Rivergate Portland OR 97203  
Address City State Zip County  
Glen Dollar 503/286-1671  
Contact Person Phone

Transportation  
Consigned To: Fuel Processors Inc.  
Destination: 4150 N. Suttle Rd. Portland OR 97217  
Via Carrier: Oil Re-Refining company  
Driver: Ace Truck # 7677 Miles Run: Load Ticket #

Billing Address

Same

Check# PO#

Profile Date: On File 10-10-03

Gal/Brl.	Description	Sniffer P/F	CDT/ HCDT	pH	Flash Point	Rate per Gal./Brl.	Rate per Hour	Charge
9	Spill Material - No Free Product							
1	Used Oil Filters							

Above material being transported for Recycling EPA#

Total:

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED X:

Glen Dollar

DATE:

8-31-04



# KEYSTONE CONTRACTING

417 NW 209<sup>th</sup> Street, Ridgefield WA 98642 (360) 887-0868 (360) 887-8157 fax

January 25, 2005

Glen Dollar  
Ash Grove Cement Company  
13939 N Rivergate Blvd  
Portland OR 97203

RE: Closing Documentation  
Invoice #04-188-1 and 04-188-2

Dear Glen:

Enclosed please find closing documentation for the above referenced asbestos abatement projects. You should find:

1. Copy of Final Invoices (originals sent to A/P under separate cover)
2. Oregon Abatement License
3. Notification
4. Supervisor's Current Certification
5. Daily Project Logs
6. Waste Manifests
7. Time and Materials

Please do not hesitate to call should you have any questions or need additional information.

Sincerely,

Kathy Cooper  
Office Manager

enclosures

:klc



## FULL SCALE ASBESTOS ABATEMENT CONTRACTOR LICENSE

Department of Environmental Quality  
2020 SW 4<sup>th</sup> Suite 400  
Portland, OR 97201  
Telephone: (503) 229-5982

Issued in Accordance with the Provisions of ORS 468A.710

---

**ISSUED TO:**

KEYSTONE CONTRACTING INC  
417 NW 209<sup>TH</sup> ST  
RIDGEFIELD WA 98642

**LICENSE NUMBER:**

FSC537


**EXPIRATION DATE:**

MARCH 1, 2005

**INFORMATION RELIED UPON:**

Asbestos Abatement Contractor License Application submitted February 17, 2004

**ISSUED BY THE DEPARTMENT OF ENVIRONMENTAL QUALITY**

  
Paul Slyman Division Administrator  
Northwest Region

2/25/04  
Date

---

The contractor named above is herewith authorized to conduct asbestos abatement in the State of Oregon subject to the terms and conditions of Oregon Administrative Rules (OAR) Chapter 340 Division 248, including the conditions listed below.

1. The contractor must ensure that each worker performs asbestos abatement work in compliance with OAR 340-248-0005 through 340-248-0290 and other applicable state and federal asbestos abatement regulations.

OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY  
**Certified Supervisor For Asbestos Abatement Projects**  
(b) (6)

(b) (6)

Asbestos Training Project  
Workplace Resources, Inc.  
1806 S.E. Pershing  
Portland, OR 97202-2940  
(503) 225-7707

The person assigned this certificate has completed the required training for asbestos certification and is certified by the Department of Environmental Quality under OAR Chapter 246, Division 33 and under TSCA Title II.

KEYSTONE CONTRACTING  
417 N.W. 209TH STREET  
RIDGEFIELD, WA 98642

Voice: 360-887-0868  
Fax: 360-887-8157



Invoice

Invoice Number:  
04-188-2

Invoice Date:  
Jan 18, 2005

Page:  
1

Sold To:  
ASH GROVE CEMENT COMPANY  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203

Ship To:  
Remove CAB Siding and Re-side;  
Patch & Repair at Lime Kiln

Customer ID		Customer PO		Payment Terms	
ASH		RI-7888		Net 30 Days	
Sales Rep ID		Shipping Method		Ship Date	Due Date
TINGLEY		Hand Deliver		1/3/05	2/17/05
Quantity	Item	Description	Unit Price	Extension	
1.00	Office	Office Hours	30.00	30.00	
29.00	Super	Asbestos Abatement Supervisor	50.00	1,450.00	
53.00	Worker	Asbestos Abatement Labor	45.00	2,385.00	
3.00	6 mil poly	6 mil poly	42.00	126.00	
3.00	Air Cassettes	Air Monitoring Cassettes	1.00	3.00	
7.50	Bridging	Bridging Encapsulant	20.00	150.00	
4.00	Danger Labels	Danger Labels	1.00	4.00	
18.00	Disposable Coveralls	Disposable Coveralls	4.25	76.50	
20.00	Disposal Bags	Disposal Bags	0.80	16.00	
3.00	Duct	Duct Tape	4.00	12.00	
22.00	Miscellaneous	Stainless Steel Metal Jacket	20.00	440.00	
1.00	Notification	Notification Fee	35.00	35.00	
10.00	Respirator Filters	Respirator Filters	2.59	25.90	
7.00	Rewettable	Rewettable	20.00	140.00	
5.00	Rubber Gloves	Rubber Gloves	1.00	5.00	
12.00	Waste	Waste Disposal-Friable	3.50	42.00	
5.50	Waste	Waste Disposal-Non Friable	39.50	217.25	
2.00	Wipes	Respirator Wipes	5.00	10.00	
0.50	Danger Ribbon	Danger/Hazard Ribbon	21.00	10.50	
30.00	Fuel	Fuel	1.89	56.70	

Thank You For Your Business

Subtotal	Continued
Sales Tax	Continued
Total Invoice Amount	Continued
Payment Received	
TOTAL	Continued

KEYSTONE CONTRACTING  
417 N.W. 209TH STREET  
RIDGEFIELD, WA 98642

Voice: 360-887-0868  
Fax: 360-887-8157



# Invoice

Invoice Number:  
04-188-2

Invoice Date:  
Jan 18, 2005

Page:  
2

Sold To:  
ASH GROVE CEMENT COMPANY  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203

Ship To:  
Remove CAB Siding and Re-side;  
Patch & Repair at Lime Kiln

Customer ID		Customer PO		Payment Terms	
ASH		RI-7888		Net 30 Days	
Sales Rep ID		Shipping Method		Ship Date	Due Date
TINGLEY		Hand Deliver		1/3/05	2/17/05
Quantity	Item	Description	Unit Price	Extension	
1.00	Miscellaneous	Gray Siding Panels	3,175.54	3,175.54	
3.00	Truck	Truck Rental	40.00	120.00	
		Subtotal \$9530.39			
1.00	Insurance	5% Asbestos Liability Insurance	426.52	426.52	

Thank You For Your Business

Subtotal	8,956.91
Sales Tax	
Total Invoice Amount	8,956.91
Payment Received	
<b>TOTAL</b>	<b>8,956.91</b>

ASN 6



# DEQ NOTIFICATION FORM For Nonfriable Asbestos Removal

04-188

For DEQ use only	
Date Received:	_____
Amount Received:	_____
Check Number:	_____
Project Number:	_____

## ATTENTION!

**CONTRACTORS:** This notification is not complete unless it is accompanied by the required \$35.00 fee and is submitted 5 days prior to the start date. All notifications where the 5-day period has been waived are subject to a fee increase of 50%. To inquire about a waiver of the 5-day notification period or for other information call 1-800-452-4011 for the phone number of your local regional DEQ office.

\*\*\* (PLEASE TYPE OR PRINT CLEARLY) \*\*\*

Is this a revision to a previous notification? Yes X No \_\_\_\_\_

Start date of project: 1-3-05 End date of project: 1-11-05

Days of week and hours to be worked: 7:00 AM To 3:30 Monday and following Tuesday

Project site name: Ash Grove Cement Building Owner: Ash Grove

Project address: 13939 N Rivergate Blvd.  
(Include Apt. #, Floor #, Bldg #, school name or any other pertinent site location information)

City: Portland County: Mult. State: Or. Zip: 97203

Was a survey performed: Yes: \_\_\_\_\_ No: X By whom? \_\_\_\_\_

Type of non-friable material to be removed: 4x8 Transite panels

Amount of non-friable asbestos material to be removed. Square footage: 704

Contractor name: Keystone Contracting Inc Phone: (360) 887-0868

Contractor address: 417 NW 209th Street

City: Ridgefield County: Clark State: WA Zip: 98642

CCB registration number: 64144 Competent Person: Dale Dean

Waste disposal site: Grabhorn Landfill

Site address: 14930 SW Vandermost Road

City: Beaverton County: Washington State: OR Zip: 97007

Waste hauler: Keystone Contracting Inc Phone: (360) 887-0868

Sign below and send this form with the appropriate fee to The DEQ Business Office at 811 SW 6th, Portland, Oregon 97204. Make checks payable to "DEQ"

Name of owner, operator or contractor: Keystone Contracting Inc

Name: Larry Tingley Phone: (360) 887-0868  
(PLEASE PRINT)

Signature: Larry Tingley Date: 12-21-04

**CAUTION!** If the material being removed is handled in a manner that causes it to become friable (shattered, pulverized, or reduced to dust), then only a DEQ licensed asbestos abatement contractor may perform the removal work. Submit nonfriable notifications and fees in accordance with OAR 340-248-0260. Revisions to notifications may be faxed to Portland NWR at (503) 229-5265, Bend ER at (541) 388-8283, Salem WR at (503) 378-4196, or Medford WR at (541) 776-6262.

(Revised 12/01)

Daily Project Log

Project Name: Ash Grove Job #: 04-188 Date: 1-3-05

Onsite Contact Name & Phone Number: Glenn Dollar

Exact Location of Project: Line Kiln

Total Quantity/Type of Asbestos Removed: 12 sq. ft. mag pipe

Insulation

Name of Air Monitoring Onsite: K.C.T.

Crew On Site: Don Merritt

George Cano

Detailed Project Log: 7:00 AM At shop load up Rewetable

And Mastic. Drive to Job site traffic Bed.

8:30 on site meet with Glen. Larry T. shows

crew Job at Line Kiln. crew sets up work

Area post signs in Area wearing P.P.E. crew

Bags up mag pipe insulation. Foreman doubles

And transports to truck.

11:30 - 12:00 crew Breaks for Lunch

12:00 crew patches T.S.T wrapping with Diplas

And Mastic. cover some Damage Areas

with metal.

2:00 walk Throug with Glen Every thing

looks Good

2:30 Drive to shop off load Truck.

3:30 crew Done for Day.

Equipment Rented and from Whom: NO

Unusual Events That Happened Today: NO

Supervisor Signature: Dale De

Daily Project Log

Project Name: Ash Grove Cement Job #: 04.188 Date: 1-11-05

Onsite Contact Name & Phone Number: Glenn Dollar

503-286-1677

Exact Location of Project: Bldg B 13 panels small Bldg 2 panels

Total Quantity/Type of Asbestos Removed: 15 Transite panels

Name of Air Monitoring Onsite: K.C.I

Crew On Site: Don Merritt

Bob Craft

Dale Deas 1-10-05 local scaffolding

Detailed Project Log: 6:00 Am crew at shop measure metal  
And cut for patch at Lime Kiln. load up siding  
And tools for job.

8:30 crew on site Traffic was Bad.

crew Removes panels on south side And wrap in  
6 mill poly. crew moves to small Bldg next to River  
Remove 2 panels And wrap. Ash Grove crew uses come  
Along on corner And Reweld's structure. K.C.I Replaces  
siding off local scaffold Equipment.

set up on NW corner Remove five panels  
And wrap. operator loads palletized transite into  
truck. crew transports to shop And off load in lined  
Drop Box

4:00 pm End of shift.

Equipment Rented and from Whom: NO

Unusual Events That Happened Today: NO

Supervisor Signature: Dale Deas

Daily Project Log

Project Name: Ash Grove Cement Job #: 04-188 Date: 1-12-05

Onsite Contact Name & Phone Number: Glenn Dollar  
503-286-1677

Exact Location of Project: Bldg B Lime Kiln ~~small Bldg~~

Total Quantity/Type of Asbestos Removed: 3 panels  
patch & Repair

Name of Air Monitoring Onsite: K.C.I.

Crew On Site: Don Merritt  
Bob Craft

Detailed Project Log: 7:00 AM crew on site Begin Residing  
new corner approx. 6 sheets move to south side  
Hang Eight sheets And screw panel off.  
11:30-12:00 Lunch Break  
move to north side next to loading Dock.  
Remove three more Bad panels And Reside.  
2:30 move to Lime Kiln set up scaffold for  
patch And Repair.  
3:30 wearing p.p.E crew cleans off loose  
Debi from pipe And cover with metal  
And D. plug Also cover with Mastie  
5:30 crew is off site.

Equipment Rented and from Whom: NO

Unusual Events That Happened Today: NO

Supervisor Signature: Dan Deo



PLEASE PRINT OR TYPE! If you have questions, contact your local DEQ Regional Office in Portland at (503) 229-5364, Salem at (503) 378-8240 ext. 272, Medford at (541) 776-6010 ext. 235, or Bend at (541) 388-6146 ext. 226, OR call (800) 452-4011 for the location of your local regional DEQ office.

04-188

## WASTE GENERATOR: (Contractor, Facility, or Operator)

1. Asbestos removal site name and address: Ash Grove Cement  
13939 N Rivergate Portland OR Mult 97203  
 Street City/State County Zip  
 Contact person: Glenn Doller Phone: \_\_\_\_\_
2. Operator's name and address: Keystone Contracting Phone: (360) 887-0868  
417 NW 209th Street Ridgefield WA Clark 98642  
 Street City/State County Zip
3. Waste disposal site: Wasco County Landfill Phone: (541) 206-4082  
2550 Steele Road The Dalles OR Wasco 97058  
 Street City/State County Zip
4. Describe asbestos materials: mag pipe insulation
5. Containers: Number: 12 Type: dbl 6 mil Bags
6. Total quantity (cubic yards): \_\_\_\_\_

7. OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packaged, marked and labeled, and are in all respects in proper condition for transport by highway according to all government regulations. All movement of this asbestos-containing material is recorded on this Waste Shipment Record Form.

Name: Dale Dean Company: Keystone Contracting  
 Signature: Dale Dean Date: 1-3-05

## TRANSPORTER(S):

8. Transporter #1: (Acknowledgment of receipt of materials)  
 Agent: Tim Brusseau Company: Keystone Contracting  
 Address: 417 NW 209th Street, Ridgefield WA 98642 Phone: (360) 887-0868  
 Signature: \_\_\_\_\_ Date: \_\_\_\_\_
9. Transporter #2: (Acknowledgment of receipt of materials)  
 Agent: \_\_\_\_\_ Company: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## DISPOSAL: (Certification of receipt of asbestos materials covered by this manifest, except as noted in item 11 below.)

10. Waste Disposal Site: Wasco County Landfill  
 Name and Title: \_\_\_\_\_ Date: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Phone: \_\_\_\_\_
11. DISCREPANCY SPACE: (Add attachments as needed) \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Asbestos Waste Shipment Report Form**  
**Non-Friable**

Waste Generator

1 Removal site name and address: Ash Grove  
13939 W Rivergate Blvd  
Portland Mult OR 97203  
Contact Person: Glenn Dollar Phone: 503-286-1677

2 Operator's name and address: Keystone Contracting Phone: (360) 887-0868  
417 NW 209th Street, Ridgefield WA 98642

3 Waste disposal received by: \_\_\_\_\_ Stamp: \_\_\_\_\_  
Address: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Date: \_\_\_\_\_

4 Describe materials: Transite panels

5 Containers Number: 5 Type: dbl 6 mil Bundles

6 Total quantity (cubic yards): 5 1/2

7 Operator's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to government regulations. All movement of this Non-Friable Asbestos Containing Material is recorded on this Waste Shipment Form.

Supervisor: Dale Dean Company: Keystone Contracting, Inc  
Signature: Dale Dean Date: 1-12-05

8 Transporter (acknowledgment of receipt of materials)

Agent: Tim Brusseau Company: Keystone Contracting, Inc  
Address: 417 NW 209th Street, Ridgefield WA 98642 Phone: (360) 887-0868  
Signature: \_\_\_\_\_ Date: \_\_\_\_\_

FILE

# KEYSTONE CONTRACTING INC.

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868

## FIELD JOB WEEKLY RECORD

CUSTOMER Ash Grove Cement Week Ending 1-9-05  
 LOCATION Line K.L.W. P.O. # \_\_\_\_\_ Job # 04-188  
 DESCRIPTION OF WORK patch & Repair

Employee Name	Shift	Mon.	Tues.	Weds.	Thrs.	Fri.	Sat.	Sun.	Total Hours		Man-days
		ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST	OT	
1. Dale Dean		8									
2. Don Merritt		8									
3. Jorge Cano		8									
4.											
5.											
6.											
7.											
8.											
9.											
10.											
11.											
12.											

TOTALS (Office Use Only)											
--------------------------	--	--	--	--	--	--	--	--	--	--	--

Signed: KCI Authorized Representative

Signed: Customer Authorized Representative

Dale Dean

\_\_\_\_\_

# KEYSTONE CONTRACTING INC.

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868

## FIELD JOB WEEKLY RECORD

CUSTOMER Ash Grove Cement

Week Ending 1/16/05

LOCATION plant P.O. # \_\_\_\_\_

Job # 121-188

DESCRIPTION OF WORK Remove C.A.B. siding and Reside

Employee Name	Shift	Mon.	Tues.	Weds.	Thrs.	Fri.	Sat.	Sun.	Total Hours		Man-days
		ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST	OT	
1. Dale Dean		1.0	8.0	10.0	1.0						
2. Don Merritt			8.0	10.0							
3. Bob Craft			8.0	10.0	1.0						
4.											
5.											
6.											
7.											
8.											
9.											
10.											
11.											
12.											

TOTALS (Office Use Only)											
--------------------------	--	--	--	--	--	--	--	--	--	--	--

Signed: KCI Authorized Representative

Signed: Customer Authorized Representative

Dale Dean

\_\_\_\_\_

**ASBESTOS MATERIALS-USED REPORT**

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868  
FAX (360) 887-8157

CUSTOMER Ash Grove Cement

WEEK ENDING 1-9-05

P.O. # \_\_\_\_\_

JOB # 04 188

DESCRIPTION OF WORK patch & Repair

ITEM	UNIT	DATE / QUANTITY						TOTAL
		(3)						
4 mil Poly	Roll							
6 mil Poly	Roll	1						1
Fire Retardant Poly	Roll							
Duct Tape	Roll	1						1
Glove-Removal Bags	Each							
Disposal Bags	Each	12						12
Rewettable	Yard	4						4
Penetrant Encapsulant	Gallon							
Bridging Encapsulant	Gallon	5						5
T-50 Staples	Box							
P-22 Staples	Box							
Spray Adhesive	Can							
Tie Wire	Roll							
NEG Air Filters	Each							
Respirator Filters	Each	4						4
Disposable Coveralls	Each	6						6
Rubber Gloves	Pair	3						3
Leather Gloves	Pair							
Disposable Towels	Box							
Danger/Hazard Ribbon	Roll							
Rags	Box							
Razor Blades	Box							
Flex Duct	Foot							
Safety Glasses	Each							
6" Personna Blades	Box							
4" Personna Blades	Box							
Mastic Remover	Gallon							
Sawzall Blades	Each							
Caution Tape	Roll							
Vacuum Bag	Each							
Respirator Wipes	Box	1						1
Scrubbies	Each							
Decon	Each							
Fuel	Gallon	10						10
Double Stack Filters	Each							
Wire Brushes	Each							
Exhaust Tubing	Foot							
Air Monitoring Cassettes	Each	1						1
Metal Bucket	Each	4						4
DANGER LABELS	Each	4						4

Doc Dot

**ASBESTOS MATERIALS-USED REPORT**

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868  
FAX (360) 887-8157

CUSTOMER Ash Grove Cement

WEEK ENDING 1-16-05

P.O. # \_\_\_\_\_

JOB # 04-188

DESCRIPTION OF WORK Remove s.d. bag and replace new s. bag

ITEM	UNIT	DATE / QUANTITY						TOTAL
			11	12				
4 mil Poly	Roll							
6 mil Poly	Roll		1	1				2
Fire Retardant Poly	Roll							
Duct Tape	Roll		1	1				2
Glove-Removal Bags	Each							
Disposal Bags	Each			8				8
Rewettable	Yard			3				3
Penetrant Encapsulant	Gallon							
Bridging Encapsulant	Gallon			2 1/2				2.5
T-50 Staples	Box							
P-22 Staples	Box							
Spray Adhesive	Can							
Tie Wire	Roll							
NEG Air Filters	Each							
Respirator Filters	Each		4	2				6
Disposable Coveralls	Each		6	6				12
Rubber Gloves	Pair			2				2
Leather Gloves	Pair							
Disposable Towels	Box							
Danger/Hazard Ribbon	Roll		1/2					1/2
Rags	Box							
Razor Blades	Box							
Flex Duct	Foot							
Safety Glasses	Each							
6" Personna Blades	Box							
4" Personna Blades	Box							
Mastic Remover	Gallon							
Sawzall Blades	Each							
Caution Tape	Roll							
Vacuum Bag	Each							
Respirator Wipes	Box			1				1
Scrubbies	Each							
Decon	Each							
Fuel	Gallon			20				20
Double Stack Filters	Each							
Wire Brushes	Each							
Exhaust Tubing	Foot							
Air Monitoring Cassettes	Each		1	1				2
metal sheet	sheet			18				18
siding	sheet		2	16				18

Del. Ben

Voice: 360-887-0868  
Fax: 360-887-8157



04-10-1

Jan 18, 2005

Page:

ASH GROVE CEMENT COMPANY  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203

Cut C.A.B. Panel,  
Pick up panels at Ash Grove,  
transport to KC, cut and glove  
bag, transport back to  
Ash Grove

Subtotal	200.00
Sales Tax	
Total Invoice Amount	200.00
Payment Received	
<b>TOTAL</b>	<b>200.00</b>

Thank You For Your Business

Daily Project Log

Project Name: Ash Grove Job #: \_\_\_\_\_ Date: 12-10-04

Onsite Contact Name & Phone Number: Glenn Dollar  
503-286-1677

Exact Location of Project: From Ash Grove to K.E.I. And Back.

Total Quantity/Type of Asbestos Removed: 3 sq ft C.A.B.

Name of Air Monitoring Onsite: \_\_\_\_\_

Crew On Site: Dale Deen

Detailed Project Log: 10:00 Drive to Ash Grove meet with  
Glenn And pick up C.A.B. panels. Look over  
upcoming work. Bldg next to River.  
Transport panels to shop And off load  
using Glove Bag and p.p.E. C.A.B. is cut  
And properly Bagged Edges Are Encapsulated.  
load panels Back into truck And transport  
to Ash Grove.  
2:00 off site.

Equipment Rented and from Whom: NO

Unusual Events That Happened Today: NO

Supervisor Signature: Dale Deen

Asbestos Waste Shipment Report Form  
Non-Friable

04-188

Waste Generator

1 Removal site name and address: Ash Grove  
13939 N Rivergate Blvd  
Portland OR 97203  
Contact Person: Glenn Dollar Phone: 503-286-1677

2 Operator's name and address: Keystone Contracting Phone: (360) 887-0868  
417 NW 209th Street, Ridgefield WA 98642

3 Waste disposal received by: \_\_\_\_\_ Stamp: \_\_\_\_\_  
Address: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Date: \_\_\_\_\_

4 Describe materials: C.A.B.

5 Containers Number: one Type: dbl 6mil Bags

6 Total quantity (cubic yards): 1/16

7 Operator's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to government regulations. All movement of this Non-Friable Asbestos Containing Material is recorded on this Waste Shipment Form.

Supervisor: Dale Dean Company: Keystone Contracting, Inc  
Signature: Dale Dean Date: 12-10-04

8 Transporter (acknowledgment of receipt of materials)

Agent: Kenny Johns Company: Keystone Contracting, Inc  
Address: 417 NW 209th Street, Ridgefield WA 98642 Phone: (360) 887-0868  
Signature: \_\_\_\_\_ Date: \_\_\_\_\_

# KEYSTONE CONTRACTING INC.

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868

## FIELD JOB WEEKLY RECORD

CUSTOMER Ash Grove Week Ending 12-12-04  
 LOCATION shop P.O. # \_\_\_\_\_ Job # 04-188  
 DESCRIPTION OF WORK cut C.A.B. panel

Employee Name	Shift	Mon.	Tues.	Weds.	Thrs.	Fri.	Sat.	Sun.	Total Hours		Man- days
		ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST	OT	
1. <u>Dale Dean</u>		/	/	/	<u>4.0</u>	/	/	/			
2.		/	/	/	/	/	/	/			
3.		/	/	/	/	/	/	/			
4.		/	/	/	/	/	/	/			
5.		/	/	/	/	/	/	/			
6.		/	/	/	/	/	/	/			
7.		/	/	/	/	/	/	/			
8.		/	/	/	/	/	/	/			
9.		/	/	/	/	/	/	/			
10.		/	/	/	/	/	/	/			
11.		/	/	/	/	/	/	/			
12.		/	/	/	/	/	/	/			

TOTALS (Office Use Only)	/	/	/	/	/	/	/	/			
--------------------------	---	---	---	---	---	---	---	---	--	--	--

Signed: KCI Authorized Representative

Signed: Customer Authorized Representative

Dale Dean

ASBESTOS MATERIALS-USED REPORT

CUSTOMER ASH GILLES

WEEK ENDING 12.12.04

P.O. # \_\_\_\_\_

JOB # \_\_\_\_\_

DESCRIPTION OF WORK CUT C.A.B panels

ITEM	UNIT	DATE / QUANTITY						TOTAL
4 mil Poly	Roll							
6 mil Poly	Roll							
Fire Retardant Poly	Roll							
Duct Tape	Roll					1		
Glove-Removal Bags	Each					2		
Disposal Bags	Each					2		
Rewettable	Yard							
Penetrant Encapsulant	Gallon							
Bridging Encapsulant	Gallon							
T-50 Staples	Box							
P-22 Staples	Box							
Spray Adhesive	Can							
Tie Wire	Roll							
NEG Air Filters	Each							
Respirator Filters	Each							
Disposable Coveralls	Each					1		
Rubber Gloves	Pair							
Leather Gloves	Pair							
Disposable Towels	Box							
Danger/Hazard Ribbon	Roll							
Rags	Box							
Razor Blades	Box							
Flex Duct	Foot							
Safety Glasses	Each							
6" Personna Blades	Box							
4" Personna Blades	Box							
Mastic Remover	Gallon							
Sawzall Blades	Each							
Caution Tape	Roll							
Vacuum Bag	Each							
Respirator Wipes	Box							
Scrubbies	Each							
Decon	Each							
Fuel	Gallon							
Double Stack Filters	Each							
Wire Brushes	Each							
Exhaust Tubing	Foot							
Air Monitoring Cassettes	Each							

Paul Dea

Philip Services, Corporation

Page 1



## Generator's Waste Profile 343810-00

Status: PENDING

Starts : 06 JUN 2005

Expires : 30 JUN 2006

Sales Rep 0012 Linda Wimmer

Acct Mngr 027 Kerri Moury

## A: GENERATOR ( 59394 ) SITE INFORMATION

ASH GROVE CEMENT CO. RIVERGATE LIME PLANT  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203  
> Contact GLENN DOLLAR

EPA ORD027707258  
SIC 9999 N  
Phone (503) 286-1677 x243

## B: CUSTOMER ( ZZALWK ) INFORMATION

PSC-KELSO  
1806 BAKER WAY LOOP (US)  
KELSO, WA 98626

## C: WASTE INFORMATION

On File &gt; MSDS No Analysis Yes Sample No

Waste Name CLEAN UP DEBRIS FROM OIL TANK CLEANING JOB  
Process CLEAN OIL TANK

## D: PHYSICAL CHARACTERISTICS OF WASTE

Phys States	S-Sol	Top Color	VARIES	Odor	Mild	OIL	PH Range	NA
		Mid Color		Layers	Single	Phased	Free Liq %	0
		Bot Color		Spec Grav	1.4		Flash Test	NT
							Flash Range	Not Tested

## E: CHEMICAL COMPOSITION OF WASTE

Information Provided By Generator

ABSORBENT	( 10 - 80 % )	SOLIDIFIED OIL/WATER MIX	( 5 - 50 % )
PPE	( .5 - 15 % )	DEBRIS	( 10 - 25 % )
TRASH	( 5 - 40 % )		

PCB's NP	Cyanides NP	Phenolics NP	Sulfides NP	TOC	>10%	VOC	<600 PPM
----------	-------------	--------------	-------------	-----	------	-----	----------

## F: METALS METHOD Gen Knowledge

Arsenic	<5	Mercuric	<0.2	Chromium	<5	Silver	<5	Zinc
Barium	<100	Lead	<5	Selenium	<1	Nickel		Copper
				Mercuric Tot		Thallium		Chromium-6

## G: OTHER CHARACTERISTICS OF WASTE

Ign. Solid	No	Oxidizer	No	Explosive	No	Shock Sensitive	No	Water Reactive	No	Reactive	No
------------	----	----------	----	-----------	----	-----------------	----	----------------	----	----------	----

## H: EPA / STATE WASTE IDENTIFICATION

Dangerous / Hazardous	No	TSCA	No	Universal Waste	No
Form W400	Source G07	Origin 1	SubPart CC No	NESHAPS	No
			CERCLA	No	Debris
				No	Waste Water
				No	

EPA Codes  
State Codes

## I: SHIPPING INFORMATION

Marine Pollutant	No	Dangerous Wgt	No	Inhalation Hazard	No	Poison	No
------------------	----	---------------	----	-------------------	----	--------	----

Containers	CM Metal	Qty to Ship Now	20 YARDS	Projected Volume	1/Onetime
------------	----------	-----------------	----------	------------------	-----------

DOT Descrip MATERIAL NOT REGULATED BY DOT

## J: SPECIAL HANDLING INFORMATION

## GENERATOR CERTIFICATION

I hereby certify, as an authorized representative of the Generator named above, that BEI has been fully informed of all information known about this waste, including but not limited to, the waste's generation process, composition, and physical characteristics, necessary to identify proper treatment and disposal of waste and this information is true and accurate.

If this is an existing profile which is being renewed, I hereby certify that there have been no changes in this waste, chemical, physical, or regulatory designation since full characterization by sample testing.

	Gary Wright	Plant Mngr	11/6/05
Signature	Printed Name	Title	Date

Philip maintains the requisite permits and agrees to accept this waste stream, as described.

682141

NON-HAZARDOUS  
WASTE MANIFEST

1. Generator's US EPA ID No. **ORD.027.7.07.25606.07.5**  
Manifest Document No.

2. Page 1 of 1

3. Generator's Name and Mailing Address **Ash Grove Cement  
13939 Rivergate Blvd  
Portland, OR 97203**  
4. Generator's Phone **(503) 286.1677 ext 243 Attn: Glen Dallar**

5. Transporter 1 Company Name **NRC Environmental**  
6. US EPA ID Number **ORR 000 020 644**

A. Transporter's Phone **800.290.1655**

7. Transporter 2 Company Name  
8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address **Burlington Environmental  
20245 77th Ave  
South Kent, WA**  
10. US EPA ID Number **WAD.991.281.767**

C. Facility's Phone

11. Waste Shipping Name and Description

12. Containers  
No. Type

13. Total Quantity

14. Unit Wt/Vol

a. Material Not Regulated by DOT

1. CM 20 Y

b.

c.

d.

D. Additional Descriptions for Materials Listed Above  
**P# 343810-00**

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information  
**NRC job# 15410**

RECEIVED  
JUN 20 2005  
ASH GROVE RIVERGATE

16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name  
**JEFF WALTONS**

Signature  
**[Signature]**  
Month Day Year  
**10-6-05**

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name  
**JEFF WALTONS**

Signature  
**[Signature]**  
Month Day Year  
**10-6-05**

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature  
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name  
**Carsten Swick**

Signature  
**[Signature]**  
Month Day Year  
**10-6-05**

ORIGINAL - RETURN TO GENERATOR

# INVOICE

PSC INDUSTRIAL OUTSOURCING INC  
1806 BAKER WAY LOOP  
KELSO WA 98626  
1 (360) 423-0260

Invoice Number 13608706

Invoice Date 07/21/05  
Customer Number 1124634  
Batch Number 843308  
Page 1

## Bill To:

ASH GROVE CEMENT (C/S)  
4098 N. PORT CENTER ROAD  
PORTLAND OR 97217

## Sold To:

ASH GROVE CEMENT (C/S)  
4098 N. PORT CENTER ROAD  
PORTLAND OR 97217

	Description	Units	UM	Unit Price	Amount
Work Order: 00611584 05/31/05					
MOB TO PORTLAND					
	COLUMBIA INSPECTION	1.00	EACH	297.00	297.00
	PER DIEM OVERNIGHT STAY	4.00	EACH	80.00	320.00
	PSC KENT DISPOSAL	1.00	EACH	2802.14	2,802.14
165080	TRUCK CREW CAB	11.00	HOURL	10.00	110.00
	OPERATOR - S/T	5.50	HOURL	24.00	132.00
	SUPERVISOR - S/T	5.50	HOURL	43.50	239.25
	TECH/LABORER - S/T	11.00	HOURL	22.50	247.50
TOTAL Work Order: 00611584					4,147.89
Work Order: 00611586 06/01/05					
CLEAN BAKER TANK					
	CASCADE GENERAL	8,497.00	GALLON(S)	.19	1,588.94
288102	LIQUID VACUUM 120BBL	8.00	HOURL	42.00	336.00
165514	LIQUID VACUUM 70BBL	8.00	HOURL	36.75	294.00
	PER DIEM OVERNIGHT STAY	4.00	EACH	80.00	320.00
165612	PRESSURE WASHER, 3K	6.00	HOURL	30.00	180.00
165705	STEAMER	2.00	HOURL	40.00	80.00
165093	TRUCK CREW CAB	4.00	HOURL	10.00	40.00
	16.5% DIESEL SURCHARGE	1.00	*	103.95	103.95
	OPERATOR - S/T	9.00	HOURL	24.00	192.00
	SUPERVISOR - S/T	4.00	HOURL	43.50	174.00
	TECH/LABORER - S/T	16.00	HOURL	22.50	360.00
TOTAL Work Order: 00611586					3,668.89
Work Order: 00611587 06/02/05					
CLEAN & DISPOSAL					
288102	LIQUID VACUUM 120BBL	8.00	HOURL	42.00	336.00
165514	LIQUID VACUUM 70BBL	4.00	HOURL	36.75	147.00
	PER DIEM OVERNIGHT STAY	4.00	EACH	80.00	320.00
165612	PRESSURE WASHER, 3K	6.00	HOURL	30.00	180.00
165705	STEAMER	4.00	HOURL	40.00	160.00
165093	TRUCK CREW CAB	4.00	HOURL	10.00	40.00
	16.5% DIESEL SURCHARGE	1.00	*	79.70	79.70
	OPERATOR - S/T	11.00	HOURL	24.00	264.00
	SUPERVISOR - S/T	11.00	HOURL	43.50	478.50
	TECH/LABORER - S/T	22.00	HOURL	22.50	495.00
TOTAL Work Order: 00611587					2,500.20
Work Order: 00611588 06/03/05					

2142  
8/1/05

# INVOICE

PSC INDUSTRIAL OUTSOURCING INC  
1806 BAKER WAY LOOP  
KELSO WA 98626  
1 (360) 423-0260

Invoice Number 13608706

Invoice Date 07/21/05  
Customer Number 1124634  
Batch Number 843308  
Page 2

## Bill To:

ASH GROVE CEMENT (C/S)  
4098 N. PORT CENTER ROAD  
PORTLAND OR 97217

## Sold To:

ASH GROVE CEMENT (C/S)  
4098 N. PORT CENTER ROAD  
PORTLAND OR 97217

	Description	Units	UM	Unit Price	Amount
CLEAN & DISPOSAL					
288102	LIQUID VACUUM 120BBL	8.00	HOUR	42.00	336.00
165514	LIQUID VACUUM 70BBL	5.00	HOUR	36.75	183.75
	PER DIEM OVERNIGHT STAY	3.00	EACH	80.00	240.00
165612	PRESSURE WASHER, 3K	4.00	HOUR	30.00	120.00
165705	STEAMER	4.00	HOUR	40.00	160.00
165093	TRUCK CREW CAB	4.00	HOUR	10.00	40.00
	16.5% DIESEL SURCHARGE	1.00	*	85.76	85.76
	OPERATOR - S/T	12.00	HOUR	24.00	288.00
	SUPERVISOR - S/T	12.00	HOUR	43.50	522.00
	TECH/LABORER - S/T	18.00	HOUR	22.50	405.00
TOTAL Work Order: 00611588					2,380.51
Work Order: 00611590 06/04/05					
CLEAN & DISPOSAL					
165514	LIQUID VACUUM 70BBL	8.00	HOUR	36.75	294.00
	PER DIEM OVERNIGHT STAY	1.00	EACH	80.00	80.00
165093	TRUCK CREW CAB	8.00	HOUR	10.00	80.00
	16.5% DIESEL SURCHARGE	1.00	*	48.51	48.51
	OPERATOR - O/T	13.00	HOUR	33.25	432.25
	SUPERVISOR - O/T	8.00	HOUR	61.25	490.00
	TECH/LABORER - O/T	13.00	HOUR	31.00	403.00
TOTAL Work Order: 00611590					1,827.76
Work Order: 00611591 06/06/05					
CLEAN & DISPOSAL					
	PER DIEM OVERNIGHT STAY	2.00	EACH	80.00	160.00
165612	PRESSURE WASHER, 3K	8.00	HOUR	30.00	240.00
165080	TRUCK CREW CAB	2.00	HOUR	10.00	20.00
	SUPERVISOR - S/T	14.00	HOUR	43.50	609.00
TOTAL Work Order: 00611591					1,029.00
Work Order: 00611592 06/07/05					
CLEAN & DISPOSAL					
	BAKER TANK RENTAL	1.00	EACH	2217.60	2,217.60
	NRC ENVIRONMENTAL SERVICES	1.00	EACH	2635.60	2,635.60
	PACIFIC POWER VAC	1.00	EACH	7897.60	7,897.60
165080	TRUCK CREW CAB	5.00	HOUR	10.00	50.00
	WASCO LANDFILL	1.00	EACH	11066.42	11,066.42
	SUPERVISOR - S/T	5.00	HOUR	43.50	217.50
TOTAL Work Order: 00611592					24,084.72

## Send Payment To:

PSC INDUSTRIAL OUTSOURCING INC  
P O BOX 3070  
HOUSTON TX 77253-3070

Amount USD

Pre-Tax Total Amount	Total Tax Amount	Total Invoice Amount
39,638.97		39,638.97

## Payment Terms:

Net 30 Days



# KEYSTONE CONTRACTING

417 NW 209<sup>th</sup> Street, Ridgefield WA 98642 (360) 887-0868 (360) 887-8157 fax

August 26, 2005

Glen Dollar  
Ash Grove Cement Company  
13939 N Rivergate Blvd  
Portland OR 97203

RE: Closing Documentation  
Invoice #05-093  
Remove and Replace Siding

Dear Glen:

Enclosed please find closing documentation for the above referenced asbestos abatement project. You should find:

1. Copy of Final Invoice (original sent to A/P under separate cover)
2. Oregon Abatement License
3. Notification
4. Supervisor's Current Certification
5. Daily Project Log
6. Waste Manifest
7. Air Sample Analysis Report
8. Time and Materials

Please do not hesitate to call should you have any questions or need additional information.

Sincerely,

*Kathy Cooper*  
Kathy Cooper  
Office Manager

enclosures

ekc

Voice: 360-887-0868  
Fax: 360-887-8157



05-093

Aug 26, 2005

1.

Remove Transite Siding and Replace with new. Clean up broken pieces, encapsulate & patch.  
Electrical Bldg



## FULL SCALE ASBESTOS ABATEMENT CONTRACTOR LICENSE

Department of Environmental Quality  
1550 N.W. Eastman Parkway, Suite 290  
Gresham, OR 97030  
Telephone: (503) 667-8414 ext. 55022

Issued in Accordance with the Provisions of ORS 468A.710

---

**ISSUED TO:**

KEYSTONE CONTRACTING INCORPORATED  
417 NW 209<sup>TH</sup> ST  
RIDGEFIELD WA 98642

**LICENSE NUMBER:**

FSC 537

**EXPIRATION DATE:**

March 01, 2006

**INFORMATION RELIED UPON:**

Asbestos Abatement Contractor License Application submitted January 31, 2005

**ISSUED BY THE DEPARTMENT OF ENVIRONMENTAL QUALITY**

Dick Pedersen by EPP  
Dick Pedersen Division Administrator  
Northwest Region

2-10-05  
Date

---

The contractor named above is herewith authorized to conduct asbestos abatement in the State of Oregon subject to the terms and conditions of Oregon Administrative Rules (OAR) Chapter 340 Division 248, including the conditions listed below.

1. The contractor shall ensure that each worker performs asbestos abatement work in compliance with OAR 340-248-0010 through 340-248-0290 and other applicable state and federal asbestos abatement regulations.

ASN 6

# DEQ NOTIFICATION FORM For Nonfriable Asbestos Removal



For DEQ use only

Date Received: \_\_\_\_\_  
Amount Received: \_\_\_\_\_  
Check Number: \_\_\_\_\_  
Project Number: \_\_\_\_\_

05-093

## ATTENTION!

**CONTRACTORS:** This notification is not complete unless it is accompanied by the required \$35.00 fee and is submitted 5 days prior to the start date. All notifications where the 5-day period has been waived are subject to a fee increase of 50%. To inquire about a waiver of the 5-day notification period or for other information call 1-800-452-4011 for the phone number of your local regional DEQ office.

\*\*\* (PLEASE TYPE OR PRINT CLEARLY) \*\*\*

Is this a revision to a previous notification? Yes X No \_\_\_\_\_

Start date of project: 8/16/05 End date of project: 8/17/05

Days of week and hours to be worked: Tuesday - Wednesday 7:00am

Project site name: Ash Grove Cement Building Owner: Ash Grove Cement

Project address: 13939 N Rivergate Blvd  
(Include Apt #, Floor #, Bldg #, school name or any other pertinent site location information)

City: Portland County: Multnomah State: OR Zip: 97203

Was a survey performed: Yes: ✓ No: \_\_\_\_\_ By whom? MESA Environmental

Type of non-friable material to be removed: Transite Siding

Amount of non-friable asbestos material to be removed. Square footage: 420

Contractor name: Keystone Contracting Inc Phone: (360) 887-0868

Contractor address: 417 NW 209th Street

City: Ridgefield County: Clark State: WA Zip: 98642

CCB registration number: 64144 Competent Person: John Van Vessem

Waste disposal site: Grabhorn Landfill

Site address: 14930 SW Vandermost Road

City: Beaverton County: Washington State: OR Zip: 97007

Waste hauler: Keystone Contracting Inc Phone: (360) 887-0868

Sign below and send this form with the appropriate fee to The DEQ Business Office at 811 SW 6th, Portland, Oregon 97204. Make checks payable to "DEQ"

Name of owner, operator or contractor: Keystone Contracting Inc

Name: Larry Tingley Phone: (360) 887-0868  
(PLEASE PRINT)

Signature: Larry Tingley Date: 8/2/05

**CAUTION!** If the material being removed is handled in a manner that causes it to become friable (shattered, pulverized, or reduced to dust), then only a DEQ licensed asbestos abatement contractor may perform the removal work. Submit nonfriable notifications and fees in accordance with OAR 340-248-0260. Revisions to notifications may be faxed to Portland NWR at (503) 229-5265, Bend ER at (541) 388-8283, Salem WR at (503) 378-4196, or Medford WR at (541) 776-6262.

(Revised 12/01)

Section 240. Division 240. Division 240. Division 240.  
Certified Supervisor For Asbestos Abatement Projects

(b) (6)

(b) (6)

Clayton Group Services, Inc.  
1500 NE Irving, Suite 440  
Portland, OR 97232 (971) 244-1200

This person assigned the work and has completed the  
required training for asbestos work. This person is certified  
by the Department of Environmental Quality, Division 240.  
Chapter 240. Division 240. Division 240. Division 240.

Daily Project Log

Project Name: Ash Crow Cement Job #: 05-093 Date: 8-16-05

Onsite Contact Name & Phone Number: \_\_\_\_\_

Exact Location of Project: lime loaded out Station

Total Quantity/Type of Asbestos Removed: 420 Sg ft transite

Name of Air Monitoring Onsite: Brian Thomson

Crew On Site: Don Merritt  
Bob Craft  
Selby Engerer  
Don Mayers

Detailed Project Log: 6<sup>05</sup> at shop loaded out

7<sup>00</sup> at job site

9<sup>30</sup> men setting up to remove transite  
on walls. men will remove 420 Sg ft transite

8<sup>00</sup> men unscrew panels then  
wrapping sheets in 6 mil Poly Double

1100 men done removing transite

Clean up lunch.

12<sup>00</sup> men set up to apply new plastic  
panels into places. 1215 men

set panels up then screw off.

3<sup>30</sup> men cleaned up area

will cover up broken panels att

Jack Shute by river.

4<sup>00</sup> men done on way back to shop

5<sup>45</sup> at shop unloading all debris

into dumpster Clean van end of day

Equipment Rented and from Whom: no

Unusual Events That Happened Today: no

Supervisor Signature: Don Merritt

Asbestos Waste Shipment Report Form  
Non-Friable

05-093

Waste Generator

1 Removal site name and address: Ash Grove Cement  
13939 N. River gate Blvd Portland, Ore. 97203

Contact Person: Colin Dutton Phone: 503-286-677

2 Operator's name and address: Keystone Contracting Phone: (360) 887-0868  
417 NW 209th Street, Ridgefield WA 98642

3 Waste disposal received by: \_\_\_\_\_ Stamp: \_\_\_\_\_  
Address: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Date: \_\_\_\_\_

4 Describe materials: \_\_\_\_\_

5 Containers Number: 16 bundles Type: 6 mil double

6 Total quantity (cubic yards): 4 yds

7 Operator's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to government regulations. All movement of this Non-Friable Asbestos Containing Material is recorded on this Waste Shipment Form.

Supervisor: Don Merritt Company: Keystone Contracting, Inc  
Signature: Don R. Merritt Date: 8-16-05

8 Transporter (acknowledgment of receipt of materials)

Agent: Tim Brusseau Company: Keystone Contracting, Inc  
Address: 417 NW 209th Street, Ridgefield WA 98642 Phone: (360) 887-0868  
Signature: \_\_\_\_\_ Date: \_\_\_\_\_

FILE COPY



## Air Sample Analysis Report

Client: Keystone  
 Attention: Larry Tingley  
 Contractor: Keystone  
 Project: Ashgrove Cement #05-093  
 Portland, OR

CES Project Number: 05-2845  
 Report Date: 08-16-05  
 Report Number: 1  
 Page: 1 of 2

Method of Analysis: NIOSH 7400 Method or OSHA Method # ID-160

Specified Range: 100<Total Fibers<1300 f/mm2

Detection Limit 7 fibers/mm filter area

Samples will be disposed of after 30 days unless directed otherwise in writing.

Sample ID Number	P-1	STE-2	A-3
Laboratory Number	052845081605P1	052845081605STE2	052845081605A3
Type of Sample	Personal	Short Term	Area
Location of Sample	Felipe Iniguez Lime Load Out	Felipe Iniguez Lime Load Out	Lime Plant
Work Being Performed (respirator if applicable)	Siding removal ½ Mask	Siding removal ½ Mask	Siding removal
Date Sampled	08-16-05	08-16-05	08-16-05
Sampled By	BT	BT	BT
Pump No.	#011	#011	A#1
Time Started	09:10	11:45	09:15
Time Ended	10:55	12:15	14:20
Total Minutes Sampled	105	30	305
Flow Rate Start	2.0 lpm	2.0	8.0
Flow Rate End	2.0 lpm	2.0	8.0
Average Flow rate	2.0 lpm	2.0	8.0
Volume	210.0	60.0	2440.0
Date Analyzed	08-16-05	08-16-05	08-16-05
Graticule Field Area	.00785	.00785	.00785
Total Fibers/Fields	18/100	13/100	15/100
Average Blank Fibers/Fields	1/100	1/100	1/100
Fibers/Square mm	21.65	15.28	17.83
Fibers/cc	0.039	0.098	0.003
Coefficient of Variation	0.25	0.28	0.25
95% UCL	<0.049	<0.12	<0.004
8 HR TWA	<0.018	<0.018	NA

Abbreviations: A=Area, AC=Aggressive clearance sample, AD=Area sample during abatement, AO=Area sample outside regulated area, AP=Area sample prior to abatement, B=Blank, C=Passive clearance sample, CR=Area sample in the clean room, P=Personal breathing zone sample, PDU=Sample at the pressure differential unit, STEL=Short term exposure limit, LOQ=Limit of quantification - the limit below which the sample cannot be accurately calculated, WLO=Area sample in the waste load out.

May Represent Exposure to:


Comments:

Analyzed by: Brian Thompson

Typist's Initials: BT

Reviewed and Approved by:

QA/QC Supervisor

Asbestos Management

PO Box 87277 Vancouver, WA 98687

Industrial Hygiene

Laboratory Services

1 (360) 834-3031

Indoor Air Quality

Occupational Safety

Fax 1 (360) 254-3295



## Air Sample Analysis Report

Client: **Keystone**  
 Attention: **Larry Tingley**  
 Contractor: **Keystone**  
 Project: **Ashgrove Cement #05-093**  
 Portland, OR

CES Project Number: **05-2845**  
 Report Date: **08-16-05**  
 Report Number: **1**  
 Page: **2 of 2**

Method of Analysis: NIOSH 7400 Method or OSHA Method # ID-160

Specified Range: 100<Total Fibers<1300 f/mm<sup>2</sup>

Detection Limit 7 fibers/mm filter area

Samples will be disposed of after 30 days unless directed otherwise in writing.

Sample ID Number	B-4	B-5	
Laboratory Number	052845081605B4	052845081605B5	
Type of Sample	Blank	Blank	
Location of Sample	NA	NA	
Work Being Performed (respirator if applicable)	NA	NA	
Date Sampled	08-16-05	08-16-05	
Sampled By	BT	BT	
Pump No.	NA	NA	
Time Started	NA	NA	
Time Ended	NA	NA	
Total Minutes Sampled	NA	NA	
Flow Rate Start	NA lpm	NA	
Flow Rate End	NA lpm	NA	
Average Flow rate	NA lpm	NA	
Volume	NA l	NA	
Date Analyzed	08-16-05	08-16-05	
Graticule Field Area	.00785	.00785	
Total Fibers/Fields	1/100	1/100	
Average Blank Fibers/Fields	NA	NA	
Fibers/Square mm	NA	NA	
Fibers/cc	NA	NA	
Coefficient of Variation	NA	NA	
95% UCL	NA	NA	
8 HR TWA	NA	NA	

Abbreviations: A=Area, AC=Aggressive clearance sample, AD=Area sample during abatement, AO=Area sample outside regulated area, AP=Area sample prior to abatement, B=Blank, C=Passive clearance sample, CR=Area sample in the clean room, P=Personal breathing zone sample, PDU=Sample at the pressure differential unit, STEL=Short term exposure limit, LOQ=Limit of quantification - the limit below which the sample cannot be accurately calculated, WLO=Area sample in the waste load out.

May Represent Exposure to:


Comments:

Analyzed by: **Brian Thompson**

Reviewed and Approved by:

Typist's Initials: **BT**

  
 QA/QC Supervisor

Asbestos Management  
 PO Box 87277 Vancouver, WA 98687

Industrial Hygiene

Laboratory Services  
 1 (360) 834-3031

Indoor Air Quality

Occupational Safety  
 Fax 1 (360) 254-3295

# KEYSTONE CONTRACTING INC.

417 N.W. 209th Street  
Ridgefield, WA 98642  
(360) 887-0868

## FIELD JOB WEEKLY RECORD

CUSTOMER Ash Grove Cement

Week Ending 8/21/05

LOCATION Lima Loading P.O. #

Job # 05-073

DESCRIPTION OF WORK remove 420 sq ft concrete and replace with plastic panels

Employee Name	Shift	Mon.	Tues.	Weds.	Thrs.	Fri.	Sat.	Sun.	Total Hours		Man-days
		ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST/OT	ST	OT	
1. Don Merrill			2		2						
2. Dain Meyers			8		8						
3. Bob Craft			9		5						
4. Felipe			9								
5.											
6.											
7.											
8.									9		
9.											
10.											
11.											
12.											

TOTALS (Office Use Only)											
--------------------------	--	--	--	--	--	--	--	--	--	--	--

Signed: KCI Authorized Representative

Signed: Customer Authorized Representative

Don R Merrill

DESCRIPTION OF WORK	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---------------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

ITEM	UNIT	DATE / QUANTITY						TOTAL
4 mil Poly	Roll							
6 mil Poly	Roll							
Fire Retardant Poly	Roll							
Duct Tape	Roll							
Glove-Removal Bags	Each							
Disposal Bags	Each							
Rewettable	Yard							
Penetrant Encapsulant	Gallon							
Bridging Encapsulant	Gallon							
T-50 Staples	Box							
P-22 Staples	Box							
Spray Adhesive	Can							
Tie Wire	Roll							
NEG Air Filters	Each							
Respirator Filters	Each							
Disposable Coveralls	Each							
Rubber Gloves	Pair							
Leather Gloves	Pair							
Disposable Towels	Box							
Danger/Hazard Ribbon	Roll							
Rags	Box							
Razor Blades	Box							
Flex Duct	Foot							
Safety Glasses	Each							
6" Personna Blades	Box							
4" Personna Blades	Box							
Mastic Remover	Gallon							
Sawzall Blades	Each							
Caution Tape	Roll							
Vacuum Bag	Each							
Respirator Wipes	Box							
Scrubbies	Each							
Decon	Each							
Fuel	Gallon							
Double Stack Filters	Each							
Wire Brushes	Each							
Exhaust Tubing	Foot							
Air Monitoring Cassettes	Each							
Hand Pumps	Each							
Gas Detectors	Each							

— On 2nd



# KEYSTONE CONTRACTING

417 NW 209<sup>th</sup> Street, Ridgefield WA 98642 (360) 887-0868 (360) 887-8157 fax

July 20, 2004

Glen Dollar  
Ash Grove Cement  
13939 N Rivergate Blvd  
Portland OR 97203  
(503) 286-1677  
sent via facsimile: (503) 289-2272

RE: Asbestos Abatement Bid Proposal  
Ash Grove Cement

Dear Glen:

Thank you for the opportunity to quote this work. Please act for the removal and disposal of asbestos containing material location. The scope of work is as follows:

To safely remove approximately fourteen (14) 8 x 4 sheets of transite siding and replacing them with new siding. Clean up broken pieces of transite, encapsulate and patch with siding on Electrical Building.

**LUMP SUM BID PRICE: .....\$7,000.00**

Applicable Sales Tax and/or 5% Asbestos Liability Insurance will be added to bid price  
Terms Net 15, 1½% Interest Charged after 30 days

The above bid price includes all labor, materials, equipment mobilization, waste disposal and transportation, notification fees, independent air monitoring, and includes our fees for overhead and profit. A 10 Day waiting period is required by the local governing authorities before work can begin. Asbestos Liability Insurance at \$5,000,000 per occurrence is in effect. Work to be done under Negative Air Enclosure and performed by Oregon Certified Abatement Workers in accordance with all applicable federal, state, and local rules and regulations governing the safe handling and disposing of asbestos containing materials. Any alteration or deviation from the above specifications involving extra cost of material or labor will only be executed upon written orders from same, and will become an extra charge over the sum mentioned in this bid proposal.

Again, thank you for this opportunity. Please feel free to call me at (360) 887-0868 with any questions or comments you may have.

Sincerely,

*Larry Tingley*

Larry Tingley

LT:kc

Accepted by: \_\_\_\_\_ Please sign and return via facsimile

OK to create PO

G Wright

Charge to

23270.54080 Labor

23270.54085 Material



# KEYSTONE CONTRACTING

417 NW 209<sup>th</sup> Street, Ridgefield WA 98642 (360) 887-0868 (360) 887-8157 fax

July 20, 2004

Glen Dollar  
Ash Grove Cement  
13939 N Rivergate Blvd  
Portland OR 97203  
(503) 286-1677  
sent via facsimile: (503) 289-2272

RE: Asbestos Abatement Bid Proposal  
Ash Grove Cement

Dear Glen:

Thank you for the opportunity to quote this work. Please accept the following as our proposal for the removal and disposal of asbestos containing materials from the above referenced job location. The scope of work is as follows:

To safely remove approximately fourteen (14) 8 x 4 sheets of transite siding and replacing them with new siding. Clean up broken pieces of transite, encapsulate and patch with siding on Electrical Building.

**LUMP SUM BID PRICE: .....\$7,000.00**

Applicable Sales Tax and/or 5% Asbestos Liability Insurance will be added to bid price  
Terms Net 15, 1½% Interest Charged after 30 days

The above bid price includes all labor, materials, equipment mobilization, waste disposal and transportation, notification fees, independent air monitoring, and includes our fees for overhead and profit. A 10 Day waiting period is required by the local governing authorities before work can begin. Asbestos Liability Insurance at \$5,000,000 per occurrence is in effect. Work to be done under Negative Air Enclosure and performed by Oregon Certified Abatement Workers in accordance with all applicable federal, state, and local rules and regulations governing the safe handling and disposing of asbestos containing materials. Any alteration or deviation from the above specifications involving extra cost of material or labor will only be executed upon written orders from same, and will become an extra charge over the sum mentioned in this bid proposal.

Again, thank you for this opportunity. Please feel free to call me at (360) 887-0868 with any questions or comments you may have.

Sincerely,

Larry Tingley

LT:kc

Accepted by: \_\_\_\_\_ Please sign and return via facsimile

KEystone CONTRACTING  
417 N.W. 209TH STREET  
RIDGEFIELD, WA 98642

Voice: 360-887-0868  
Fax: 360-887-8157



# Invoice

Invoice Number:

05-093

Invoice Date:

Aug 26, 2005

Page:

1

## Sold To:

ASH GROVE CEMENT COMPANY  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203

## Ship To:

Remove Transite Siding and Replace  
with new. Clean up broken  
pieces, encapsulate & patch.  
Electrical Bldg

Customer ID		Customer PO		Payment Terms	
ASH		RI - 8547		Net 30 Days	
Sales Rep ID		Shipping Method		Ship Date	Due Date
TINGLEY		Hand Deliver		8/16/05	9/25/05
Quantity	Item	Description	Unit Price	Extension	
1.00	Office	Office Hours	30.00	30.00	
8.00	Super	Asbestos Abatement Supervisor	50.00	400.00	
2.00	OT Supervisor	Supervisor Overtime	65.00	130.00	
27.00	Worker	Asbestos Abatement Labor	45.00	1,215.00	
1.00	Miscellaneous	Jobsite Materials Used	529.38	529.38	
5.00	Independent	Independent Air Monitoring	95.10	475.50	
1.00	Notification	Notification Fee	35.00	35.00	
4.00	Waste	Waste Disposal	39.50	158.00	
1.00	Truck	Truck Rental	40.00	40.00	
10.00	Fuel	Fuel	2.89	28.90	
1.00	Tuff Span	Tuff Span Replacement Paneling	3,972.28	3,972.28	
		Less Overage		-14.00	

Subtotal 7,000.00

Sales Tax

Total Invoice Amount 7,000.00

Payment Received

TOTAL 7,000.00

Thank You For Your Business



SINCE 1969

# BATTERY & ELECTRICAL SPECIALISTS

UNITED BATTERY SYSTEMS INC.

MONDAY thru SATURDAY 8:00 TO 6:00

P 99338  
P99338

BATTERIES ALTERNATORS STARTERS GENERATORS

DATE
11/1/2005
CUSTOMER P.O. NO.
SOLD BY
MP

ACCOUNT NO.:  
CASH  
SALE TO:

ORDERED	SHIPPED	BACK ORDERED	ITEM NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
-12			S	SCRAP BATTERY	1.00	(12.00)



☐ PORTLAND  
289-6644  
09 NE COLUMBIA BLVD

☐ GRESHAM  
667-9100  
19001 E. BURNSIDE

☐ LONGVIEW  
577-3833  
438 OREGON WAY

Subtotal	(12.00)
Amount Tendered	(12.00)
Sales Tax	0.00

☐ Cash (12.00) ☐ Check 0.00 ☐ Credit Card 0.00 ☐ Charge 0.00

**TOTAL DUE** ➡ (12.00)

SIGNATURE *[Signature]*

ALL claims and returned goods MUST be accompanied by this bill.  
Remit all correspondence to P.O. Box 11460 Portland, OR 97211

414209

RB Recycling

CUSTOMER'S ORDER NO.		DATE	
		11-9-05	
NAME			
Ash-Grove Cement			
ADDRESS			
CITY, STATE, ZIP			
Ore			
SOLD BY	CASH	C.O.D.	CHARGE
ON ACCT.	MDSE. RETD.	PAID OUT	
QUAN.	DESCRIPTION	PRICE	AMOUNT
1	Passenger	130	14.30
2	Passenger Min	275	121.00
3			
4			
5			
6			
7			
8			
9	CK# 2015		
10			
11			
12			
RECEIVED BY		135.30	

adams 4705

KEEP THIS SLIP FOR REFERENCE

4150 N. Suttle Road  
Portland, Oregon 97217  
701 Bozarth Street  
Woodland, Washington



24 Hour Emergency  
Service 503.286.8352  
Toll Free 800.367.8894  
EPA #WAD980986012

No. 157238

Date: 5-5-6

Cust ID#

Generator	Name	1511 GROVE BLVD		Contact Person	Phone
	Address	13939 N RILEY ST	City	State	Zip
Transportation	Consigned To:	FUEL PROCESSORS			
	Destination:	4150 N SUTTLE RD			
	Via Carrier:	Oil Re-Refining company			
	Driver:	Truck #	Miles Run:	Load Ticket #	
	Gal./Brl:	Description	Sniffer P/F	CDT/HCDT	PH
	12	ONLY SPILL MATERIAL	P		200
Above material being transported for Recycling			EPA#	62027707256	CS9
Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.			Total:		
SIGNED X Glenn Sollar			DATE: 5-5-6		

## ACKNOWLEDGMENT OF RECEIPT OF RADIOACTIVE MATERIAL

September 14, 2006

Tom McLaughlin  
Greenberry Industrial  
1330 NE Elliott Circle  
Corvallis, OR 97339

RMA Number 30437

Attention Tom McLaughlin:


This is to certify that Thermo Electron has received and accepted ownership of the radioactive material described below pursuant to applicable regulations and as authorized by our Texas Radioactive Material License L03524.

Manufacturer	Model	Serial	Isotope	Source	Activity Units	Assay
KAY-RAY/SENSALL	7062	12708	Cs-137	KR-8131	100 mCi	9/1/1979
Summary (1 source)					100 mCi	

This receipt should be retained in your files as a permanent record showing the disposition of this radioactive material. If you are not the Radiation Safety Officer or responsible for maintaining regulatory records for radioactive material, please forward this letter to the appropriate person.

If you have any questions or require additional assistance, please contact us at (800) 437-7979 or (713) 272-0404.

Sincerely,  
Thermo Electron



Angelica Guidry  
Services Support Specialist

387044



*KD*

<b>SHIPPING DOCUMENT</b>		1. Generator ID Number <b>ORD027707256</b>		2. Page 1 of 1		3. Emergency Response Phone <b>(800) 535-5053</b>		4. Shipping Document Tracking Number <b>RECEIVED 00009604</b>	
		5. Generator's Name and Mailing Address <b>ASH GROVE CEMENT COMPANY 13939 N. RIVERGATE BLVD. PORTLAND, OR 97203</b>		Generator's Site Address (if different than mailing address) <b>SAME</b>		NOV 06 2006			
Generator's Phone: <b>503 286-1677</b>									
6. Transporter 1 Company Name <b>VEOLIA ES TECHNICAL SOLUTIONS</b>		Ash Grove Rivergate U.S. EPA ID Number <b>NJD080631369</b>							
7. Transporter 2 Company Name		U.S. EPA ID Number							
8. Designated Facility Name and Site Address <b>CHEM WASTE MGT OF NORTHWEST 17629 CEDAR SPRINGS LANE</b>		U.S. EPA ID Number							
Facility's Phone: <b>541 454-2643</b>		<b>ARLINGTON, OR 97812</b>		ORD089452353					
<b>GENERATOR</b>	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))			10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Codes
		NON-REGULATED MATERIAL PER 40 & 49 CFR, (NON PCB LIGHT BALLASTS), NONE, NONE			No.	Type			
					1	CF	275	P	X004
14. Special Handling Instructions and Additional Information <b>856303/ARLC28422 - INFOTRAC ACCOUNT #86072</b>									
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. <div style="text-align: right; font-size: 1.2em;"><b>L14, 230P, .12T</b></div>									
Generator's/Officer's Printed/Typed Name <b>Mike Sarvi</b>		Signature <i>Mike Sarvi</i>				Month Day Year <b>10 26 06</b>			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____									
17. Transporter Acknowledgment of Receipt of Shipment									
Transporter 1 Printed/Typed Name <b>PETER FLEISCHER</b>		Signature <i>Peter Fleischer</i>				Month Day Year <b>10 26 06</b>			
Transporter 2 Printed/Typed Name		Signature				Month Day Year			
18. Discrepancy									
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
Shipping Document Tracking Number:									
18b. Alternate Facility (or Generator)		U.S. EPA ID Number							
Facility's Phone:									
18c. Signature of Alternate Facility (or Generator)		Signature				Month Day Year			
19. Report Management Method Codes (i.e., codes for treatment, disposal, and recycling systems)									
1. <b>H132</b>		2.		3.		4.			
20. Designated Facility Owner or Operator: Certification of receipt of shipment except as noted in item 18a									
Printed/Typed Name <b>James Stand</b>		Signature <i>James Stand</i>				Month Day Year <b>10 20 06</b>			

DESIGNATED FACILITY TO GENERATOR

*BMS*

# Activity Report

JOB NO: 0739428001  
BILL DOC NO VP61025532  
GENERATOR NO 532449

WO NO: 0739428001  
EPA ID: ORD027707256

BILL TO: ASH GROVE CEMENT CO  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203  
(503) 286-1677

JOB SITE: ASH GROVE CEMENT COMPANY  
13939 N. RIVERGATE BLVD.  
PORTLAND, OR 97203  
(503) 286-1677

CONTACT: GLENN DOLLAR

CONTACT: GLENN DOLLAR

MANIFEST NUMBER(S):  
ZZ00009604

CUSTOMER P.O. NUMBER	PROJECT NUMBER	SHIP DATE	TERR.
		10/26/2006	OR1

DESCRIPTION	# CONT.	CONT./CODE	QTY	UOM	PG./N	WASTE AREA
Manifest # ZZ00009604 WIP 856303 / Approval ARL C28422 NON PCB LIGHT BALLASTS	1	CF	275	P	1 / 1	

Misc. - ENERGY & SECURITY SURCHARGE 3129 491.45 PERCNT

Total Hours: 0

## Comments:

By: [Signature] 10-26-06

Veolia Environmental Solutions is permitted for and has capacity to accept waste listed above in container quantities.  
1 of 1

ZZ00009604

GENERATOR : 532449 - ASH GROVE CEMENT COMPANY				EPA ID : ORD027707256		GEN DOC NUM :		DATE SHIPPED: 10/26/2006		
Manifest Pg/Ln	WIP #	WIP Description	Approval #	Physical State / Hazard Codes	Waste Codes	Container count & size	Generator Drum ID	Veolia Drum #	PCB Container Number	OQSD
1	1	856303 NON PCB LIGHT BALLASTS	ARL C28422	SL	X004	1xCYDBOX		2		

# Activity Report

JOB NO: 0738428000  
BILL DOC NO VP61025704  
GENERATOR NO 532449

WO NO: 0739428000  
EPA ID: ORD027707256

BILL TO: ASH GROVE CEMENT CO  
13939 N RIVERGATE BLVD  
PORTLAND, OR 97203  
(503) 286-1677

JOB SITE: ASH GROVE CEMENT COMPANY  
13939 N. RIVERGATE BLVD.  
PORTLAND, OR 97203  
(503) 286-1677

CONTACT: GLENN DOLLAR

CONTACT: GLENN DOLLAR

MANIFEST NUMBER(S):  
ZZ00009603

CUSTOMER P.O. NUMBER	PROJECT NUMBER	SHIP DATE	TERR.
		10/26/2006	OR1

DESCRIPTION	# CONT.	CONT./CODE	QTY	UOM	PG/LN	WASTE AREA
Manifest # ZZ00009603 WIP 666915 / Approval SLM 298924 WHOLE FLUORESCENT LIGHT TUBES	7	CF	110	P	1 / 1	
Manifest # ZZ00009603 WIP 856301 / Approval SLM 317204 COMPACT BULBS	3	CF	55	P	1 / 2	
Manifest # ZZ00009603 WIP 856302 / Approval SLM 317203 HID BULBS	3	CF	30	P	1 / 3	

Misc. - ENERGY & SECURITY SURCHARGE 3129 491.45 PERCNT

Total Hours: 0

Comments:

By:                      10-26-06

Veolia Environmental Solutions is permitted for and has capacity to accept waste listed above in container quantities.

1 of 1

ZZ00009803

GENERATOR :		532440 - ASH GROVE CEMENT COMPANY			EPA ID :		ORD027707256		GEN DOC NUM :		DATE SHIPPED: 10/26/2006	
Manifest Pg/Ln	WMP #	WMP Description	Approval #	Physical State / Hazard Codes	Waste Codes	Container count & size	Generator Drum ID	Veolia Drum #	PCB Container Number	OCSD		
1	1	686915 WHOLE FLUORESCENT LIGHT TUBES	SLM 298924	SL-	NONE	5xJS40M		1				
1	2	856301 COMPACT BULBS	SLM 317204	SL-	NONE	6xBOX		3				
1	3	856302 HID BULBS	SLM 317203	SL-	NONE	6xBOX		4				



**WASTE MANAGEMENT**

17629 Cedar Springs Lane  
Arlington, OR 97812  
(541) 454-2643

ASH GROVE CEMENT CO  
ORD027707256  
13939 N RIVERGATE BLVD  
PORTLAND OR 97203-6608

**CERTIFICATE OF DISPOSAL**

Chemical Waste Management of the Northwest, Inc. has received the following waste material:

GENERATOR:	ASH GROVE CEMENT CO
MANIFEST #:	ZZ00009604
CWM TRACKING ID:	387044-01
PROFILE #:	C28422
LINE ITEM:	9b.1
QUANTITY:	1 CF
RECEIVED DATE:	10/30/06

DISPOSAL PROCESS(ES):	LANDFILL
FINAL DISPOSAL LOCATION:	LANDFILL 14
DISPOSAL DATE:	10/31/06

I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste material was managed in compliance with all applicable laws, regulations, permits and licenses on the date listed above.

*Becky Sumner*

CWMNW RECORDS DEPARTMENT

Date: 11/02/06

*From everyday collection to environmental protection, Think Green® Think Waste Management.*



RECEIVED

318212  
D235929

JAN 08 2007

TECHNICAL SOLUTIONS  
NORTH AMERICA

Ash Grove Rivergate

## Customer:

VEOLIA ES TECHNICAL SOLUTIONS, L.L.C.  
VANCOUVER PAYABLES  
9131 EAST 96TH AVENUE  
HENDERSON, CO 80640

## Generator:

ASH GROVE CEMENT  
13939 NORTH RIVERGATE BLVD  
PORTLAND, OR 97203Veolia ES Technical Solutions L.L.C. AZ0000337360  
Certificate of Recycling and/or Disposal  
Manifest/BOL Number: ZZ00009603

Type	Quantity	Unit of Measure	Serial Number
Recycle - Four Foot Fluorescent Lamps	49	LMP	N/A
Recycle - Eight Foot Fluorescent Lamps	69	LMP	N/A
Recycle - Ten Foot Fluorescent Lamps	4	LMP	N/A
Recycle - Compact Fluorescent Lamps	129	LMP	N/A
Recycle - HID Lamps	110	LMP	N/A

By accepting the waste products described on the shipping paper referenced above, Veolia ES Technical Solutions, L.L.C. certifies to the generator that the transportation, storage, and processing methods employed are in accordance with Veolia ES permit parameters, the Toxic Substance Control Act, the Resource Conservation and Recovery Act, the Hazardous Materials Transportation Act, the Occupational Health and Safety Act and all applicable federal, state and local laws.

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C. 1001 and 15 U.S.C. 2615), I certify that the information contained in or accompanying this document is true, accurate, and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true, accurate, and complete.

Heath Hildebrand  
General Manager

Date Received: 12/13/2006



<b>SHIPPING DOCUMENT</b>		1. Generator ID Number <b>ORD 0 2 7 7 0 7 2 5 6</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>(800) 535-5053</b>	4. Shipping Document Tracking Number <b>ZZ 00009603</b>		
5. Generator's Name and Mailing Address <b>ASH GROVE CEMENT COMPANY 13939 N. RIVERGATE BLVD. PORTLAND, OR 97203</b>				Generator's Site Address (if different than mailing address) <b>SAME</b>			
Generator's Phone: <b>503 286-1677</b>							
6. Transporter 1 Company Name <b>VEOLIA ES TECHNICAL SOLUTIONS</b>				U.S. EPA ID Number <b>N J D 0 8 0 6 3 1 3 6 9</b>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>VEOLIA ES TECHNICAL SOLUTIONS 5736 WEST JEFFERSON STREET</b>				U.S. EPA ID Number			
Facility's Phone: <b>602 233-2955 PHOENIX, AZ 85043</b>				<b>A Z 0 0 0 0 3 3 7 3 6 0</b>			
<b>GENERATOR</b>	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	Type	11. Total Quantity	12. Unit Wt./Vol.	13. Codes
		<b>UNIVERSAL WASTE-LAMPS, NONE, NONE</b>	<b>7</b>	<b>CF</b>	<b>110</b>	<b>P</b>	<b>NONE</b>
		<b>UNIVERSAL WASTE-LAMPS, (COMPACT BULBS), NONE, NONE</b>	<b>3</b>	<b>CF</b>	<b>55</b>	<b>P</b>	<b>NONE</b>
		<b>UNIVERSAL WASTE-LAMPS, (HID BULBS), NONE, NONE</b>	<b>3</b>	<b>CF</b>	<b>30</b>	<b>P</b>	<b>NONE</b>
		<b>4.</b>					
14. Special Handling Instructions and Additional Information <b>1) 666915 2) 856301 3) 856302 PO# RI-9885 +- INFOTRAC ACCOUNT #86072</b>							
15. <b>GENERATOR S/OFFEROR S CERTIFICATION:</b> I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.							
Generator's/Officer's Printed/Typed Name <b>Mike E Javi</b>				Signature <i>[Signature]</i>		Month Day Year <b>10 24 06</b>	
<b>TRANSPORTER INT'L</b>	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
	17. Transporter Acknowledgment of Receipt of Shipment						
	Transporter 1 Printed/Typed Name <b>PETER FLEISCHER</b>				Signature <i>[Signature]</i>		Month Day Year <b>10 26 06</b>
<b>DESIGNATED FACILITY</b>	Transporter 2 Printed/Typed Name						
	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
	Shipping Document Tracking Number:						
	18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:						Month Day Year	
18c. Signature of Alternate Facility (or Generator)							
19. Report Management Method Codes (i.e., codes for treatment, disposal, and recycling systems)							
1. <b>H010</b>		2. <b>H010</b>		3. <b>H010</b>		4.	
20. Designated Facility Owner or Operator: Certification of receipt of shipment except as noted in Item 18a							
Printed/Typed Name <b>Angel X. Murillo</b>				Signature <i>[Signature]</i>		Month Day Year <b>10 13 06</b>	

DESIGNATED FACILITY TO GENERATOR



11/14/06 5:46:17 1

ASH GROVE CEMENT COMPANY  
13939 N. RIVERGATE BLVD.  
PORTLAND OR 97203

ATTN : GLENN DOLLAR

JOB SITE :  
ASH GROVE CEMENT COMPANY  
13939 N. RIVERGATE BLVD.  
PORTLAND OR 97203

EPA ID # : ORD027707256  
Veolia Territory: OR1

THIS IS PROVIDED BY VEOLIA ES TECHNICAL SOLUTIONS TO TRACK THE FOLLOWING  
WASTE MATERIALS ON MANIFEST NUMBER ZZ00009604 REMOVED FROM YOUR FACILITY  
ON 10/26/06 .

THE WASTE CONSISTED OF :

1 NON-REGULATED MATERIAL PER 40 & 49 CFR, (NON PCB 0  
LIGHT BALLASTS), NONE, NONE

TRANSPORTER : VEOLIA ES TECHNICAL SOLUTIONS  
L.L.C.  
1 EDEN LANE  
FLANDERS

EPA ID # : NJD080631369

NJ 07836

MATERIALS WERE TRANSPORTED TO CHEM WASTE MGT OF NORTHWEST  
ARLINGTON, OREGON, ORD089452353.

THIS MATERIAL WAS HANDLED IN COMPLIANCE WITH ALL CURRENT REGULATIONS.  
FURTHER INFORMATION WILL BE PROVIDED UPON REQUEST. ANY QUESTIONS  
ABOUT THIS DOCUMENT SHOULD BE DIRECTED TO YOUR LOCAL CUSTOMER  
SERVICE REPRESENTATIVE.

Headquarters  
4150 N. Suttle Road  
Portland, Oregon 97217  
Phone 503-286-8352  
Toll Free 800-367-8894  
EPA# ORD980975692



Eugene, OR: EPA# ORQ000024941  
Hoquiam, WA: EPA# WAD988519419  
Klamath Falls, OR: EPA# ORD980980775  
Kennewick, WA: EPA# WAH000011577  
Medford, OR: EPA# ORD987197092  
North Bend, OR: EPA# ORD980978266  
Salt Lake City, UT: EPA# UTD982589459  
Spokane, WA: EPA# WAH000011585

**BILL OF LADING**

No. **181499**  
Date: **5-17-07**  
Cust ID# **3138**

Generator	Ashgrove Cement		Glen 523-545-6056	
	Name	Contact Person	Phone	
Transportation	13939 N Rivergate Blvd		PDX, OR 98660	
	Address	City	State	Zip
Billing Address	Consigned To: Fuel Processors Inc.			
	Destination: 4150 N Suttle Rd PDX, OR			
	Via Carrier: ORRCO			
	Driver: Matt Truck # 6951 Miles Run: Load Ticket #			

Gal./Brl.	Description	Sniffer P / F	CDT / HCDT	pH	Flash Point	Rate per Gal./Brl.	Rate per Hour	Charge
8 gal	Clean up	P			220			
2 gal	Filters	P			220			
3 gal	Oil	P	0		220			

Above material being transported for Recycling EPA#  Total:

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED X  DATE: **5-17-07**

Hickey Marine Enterprises, Inc  
6801 NW Old Lower River Road  
Vancouver, WA 98660

Invoice:

2440

(360) 695-4553

Sold  
to

Ash Grove Cement Company  
13939 N Rivergate Blvd  
Portland, OR 97203

Ship  
to

2420 Rivergate Maint. Dredging  
13939 N Rivergate  
Portland, OR 97203

<u>Account</u>	<u>P.O. Num</u>	<u>Ship Via</u>	<u>Ship Date</u>	<u>Terms</u>	<u>Invoice Date</u>	<u>Page</u>
ASHGROVE	Glenn Dollar			Net 30	8/9/07	1

Charges for material dredged from your Rivergate facility and disposed and disposed at the  
Wasco County Landfill in the Dalles, OR

<u>Item</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extended Price</u>
MOB/DEMOB	1	Lumps Sum billing for Mobilization/Demobilization	30425.00	30,425.00
CURTAIN	1	Lumps Sum Billing for Installation, furnish, and remove Turbidity Curtain	25000.00	25,000.00
WATER QUALITY	1	Water Quality Monitoring	4197.50	4,197.50
DISPOSAL	1	Disposal of excess water	4703.50	4,703.50
DREDGE/DISPOSE	2465.41	Dredge and Disposal of material	69.00	170,113.29
CREDIT	1	Credit for drying agent	-792.49	-792.49

Ash Grove-Rivergate  
Original Invoice  
Received

AUG 15 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By \_\_\_\_\_

*8/16 - Vendor set-up*

Subtotal 233,646.80

Please Remit payments to:  
PO Box 291  
Vancouver, WA 98666

Total \$233,646.80



# HICKEY MARINE ENTERPRISES

6801 NW Old Lower River Road  
Vancouver, WA 98660  
(360) 695-4553 (503) 284-1140

M T W T F S S

Job Name Ash Grove Date 7/12/07

Job No. \_\_\_\_\_ Weather \_\_\_\_\_

Equipment: ☐ Sea Hawk ☒ Sea Vulture ☐ Sea Lion ☐ Viking ☐ 966 Loader ☒ Chetco

☐ Barge 174 ☐ Barge 34 ☐ BK5 ☐ Nova ☐ Barge 47 ☐ Barge Harvey A

☐ Manlift ☐ Other \_\_\_\_\_

Equipment Safety Checks Performed? ☒ Yes ☐ No

Personal Protective Equipment Safety Checks Performed? ☒ Yes ☐ No

Work performed today 0700 - START UP - weld plate in end of chetco - load  
Beam containment - rent Deck lines

1430 - MAKE UP TO Vulture

1440 - Depart for Ash Grove

1530 - on spot - Husky Back to End for chetco - crew tying Beam on

1635 - chetco on rig - 4 piece 20' Beam in Back side of cell's

1650 - Depart for End on Husky

1730 - Secure

Don 10

Doug 10

Tim 10

14 J 6


Scot 3 on Ash Grove

Al 3 time

Bill 3

Extra work or delays (authorized by)

Sign \_\_\_\_\_



# HICKEY MARINE ENTERPRISES

6801 NW Old Lower River Road  
Vancouver, WA 98660  
(360) 695-4553 (503) 284-1140

M T W T H F S S

Job Name Ashgrove Cement Date 7/13/07

Job No. \_\_\_\_\_ Weather \_\_\_\_\_

Equipment: ☐ Sea Hawk ☒ Sea Vulture ☐ Sea Lion ☐ Viking ☐ 966 Loader ☒ Chetco

☐ Barge 174 ☐ Barge 34 ☐ BK5 ☐ Nova ☐ Barge 47 ☐ Barge Harvey A

☐ Manlift ☐ Other \_\_\_\_\_

Equipment Safety Checks Performed? ☒ Yes / ☐ No

Personal Protective Equipment Safety Checks Performed? ☒ Yes / ☐ No

Work performed today 0700 - start up - set anchors & boom around dredge area.  
0810 - met w/ Northwest Natural Gas company rep about there gas line crossing at D.S. end of Dredge area - He was not concern about our activities as long as we stay 40' to 50' away. He DID say that Oregon Steel has a crossing in the area & would call them -

0830 - Oregon Steel called & I will meet w/ him at 0845 & determine there crossing where ABOUTS. (No problem - line crosses at U.S. end of their property,

0840 - West Coast here - went to U.S. Ashgrove -

1100 - Bill & Al helping w/ curtain - Doug & Don

1200 - 1230 lunch

1230 - making final connection on boom

1320 - Begin Digging - ADJ - Anchors as needed -

1630 - Done Digging - grease & secure - Doug from U.S. side of cut to & of surveyor - 40' + - to grade

1700 - Done

Doug 9 1/2

Al

Don

Bill 8

Extra work or delays (authorized by)

3.3 Bow 3.2

3.7 Chetco Light 3.6

Sign \_\_\_\_\_



# HICKEY MARINE ENTERPRISES

6801 NW Old Lower River Road  
Vancouver, WA 98660  
(360) 695-4553 (503) 284-1140

☒ M ☐ T ☐ W ☐ TH ☐ F ☐ S ☐ S

Job Name Ashgrove Date 7/16/07

Job No. \_\_\_\_\_ Weather \_\_\_\_\_

Equipment: ☐ Sea Hawk ☒ Sea Vulture ☐ Sea Lion ☐ Viking ☐ 966 Loader ☒ Chetco

☐ Barge 174 ☐ Barge 34 ☐ BK5 ☐ Nova ☐ Barge 47 ☐ Barge Harvey A

☐ Manlift ☐ Other \_\_\_\_\_

Equipment Safety Checks Performed? ☒ Yes / No

Personal Protective Equipment Safety Checks Performed? ☒ Yes / No

Work performed today 0700 - START up - reset Boom (tribitity)

0800 Digging -

1200-1230 lunch - To grade at Angle point

1245 - Digging Able

1430 - Done - Take off Bucket

1530 - Secure

Extra work or delays (authorized by)

0830 Start

10:30

12:30

2:30

Loaded Decks at 14:30

11.0 11.5

10.9 11.4

Sign \_\_\_\_\_



# HICKEY MARINE ENTERPRISES

6801 NW Old Lower River Road  
Vancouver, WA 98660  
(360) 695-4553 (503) 284-1140

M	<input checked="" type="checkbox"/>	W	T	H	F	S	S
---	-------------------------------------	---	---	---	---	---	---

Job Name Ashgrove Date 7/17/07

Job No. \_\_\_\_\_ Weather \_\_\_\_\_

Equipment: ☐ Sea Hawk ☐ Sea Vulture ☐ Sea Lion ☐ Viking ☐ 966 Loader ☐ Chetco

☐ Barge 174 ☐ Barge 34 ☐ BK5 ☐ Nova ☐ Barge 47 ☐ Barge Harvey A

☐ Manlift ☐ Other \_\_\_\_\_

Equipment Safety Checks Performed? ☒ Yes / No

Personal Protective Equipment Safety Checks Performed? ☒ Yes / No

Work performed today 0700-START UP - Break Boom -

0830 - Harvey on site - Chetco To YARD via TIDEWATER

0855 - Loading Boom

0930 Break

0945 Load Boom

11:30 move to yard - MAU

12:10 Lunch - spotted yard -

maint

3:30 Secure

Extra work or delays (authorized by) \_\_\_\_\_

Sign \_\_\_\_\_

Headquarters  
4150 N. Suttle Road  
Portland, Oregon 97217  
Phone 503-286-8352  
Toll Free 800-367-8894  
EPA# ORD980975692



Eugene, OR: EPA# ORQ000024941  
Hoquiam, WA: EPA# WAD988519419  
Klamath Falls, OR: EPA# ORD980980775  
Kennewick, WA: EPA# WAH000011577  
Medford, OR: EPA# ORD987197092  
North Bend, OR: EPA# ORD980978266  
Salt Lake City, UT: EPA# UTD982589459  
Spokane, WA: EPA# WAH000011585

**BILL OF LADING**  
No. **187673**  
Date: **9-19-07**  
Cust ID# **3138**

Generator	Ashgrove Cement		Ivan 503-286-1677	
	Name	Contact Person	Phone	
Transportation	13939 N. Rivergate		POX, OR 97203	
	Address	City	State	Zip
Consignment	Consigned To: Fuel Processors Inc			
	Destination: 4150 N Suttle Rd. POX OR			
	Via Carrier: ORRCO			
Driver: Matt		Truck # 6957		Miles Run:

Gal./Brl.	Description	Sniffer P/F	CDT/HCDT	pH	Flash Point	Rate per Gal./Brl.	Rate per Hour	Cha
6 bbl	Used Oil 3-27-07	P			220			
1 bbl	Oil/Water 3-27-07	P		5	220			
1 bbl	Films 11-7-06	P			220			
1 bbl	Used Antifreeze - Attached	P		7	220			
5 bbl	Clean up 3-27-07	P			220			
7 bbl	Barrel Disposal							

Above material being transported for Recycling EPA# Total:

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act, or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED X *[Signature]* DATE: 9-19-07

## Glenn Dollar

---

**From:** Kris McGill [kris.mcgill@tcgreycling.com]  
**Sent:** Monday, September 24, 2007 1:51 PM  
**To:** Glenn Dollar  
**Subject:** RE: Electronics Pictures

Hi Glenn,

I've got the #....maybe it was me who forgot to send it?

In any case, here's the #.... 13509-2

Give me a heads up when your guys intend on bringing this to our facility.

Best Regards,

Kris  
503-735-1102

---

**From:** Glenn Dollar [mailto:Glenn.Dollar@ashgrove.com]  
**Sent:** Monday, September 24, 2007 1:42 PM  
**To:** Kris McGill  
**Subject:** RE: Electronics Pictures

Thanks Kris,

Either you ran out of tracking #'s or I accidentally deleted it, which has been known to happen???

Regards,

---

**From:** Kris McGill [mailto:kris.mcgill@tcgreycling.com]  
**Sent:** Wednesday, September 19, 2007 12:02 PM  
**To:** Glenn Dollar  
**Subject:** RE: Electronics Pictures

Hi Glenn,

Thanks for the email and my apologies for the delay in response. I just came back from a trip to LA and had no internet access.

As I mentioned the costs are as follows.

CRT's /monitors: \$.23/lb

PC's/servers: \$.15/lb

Printers/ fax machines/ etc.: \$.25/lb

Batteries: \$1.00 /lb

9/24/2007

I have attached our environmental package for some good bedtime reading. I'll get a tracking # to you sometime this afternoon or tomorrow AM.

Let me know if you have any questions.

Best Regards,

Kristoffer McGill  
503-735-1102

---

**From:** Glenn Dollar [mailto:Glenn.Dollar@ashgrove.com]  
**Sent:** Monday, September 17, 2007 11:56 AM  
**To:** Kris McGill  
**Subject:** Electronics Pictures

Good day Kris,

I finally have a picture for you of the pallet of computer related components for recycling. If you would, let me know first if you can take this pallet of materials and second what you think it will cost to do so. I just need to get some cash from our accountants for you. I was just planning on bringing in the center pallet at this time.

Glenn F. Dollar  
Environmental, Health & Safety Manager  
Ash Grove Cement Company  
Rivergate Lime Plant  
13939 N Rivergate Blvd.  
Portland, OR 97203  
E-Mail: Glenn.Dollar@ashgrove.com  
Phone: 503-286-1677  
Fax: 503-289-2272 ext.423

9/24/2007

Appendix40-000090

# Appointment Schedule (CEG)

Page: 1

Metro Central Hazardous Waste  
6161 NW 61st Ave.  
Portland, OR 97210  
Phone: 223-8133 Fax: 223-8020

Metro South Hazardous Waste  
2001 Washington St.  
Oregon City, OR 97045  
Phone: 655-0480 Fax: 655-2699

Company: Ash Grove Cement Co

Current Date: 5/1/2008

EPA/DEQ #: 556

Inventory Date: 4/29/2008

Site: Central H2W

Appt Date: 5/5/2008

At: 11:00 AM

Payment: No Charge

Credit Account:

Line #	Cost Code	# of Containers	Container Size	Units	% Full	Line Total
1	HG4	21	2.00	oz	100.00	\$45.00
2	credit	54	1.00	\$	100.00	(\$54.00)
General and administrative cost:						\$0.50
Total weight: 2.63 lbs.						Subtotal: (\$8.50)
						Scalehouse transaction fee: \$8.50
						Total: \$0.00

Date Accepted: 5-5-08

Received by: *gh*  
(print)

Please Check

- ☐ H2W copy
- ☐ Customer copy
- ☐ Scalehouse copy

Please keep this receipt for your records.  
Please pay when leaving facility.

## Legend:

AF1/AF2/AFL Flammable materials, C Halogenated solvent, E Isocyanate, G Waterbased, GR Latex paint, HG1/HG2/HG3/HG4 Mercury containing items, I1/ I2/ I3/I4/I5 Batteries, K1/K2/K3/K4 Acids, L Bases, M Oxidizers, N1/N2/N3/N4 Poisons, P1 Ballasts, PR1/PR2 Propane, Q1/Q2/Q3 Aerosols, R1/R2 Reactives, U Unknown, V PPE/contaminated debris, Z2 Oil.

Comments:



State of Oregon  
Department of  
Environmental  
Quality

## DEQ Mercury Waste Collection Application Form for Conditionally Exempt Hazardous Waste Generators

Collection Location: 6161 NW 61st Ave. Date 4/25/08

### 1. Generator Information

Ash Grove Cement Lime Plant  
Generator Name Type of Business

13939 N Rivergate Blvd.  
Mailing Address Site Address (if different)

Portland Oregon 97203  
City State Zip Code

Glenn Dollar (503) 286-1677 (503) 289-2272  
Contact Person Telephone Number Fax Number

### 2. Certification for Conditionally Exempt Generators

State and federal hazardous waste regulations limit the use of CEG hazardous waste collection programs to those businesses that generate 100 kilograms (220 pounds or approximately 25 gallons) of hazardous waste per month. Businesses that generate more than this amount must use a licensed hazardous waste hauler to manifest and transport their waste. Therefore, we are requesting that you sign the following certification before disposing of your waste at the collection event:

I certify that the business I am representing is a conditionally exempt hazardous waste generator that generates less than 220 pounds of hazardous waste and 2.2 pounds of acutely hazardous waste per month. I also certify that I have not accumulated more than 2,200 pounds of hazardous waste (2.2 pounds of acutely hazardous waste) at this time. I understand that I must pre-register before I can drop off my wastes at the collection event. I also understand that only the types and quantities of wastes listed on the Inventory Sheet(s) in Section 3 have been approved for disposal at the collection event. Finally, I understand that the state, local government, or contractor does not assume liability for my wastes, and that future liability remains with my business.

Glenn Dollar Glenn Dollar  
Authorized Representative (print or type) Signature of Authorized Representative

See page 2 for inventory of mercury waste items, which must be completed and returned with this application.

**3. Mercury Waste Inventory Sheet**  
(Copy and use additional sheets if necessary.)

Remember, you are limited to **no more than 2,200 pounds of conditionally exempt generator (CEG) waste**. Fluorescent lights (including fluorescent light tubes, mercury vapor bulbs and HID's) will not be accepted free of charge.

	Mercury Waste Description	Weight Estimate (Include total weight of mercury-containing device or compound)	Number (of thermometers, thermostats or switches)	For Official Use Only (leave this column blank)
	Elemental Mercury			
	Mercury Thermometers			
	Mercury Thermostats			
	Mercury Switches (including silent light switches)	2 ounces	21	
	Mercury Containing Compound (such as amalgams, mercurochrome, pesticides, etc.)  Specify*:			
	Sphygmomanometers (Blood Pressure Cuffs)			
	Dairy Manometers			
	Dental Mercury Traps			
	Barometers			
	Mercury Containing Batteries			
	Other: Specify*:			
	Total	42 ounces	21	

\*For "Other" and "Mercury-Containing Compound," describe in as much detail as possible wastes that you want disposed. The description should include the chemical and trade name, how you use the material, physical state (i.e., liquid, solid, sludge, gas), chemical characteristics (e.g., flammable/ignitable), and chemical constituents and percentages from the label or material safety data sheet (MSDS). **DO NOT** include wastes you do not want disposed nor containers of unknown waste substances. Please avoid mixing your wastes together.



715 South Easy Street ❖ Lecanto, FL 34461  
352-527-2534 phone ❖ 352-527-8658 fax

## TECHNOLOGY CONSERVATION GROUP

### ***Certificate of Recycling***

DATE: 09/23/2008

TO: ASHGROVE CEMENT COMPANY

This document certifies that all manufacturers' proprietary material included in the shipment(s) listed below has been/will be processed for component recovery and precious metals only. This is/will be accomplished through a process of disassembly, separation and disposition into proper recycling and waste streams.

Completion Date	Incoming Shipment #	Qty
09/23/2008	13509-2	926 LBS.

TCG recycles or destroys all manufacturers' material employing several recycling or destruction procedures, which comply with all EPA and governmental guidelines.

Thank you for choosing Technology Conservation Group Inc. to process your electronic scrap, by-products, and other material.

BY: FLORENCE ROBINSON, BUSINESS DEVELOPMENT ADMINISTRATION

01-BD80-0001-002

ASH GROVE CEMENT

		HOURS S.T	HOURS O.T	HOURS S.T	HOURS O.T	HOURS S.T	HOURS O.T	# 5-03 HOURS	# 0-80 HOURS	# 5-14 HOURS	# 102 HOURS	# 6-12 HOURS	DAY	#7-05 HOURS	DAY	DAY	RENTAL	DESCRIPTION	Total
DATE	DESCRIPTION	SUPERVISOR		OPERATOR		TECHNICIAN		GEAR TRUCK	PICK UP	70 BBL V/T	120 BBL V/T	P.W.	HAZ LIGHT	STEAMER	PER DEIM	SUBSIS	10%		
Tank # 4																			
4/24/2005	load and mob, Reduction Tech																	mob equipment and perdem	\$3,000
4/24/2005	load and mob, Bellingham		5		6		7	4	4	4					3				
4/25/2005	set up clean from top	11.5		11.5		11.5		2	2	8			1		3		248.95	rescue equipment	
4/26/2005	enter and clean	13		13		13		2	2	6			4	1	3				
4/27/2005	supply inspector artery & rescue	9.5		9.5		9.5		2	2	4			4	1	3				
4/28/2005	clean out truck from tank			6		6		2		4			2		2				
4/29/2005	get 120 to store wash water			4.5		4.5		2							2				
5/3/2005	pump water from tank #6 to Phase	6		6.5		6.5		2	2						12				
	TOTAL HOURS	42	5	53	6	53	7	16	12	28		10	3		28				
	RATE PER HOUR / DAY	\$43.50	\$61.25	\$24.00	\$33.25	\$22.50	\$31.00	\$10.00	\$7.00	\$36.75	\$42.00	\$30.00	\$70.00	\$40.00	\$60.00	\$25.00			
	TOTAL \$	\$1,827.00	\$306.25	\$1,272.00	\$199.50	\$1,182.50	\$217.00	\$160.00	\$84.00	\$1,029.00	\$0.00	\$300.00	\$210.00	\$0.00	\$2,240.00	\$0.00	248.95		\$12,286.20

		HOURS S.T	HOURS O.T	HOURS S.T.	HOURS O.T.	HOURS S.T.	HOURS O.T	# 0-83 HOURS	# 0-80 HOURS	# 5-14 HOURS	# 102 HOURS	# 6-12 HOURS	DAY	#7-05 HOURS	DAY	DAY	RENTAL	DESCRIPTION	Total
DATE	DESCRIPTION	SUPERVISOR		OPERATOR		TECHNICIAN		GEAR TRUCK	PICK UP	70 BBL V/T	120 BBL V/T	P.W.	HAZ LIGHT	STEAMER	PER CEIM	SUBSIS	10%		
Reduction Tech and Bellingham Support																			
4/26/2004	cancelled red not ready					4									1				
4/27/2005	supply steamer and operator			12										10		1			
	Reduction Tech Process	12																	
4/28/2005	supply steamer and operator			12										10		1			
	Reduction Tech Process	12																	
4/28/2005	supply steamer and operator			12										8	1				
	Reduction Tech Process	12																	
4/28/2005	supply steamer and operator					12								10		1			
	Reduction Tech Process	12																	
4/30/2005	supply steamer and operator				12									10		1			
	Reduction Tech Process	12																	
5/1/2005	supply steamer and operator				11									4		1			
	Reduction Tech Process	12																	
5/2/2005	supply steamer and operator					8										1			
	Reduction Tech Process	12																	
5/3/2005	supply steamer and operator					8													
	Reduction Tech Process	8																	
5/4/2005	clean up Cidi, reduction			6		6									1	1			
5/4/2005	clean up Cidi, bellingham	6				5										1			
5/5/2005	pump mix tank back to Tk #9 & clean	12		12		24			1	8		8			4				
5/6/2005	finish clean mix tank demob	6		13		26		4											
5/6/2005	Demob Centrifuge																	demob equipment	1,000

		HOURS S.T	HOURS O.T	HOURS S.T	HOURS O.T	HOURS S.T	HOURS O.T	# 0-03 HOURS	# 0-80 HOURS	# 5-14 HOURS	# 102 HOURS	# 6-12 HOURS	DAY	#7-05 HOURS	DAY	DAY	RENTAL 10%	DESCRIPTION	Total
DATE	DESCRIPTION	SUPERVISOR		OPERATOR		TECHNICIAN							HAZ LIGHT	STEAMER	PER DEIM	SUBSIS			
Tank # 6																			
4/29/2005	slurry and vacuum to remove product					12		2		4					1				
5/4/2005	clean gear slurry tank # 6	5		5		5		2	2						3				
5/11/2005	mob to Portland	5		5					5						2				
5/12/2005	Transfer tank from tank # Cascade	12		12					2		12				2		\$ 2,041.25	FI Subcontract Trans	\$ 2,011.25
5/13/2005	clean tank slurry and pump	9		9					2		9				2				
5/14/2005	slurry and pump		9.5		9.5				2		8				2				
5/15/2005	remove man way and heater		8.5		8.5				2		8				2				
5/16/2005	Disposal Cascade General																		
5/16/2005	pump from man way	11		11		22		2	2	4	11	8			5		\$ 11,467.34	60,499 gal @ \$0.165/gal	\$ 11,467.34
5/17/2005	enter and clean	11		13		39		2	2	4	10	8			5				
5/18/2005	enter and clean	8		13		39		2	2	4	10	10			5				
5/18/2005	clean tank slurry	10		10		33.5		2	2	4	10	8			5				
5/20/2005	stand by for inspection clean gear demob	12		12		24		5	5										
	TOTAL HOURS	33	18	90	18	174.5	0	17	28	20	78	34	0	0	34	0	\$ 2,750.00	analytical	\$ 2,750.00
	RATE PER HOUR / DAY	\$43.50	\$61.25	\$24.00	\$33.25	\$22.50	\$31.00	\$10.00	\$7.00	\$36.75	\$42.00	\$30.00	\$70.00	\$40.00	\$80.00	\$25.00			
	TOTAL \$	\$3,610.50	\$1,102.50	\$2,160.00	\$598.50	\$3,926.25	\$0.00	\$170.00	\$196.00	\$735.00	\$3,276.00	\$1,020.00	\$0.00	\$0.00	\$80.00	\$0.00			\$33,103.34

\$62,406.79

Labor Hours 849.5

Labor \$28,323.25  
Materials \$34,083.54  
Total \$62,406.79

Baker tank rentals

mob	daily	daily (rot/ot)	demob	total
\$140.00	\$56.00	\$20.00	\$140.00	
4	30	36	4	
\$560.00	\$1,680.00	\$720.00	\$560.00	\$3,520.00



715 SOUTH EASY STREET  
LECANTO FL 34461  
PHONE: (352)527-3195  
FAX:(352)527-4984

www.tcgrecycling.com  
www.tcgcomponents.com



TECHNOLOGY CONSERVATION GROUP


**SALES INVOICE**

SI-33273

9/22/2008



Customer		Contact		Ship To			
ASHGROVE CEMENT COMPANY GLENN DOLLAR 13939 N. RIVERGATE BLVD PORTLAND OR 97203 Tel: (503) 286-1677 Fax: (503) 289-2272		ASHGROVE CEMENT COMPANY GLENN DOLLAR 13939 N. RIVERGATE BLVD PORTLAND OR 97203 UNITED STATES Tel: (503) 286-1677 Fax: (503) 289-2272		TECHNOLOGY CONSERVATION GROUP 11749 NE MARX ST PORTLAND OR 97220 UNITED STATES Tel: (502) 735-1102 Fax: (502) 735-1126			
Account	Terms	Due Date		Account Rep	Schedule Date		
ASHGROVE_CEMENT	NET 30	10/22/2008		Kristoffer McGil	9/22/2008		
Sales Order	PO #	Reference		Ship VIA	Tracking		
SO-33419	13509-2	13509-2		COMMON CARRIER			
L	Item/Model/Description Mfr / Cond / D-C / Part Pkg	Order	Ship	Price	UM	Discount	Amount
1	P-BATTERIES / BATTERIES / / /	448	448	\$0.20000	LBS		\$89.60
2	P-LBAD / BAD LCD LBS. / NA / NA / NA	9	9	\$1.15000	EA		\$10.35
3	P-MBAD / BAD MONITORS LBS. / NA / NA / NA	211	211	\$0.23000	EA		\$48.53
4	P-TEARDOWN / TEAR DOWN / / /	175	175	\$0.18000	LBS		\$31.50
TERMS AND CONDITIONS: 1. It is the customer's responsibility to inspect the shipment immediately upon receipt. 2. 90 day warranty on new and refurbished parts (from shipment date) for form, fit and function to comply with manufacturer's published data. Pulls and Finished goods are sold as is and are non-refundable 3. All claims for shortages, damages, or shipment errors must be made in writing within 48 hours of receipt of shipment. 4. An RMA must be issued in writing before the product is returned. The product must be returned in the original condition received. 5. If requested, a valid test report and or pictures must be furnished to substantiate your claim. 6. We must receive product no later than 30 days after an RMA is issued. Anything received after that will be refused. 7. We reserve the right to charge a restocking fee for any purchasing or non-quality issues.						<b>Taxable</b>	\$0.00
						<b>Total Tax</b>	\$0.00
						<b>Exempt</b>	\$179.98
						<b>Total</b>	\$179.98
						<b>Payment Disc</b>	
						<b>Paid</b>	\$0.00
						<b>Balance</b>	\$179.98



# SOLID WASTE & RECYCLING AGREEMENT

FEB 21 1995

1022

## GENERAL CUSTOMER INFORMATION

S E R V I C E	NAME <i>ash Grove Cement</i>		B I L L I N G	NAME <i>Ash Grove cement</i>	
	STREET NUMBER <i>4078 N. Port Center way</i> STREET NAME			ADDRESS <i>9900 1st</i>	
	CITY <i>PTLD, OR</i> STATE <i>97217</i> ZIP/POST			ADDRESS <i>3801 E. Marginal</i>	
	PHONE <i>286-9153</i> CONTACT <i>Stan webb</i>			STREET NUMBER <i>98134</i> STREET NAME <i>Seattle wash</i>	
	CREDIT REFERENCE			CITY <i>PTLD, OR</i> STATE <i>97217</i> ZIP <i>97217</i>	
	SECURITY REQUIRED			PHONE <i>( )</i> CONTACT	
NEW ACCOUNT <input checked="" type="checkbox"/> SERVICE INCREASE <input type="checkbox"/> RATE INCREASE <input type="checkbox"/> CANCEL <input type="checkbox"/> SERVICE DECREASE <input type="checkbox"/> RATE DECREASE <input type="checkbox"/> OTHER <input type="checkbox"/>			MASTER ACCOUNT RELATED ACCOUNT PURCHASE ORDER NO. BUSINESS TYPE ALIAS UNITS		

THIS IS A LEGALLY BINDING CONTRACT, AND CONTRACTOR AGREES TO PROVIDE AND CUSTOMER AGREES TO ACCEPT THE FOLLOWING SERVICES AND EQUIPMENT AT THE CHARGES AND FREQUENCY INDICATED BELOW SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED ON THE REVERSE SIDE.

**SERVICE SPECIFICATIONS**    **SERVICE EFFECTIVE DATE:** 1/1/95    **DELIVERY DATE:**

QUANTITY	SIZE	FREQUENCY	DESCRIPTION/COMMENTS	RATE	SERVICE DAYS							
					U	M	T	W	H	F	S	
1	5 yd	1xwk	general trash	\$165.50								

JEFF KIELLY  
SERVICE REP.  
ACCT. NO.  
10444  
~~978-9608~~  
ALAN ZELINI  
978-9623

CONT. DISPATCH	<input type="checkbox"/>	ROUTE CARD	<input type="checkbox"/>	FILE CARD	<input type="checkbox"/>	BILLING	<input type="checkbox"/>	TOTAL	165.50	per month
----------------	--------------------------	------------	--------------------------	-----------	--------------------------	---------	--------------------------	-------	--------	-----------

ADDITIONAL INSTRUCTIONS/COMMENTS:

THE TERMS AND CONDITIONS ON REVERSE SIDE ARE PART OF THE AGREEMENT.

# CUSTOMER

# CONTRACTOR

AUTHORIZED SIGNATURE

REPRESENTATIVE'S SIGNATURE

TERMINAL MGR

DATE \_\_\_\_\_

## GM REVIEW

SALES DATE

WHITE SALES/OFFICE

YELLOW - CUSTOMER

PINK



September 22, 1995

Stan Webb  
ASHGROVE CEMENT  
P O Box 17200  
Portland, OR 97217

Dear Stan,

As to our conversation on the phone September 22, 1995 regarding 120 gallons of used oil that Sunwest picked up from your plant at 4098 N. Port Center Way on September 12, 1995.

The oil you generated is to be burned at Ashgrove Cement at 13939 N Rivergate Blvd. Portland, Or. 97203

Our EPA number is EPA# ORD 981-765-571.

Please call if I can be of further help.

Sincerely,

*Bruce R. Geis*  
Bruce R. Geis



CITY OF

BUREAU OF BUILDINGS  
ATTN: Environmental Soils  
P.O. Box 8120  
Portland, OR 97207-8120

PAID  
JAN 23 1996  
CITY OF PORTLAND

95-7357-mc

APPLICATION FOR INSPECTION OF HOLDING TANK

IN COMPLIANCE WITH OAR340-71-340(6) THIS APPLICATION IS SUBMITTED FOR AN INSPECTION OF THE HOLDING TANK INSTALLED ON THIS PROPERTY.

DATE JANUARY 8, 1996

NAME OF BUSINESS OR FIRM ASH GROVE CEMENT COMPANY

LOCATION 4098 N. PORT CENTER WAY

NAME OF CONTRACT PUMPER SHULZ SANITATION  
DBA MC INNIS ENT. LTD. CO.

RECORD OF GALLONS PUMPED IS MAINTAINED AND IS CURRENT: ☒ YES ☐ NO

VISUAL OR AUDIO ALARM IS PRESENT: ☒ YES ☐ NO

IS THERE ANY EVIDENCE OF MALFUNCTION OR LEAKAGE OF SYSTEM: ☐ YES ☒ NO

REMARKS: They pump about once a month. But problems with the tank at first but it is corrected.

DATE: 1-26-96

INSPECTED BY: Jason Alldam

COMPLETED BY APPLICANT

COMPLETED BY FIELD INSPECTOR

**MULTNOMAH COUNTY/CITY OF PORTLAND  
ON-SITE SEWAGE DISPOSAL RECEIPTS**

PAGE 1 OF 1  
INITIALS RRB  
NAME ASH Grove Cement Co.  
MAILING ADDRESS 6720 SW Macadam Ave, PORT OR SW 300  
JOB ADDRESS 4098 N Port Center Way  
Portland

95 **7357** MC  
DATE 1/23/96  
PHONE # 293-2333  
ZIP CODE 97219  
PERMIT # \_\_\_\_\_

DESCRIPTION	FEE AMT	FEE CODE	# OF ITEMS	\$ AMOUNT
New construction for Cesspool only requires LFS & Permit  *Large system to be determined	LFS 160.00	0810		
	Contiguous Lot 130.00	0810		
	Permit 160.00	0810		
	Large System 0810			
	DEQ Surcharge 30.00	0817		
New construction permit for Septic Tank & Drainfield  *Large system fees to be determined	Stand. Sys. 160.00	0810		
	Capping Fill 275.00	0810		
	Sandfiltration 295.00	0810		
	Other 160.00	0810		
	Large System 0810			
	DEQ Surcharge 30.00	0817		
Repair Permit - Major  - Minor	Cesspool 75.00	0810		
	Septic Tank/DF 75.00	0810		
	Septic Tank 50.00	0810		
	Commercial 160.00	0810		
	DEQ Surcharge 30.00	0817		
Alteration Permit	Cesspool 140.00	0810		
	Septic Tank 140.00	0810		
	Septic Tank/DF 140.00	0810		
	DEQ Surcharge 30.00	0817		
Renewal Permit	With Field Visit 100.00	0810		
	Without Visit 55.00	0810		
	DEQ Surcharge 30.00	0817		
Authorization Notice Note: Authorization Notice may require an Alteration Permit. (Collect difference)	With Field Visit 100.00	0810		
	Without Visit 55.00	0810		
	Collect Difference 40.00	0810		
	DEQ Surcharge 30.00	0817		
Existing System Evaluation	FHA/VA Loan 50.00	0808		
	DEQ Surcharge 30.00	0817		

NOTE: Abandonment application is required on all Alteration and Repair permits.

Pumper Truck Inspection	First Truck 70.00	0810		
	Second Truck 35.00	0810		
Holding Tank Decommission CP/Septic Tank	Annual Insp. 100.00	0810	<u>1</u>	<u>100.00</u>
	Abandonment 35.00	0810		

\*\*Fees must be collected in full prior to an inspection being completed.

Cash \_\_\_\_\_ Check ✓ 191120 TF \_\_\_\_\_ CTR CODE \_\_\_\_\_  
mcrecep.mge

TOTAL 100.00

10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



DBA McInnis Ent. Ltd. Co.

023318✓

(503) 253-7587

Customer P.O. # 800-01 VEN#00774405/401 Date 1/ /95

Billing Name ASH GROVE CEMENT CO

Address 6720 SW MACADAM SUITE 300

PORTLAND, OR 97219-2312 Job Site #

City State Zip Code

Ordered By STAN WEBB Phone # 285-9153 Date 12/29/94

Job Location 4098 N. PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping HT gallons 1500	\$	240.00
Misc	\$	
		240.00


Conditions of tank/Distribution Box 240.00

TOTAL CHARGES

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: 

Service Driver's Signature  Time 12:30 Date 1/6

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE



DBA McInnis Ent. Ltd. Co.

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning

023319

(503) 253-7587

Customer P.O. # \_\_\_\_\_ S#401 Date \_\_\_\_\_ 1/ /95  
Billing Name \_\_\_\_\_ ASH GROVE CEMENT CO  
Address \_\_\_\_\_ 6720 SW MACADAM AVE SUITE 300  
\_\_\_\_\_ PORTLAND, OR 97219-2312 Job Site # \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
Ordered By \_\_\_\_\_ STAN WEBB Phone # \_\_\_\_\_ 285-9153 Date \_\_\_\_\_ 12/29/94  
Job Location \_\_\_\_\_ 4098 N PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping	HT gallons 1500	\$ 240.00
Misc	\$	
		240.00

Conditions of tank / Distribution Box \_\_\_\_\_  
TOTAL CHARGES 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_ *Stanley P. Webb*  
Service Driver's Signature \_\_\_\_\_ Time 10:15 Date 1/13

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



023317

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ S#401 Date 12/ /94

Billing Name ASH GROVE CEMENT

Address 6720 SW MACADAM AVE SUITE 300

PORTLAND, OR 97219-2312 Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By STAN WEBB Phone # 285-9153 Date 12/29/94

Job Location 4098 N PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping HT gallons 1500	\$	240.00
Misc	\$	
		240.00

Conditions of tank/Distribution Box \_\_\_\_\_

TOTAL CHARGES 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature *Henry V. Haman*

Service Driver's Signature *Tyler & Brian* Time 5:40 Date 1-20

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



023321 ✓

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # 800 -01 S#401 Date 1/ /95  
PO#00774405

Billing Name ASH GROVE CEMENT CO

Address 6720 SW MACADAM AVE SUITE 300

PORTLAND, OR 97219-2312 Job Site #           

City            State            Zip Code           

Ordered By STAN WEBB Phone # 285-9153 Date 12/29/94

Job Location 4098 N. PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping <u>HT</u> gallons <u>1500</u>	\$	240.00
Misc	\$	
		240.00

Conditions of tank/Distribution Box           

**TOTAL CHARGES** 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: 

Service Driver's Signature Brown Time 2:00 Date 1-23-

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



023320

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ S#401 Date \_\_\_\_\_ 1/ /95

Billing Name \_\_\_\_\_ ASH GROVE CEMENT CO

Address \_\_\_\_\_ 6720 SW MACADAM AVE SUITE 300

\_\_\_\_\_ PORTLAND, OR 97219-2312 Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By \_\_\_\_\_ STAN WEBB Phone # 285-9153 Date \_\_\_\_\_ 12/29/94

Job Location \_\_\_\_\_ 4098 N. PORT CENTER WAY

Service Call _____	\$ _____	
Labor _____	\$ _____	
Pumping _____ HT _____ gallons 1000	\$ _____	160.00
Misc _____	\$ _____	
		160.00

Conditions of tank/Distribution Box \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_ 160.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_

Service Driver's Signature Brian Time 10:15 Date 127

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



025174

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # 800-01 PO#00774405 S#401 Date 2/ /95

Billing Name ASH GROVE CEMENT

Address 6720 SW MACADAM AVE SUITE 300

PORTLAND, OR 97219-2312 Job Site #

City State Zip Code

Ordered By STAN WEBB Phone # 285-9153 Date 1/27/95

Job Location 4098 N PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping HT gallons 1000	\$	160.00
Misc	\$	
		160.00

Conditions of tank/Distribution Box

TOTAL CHARGES 160.00


Schutz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: *Webb*

Service Driver's Signature *Brian* Time 9:00 Date 2/3/95

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



025172

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # 800 -01 PO#00774405 S#401 Date 2/ /95

Billing Name ASH GROVE CEMENT

Address 6720 SW MACADAM AVE SUITE 300

PORTLAND, OR 97219-2312 Job Site #

City State Zip Code

Ordered By STAN WEBB Phone # 285-9153 Date 1/27/95

Job Location 4098 N. PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping HT gallons 1000	\$	160.00
Misc	\$	
		160.00

Conditions of tank/Distribution Box

TOTAL CHARGES 160.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature:

Service Driver's Signature Time 5:30 PM Date 3-10

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE



DBA McInnis Ent. Ltd. Co.

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning

023857

(503) 253-7587

Customer P.O. # 00774405 Date 4/95

Billing Name ASHGROVE CEMENT

Address 3805 E MARGINAL WAY

SEATTLE, WA 98134-1147 Job Site #

City State Zip Code

Ordered By STAN WEBB Phone # 285-9153 Date

Job Location 4098 N. PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping HT gallons 1000	\$	160.00
Misc	\$	
		160.00

Conditions of tank/Distribution Box TOTAL CHARGES 160.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature:

Service Driver's Signature Date 4/16/95

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE



Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning

024419

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # VEN #00774405 Date 5/95  
Billing Name ASH GROVE CEMENT CO  
Address 6720 SW MACADAM AVE STE 300  
PORTLAND, OR 97219 Job Site #             
City            State            Zip Code             
Ordered By STAN WEBB Phone # 285-9153 Date             
Job Location 4098 N. PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping <u>SEPTIC</u> gallons <u>1500</u>	\$	240.00
Misc	\$	
		240.00

Conditions of tank/Distribution Box             
**TOTAL CHARGES** 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature:             
Service Driver's Signature            Time 5:00 Date 5/2

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



024209

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ Date 6/95

Billing Name ASH GROVE CEMENT COMPANY

6720 SW MACADAME AVE STE 300

Address PORTLAND OR 97219-2312

Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By STAN WEB Phone # 285-9153 Date 6/95

Job Location \_\_\_\_\_

Service Call \_\_\_\_\_ \$ \_\_\_\_\_

Labor \_\_\_\_\_ \$ \_\_\_\_\_

Pumping HT gallons 1500 \$ .15¢/GAL.

Misc \_\_\_\_\_ \$ \_\_\_\_\_

240.00

240.00

Conditions of tank/Distribution Box \_\_\_\_\_

240.00

**TOTAL CHARGES**

Schutz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_

Service Driver's Signature [Signature] Time 4:00 Date 6/25

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



025201

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ Date 6/95

Billing Name ASH GROVE CEMENT CO.

6720 SW MACADAM AVE STE 300

Address PORTLAND OR 97219-2312

Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By \_\_\_\_\_ Phone # 285-9153 Date \_\_\_\_\_

Job Location 4098 N PORT CENTER WAY

Service Call HT	\$	
Labor	\$	
Pumping _____ gallons <u>1500</u>	\$	<u>240.00</u>
Misc _____	\$	
		<u>240.00</u>

Conditions of tank/Distribution Box \_\_\_\_\_

**TOTAL CHARGES** 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

**TERMS:** Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_

Service Driver's Signature [Signature] Time 5:30 Date 7/10

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

# INVOICE



Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning

024826

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ Date 7/95

Billing Name ASHGROVE CEMENT CO

3801 E MARGINAL WAY

Address SEATTLE WA 98134-1147

Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By STAN Phone # 285-9153 Date 7/20/95

Job Location ~~6720~~ 4098 N PORT CENTER WAY

Service Call	\$	
Labor	\$	
Pumping <u>HT</u> gallons <u>200</u>	\$	<u>32.00</u>
Misc	\$	
		<u>32.00</u>

Conditions of tank/Distribution Box \_\_\_\_\_

**TOTAL CHARGES** 32.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

**TERMS:** Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_

Service Driver's Signature Bob Smith Time 10:00 Date 7/21/95

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



025675

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # \_\_\_\_\_ Date 8/95

Billing Name ASH GROVE CEMENT

Address 6720 SW MACADAM AVE SUITE 300  
PORTLAND OR 97219-2312

Job Site # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Ordered By STAN Phone # 285-9153 Date 8/28/95

Job Location 4098 N PORT CENTER WAY

Service Call _____	\$ _____	
Labor _____	\$ _____	
Pumping <u>HT</u> gallons <u>1500</u>	\$ _____	<u>240.00</u>
Misc _____	\$ _____	<u>240.00</u>

Conditions of tank/Distribution Box \_\_\_\_\_

TOTAL CHARGES 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: \_\_\_\_\_

Service Driver's Signature [Signature] Time 1:30 Date 8/28

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

# INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



025921

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

POSTED  
Koren

Customer P.O. # \_\_\_\_\_ Date 09-95  
Billing Name ASH GROVE APARTMENTS CEMENT  
Address 3801 E MARGINAL WAY  
SEATTLE, WA 98134 Job Site # 285-9153  
City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
Ordered By STAN Phone # 285-9153 Date 09-28-95  
Job Location 4098 N PORT WAY

Service Call	\$	
Labor	\$	
Pumping <sup>X</sup> _____ gallons <u>1500</u>	\$ <u>240.00</u>	<u>240.00</u>
Misc	\$	

Conditions of tank/Distribution Box \_\_\_\_\_

## TOTAL CHARGES

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.  
TERMS: Net 10 days. 1 1/2% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: [Signature]  
Service Driver's Signature [Signature] Time 6:40 Date 9/28

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY



10643 N.E. Simpson  
Portland, Oregon  
97220

# INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



026131

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. # 00774405 Date 11-10-95

Billing Name ASH GROVE CEMENT CO

3801 E MARGINAL WAY

Address SEATTLE, WA 98134-1147

Job Site #

City State Zip Code

Ordered By STAN WEBB Phone # 285-9153 Date 11-9-95

Job Location 4098 N PORT CENTER WAY

NEAR SWAN ISLAND McDONALDS

Service Call	\$	
Labor	\$	
Pumping X HT gallons 1500	\$ 240.00	\$240.00
Misc	\$	
		\$240.00

Conditions of tank/Distribution Box

## TOTAL CHARGES

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1½% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: *Stanley P. Webb*

Service Driver's Signature *David Redding* Time 8:40 Date 11/10/95

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.



10643 N.E. Simpson  
Portland, Oregon  
97220

INVOICE

Complete  
Industrial  
Waste  
Removal  
Septic Tank Cleaning  
Sump  
Line Cleaning



026441

DBA McInnis Ent. Ltd. Co.

(503) 253-7587

Customer P.O. #                      <sup>SC #</sup> 401 Date 1/2/96

Billing Name ROSE GROVE CEMENT

Address 4098 N Port Center Wy

Job Site #                     


City Portland State OR Zip Code                     

Ordered By STAN Phone #                      Date 1/2/96

Job Location 4098 N Port Center Wy

Service Call	\$	
Labor	\$	
Pumping <u>HT</u> gallons <u>1500</u>	\$	<u>240.00</u>
Misc	\$	
		<u>240.00</u>

Conditions of tank/Distribution Box                     



TOTAL CHARGES 240.00

Schulz Sanitation is in no way responsible for damage to the septic tank or lids on the system.

TERMS: Net 10 days. 1% per month will be charged on past due accounts. (18% per annum)

Customer's Signature: [Signature]

Service Driver's Signature Dan Rodriguez Time 1:35 Date 1/2/96

TERMS AND CONDITIONS ON REVERSE SIDE REDEEMABLE IN MULTNOMAH COUNTY.





# SPENCER ENVIRONMENTAL

## *Protecting the Environment*

Post Office Box 5207 • Oregon City, Oregon 97045-8207  
(503) 655-0896 • FAX: (503) 657-3395

January 31, 1996

ASH GROVE CEMENT  
Attn: Stan Webb  
P.O. Box 17200  
Portland OR 97217

Dear Mr. Webb:

Thank you for your inquiry about Spencer Environmental. The enclosed information should give you a better understanding of our company and our processing and transportation of specification fuel.

Spencer Environmental picked up 364 gallons of wet oil (5% water content or greater) from Ash Grove Cement at 4098 N. Port Center Way on December 22, 1995. We transported it to our plant in Vancouver where it was processed and resold as specification fuel. Our EPA identification number is WA 00-00-229856.

Please contact me at 655-0896 if you have any questions or need any additional information.

Sincerely,

Eric Spencer  
Operations Manager

# SPENCER ENVIRONMENTAL, INC.

## *Certificate of Recycling*

Presented to: **ASHGROVE CEMENT CO.**

- + Spencer Environmental, Inc. certifies to the above named customer that SE will assume full liability for the proper collection and recycling of all used oil, filters, glycol and contaminated petroleum products when they are handled directly by SE, Inc.
- + SE will provide client protection throughout it's collection services by complying with all applicable regulations outlined in 40 CFR, PT 279 and Oregon used oil management standards OAR 340, Division 111.
- + SE will recycle the collected oil and other petroleum products, with documentation and in compliance with all existing regulations.
- + SE guarantees to maintain it's required permits, insurances, and transport licenses in full effect and to maintain training and operational excellence for employees, vehicles and facilities, alike.
- + SPENCER ENVIRONMENTAL, INC. is a wholly owned, private corporation, listed in Dunn & Bradstreet, is a member in good standing and active in many local and national industry associations. As such, SE will endeavor to utilize it's experience, knowledge and prestige in the industry to provide each customer with efficient, accurate, quality service.

SPENCER ENVIRONMENTAL, INC.

EPA ID # WA 0000 229856

\_\_\_\_\_  
Issue date

SEATTLE, WASHINGTON  
(206) 863-3310

PORTLAND, OREGON  
(503) 655-0896

EUGENE, OREGON  
(503) 343-0093





# SPENCER ENVIRONMENTAL

## *Protecting the Environment*

Post Office Box 5207 • Oregon City, Oregon 97045-8207  
(503) 655-0896 • FAX: (503) 657-3395

March 22, 1996

Stanley Webb  
Ashgrove Cement  
13939 N. Rivergate Blvd.  
Portland, OR 97203

Dear Mr. Webb:

Thank you for your inquiry regarding the destination of used oil from your facility. I've listed below the procedures for handling of this product and enclosed a certificate of recycling.

The used oil collected from your facility on 4098 N. Port Center Way, Portland, OR is transported to our processing plant. The plant is located at 3000 Hidden Way #350, Vancouver, Washington 98661 and the EPA I.D. is #WA 00 00 229856. The oil is then processed and transported to market as a specification fuel. All used oil is handled under applicable regulations outlined in 40 CFR, part 279 and Oregon Used Oil Management Standards OAR 340, Division 111.

On March 21, 1996 155 gallons of used oil was collected from Ashgrove Cement's 4098 N. Port Center Way facility. This material was processed at Spencer's Vancouver facility and shipped out as specification fuel for energy recovery to Pacific Northern Oil Company, 7900 NW St. Helens Rd., Portland, Oregon.

We hope this answers your questions and please call at anytime if additional information is needed.

Sincerely,

  
Spencer Environmental



# SPENCER ENVIRONMENTAL

## *Protecting the Environment*

Post Office Box 5207 • Oregon City, Oregon 97045-8207

(503) 655-0896 • FAX: (503) 657-3395

April 19, 1996

Ash Grove Cement Co.  
Stanley Webb  
13939 N Rivergate Blvd.  
Portland, OR 97203

Dear Mr. Webb,

Thank you for your inquiry regarding the destination of your used products.

The used oil we pick up from your facility is transported to our processing plant. The plant is located at 3000 Hidden Way #350, Vancouver, Washington 98661. The oil is then processed and transported to several different markets as a specification fuel. The used oil is handled under applicable regulations outlined in 40 CFR, part 279 and Oregon Used Management Standards OAR 240, Division 111.

The used oil filters are taken to our filter processing plant located at 6637 S.E. 100th Ave., Portland, Oregon. This plant processes the filters by cubing filters into 2' x 2' blocks of metal. At the time of cubing, all used oil is recovered and handled the same as described above. The filters are then shipped to a steel mill and the metal from the filters is recycled into products such as rebar.

The used antifreeze we pick up is taken to our Portland plant as well, and then shipped in bulk loads to Preferred Reduction Services in Salt Lake City, Utah for recycling into new glycol.

We hope this answers your questions and please feel free to call at anytime if additional information is needed.

Sincerely,

Kathleen Hetzel  
Spencer Environmental

# SPENCER ENVIRONMENTAL, INC.

## *Certificate of Recycling*

Presented to: **ASH GROVE CEMENT**

- + Spencer Environmental Inc. certifies to the above named customer that SE will assume full liability for the proper collection and recycling of 150 gallons of wet used oil collected on May 10, 1996 by SE, Inc.
- + SE will provide client protection throughout it's collection services, by complying with all applicable regulations outlined in 40 CFR, PT 279 and Oregon used oil management standards OAR 340, Division 111.
- + SE will recycle the collected oil and other petroleum products, with documentation and in compliance with all existing regulations.
- + SE guarantees to maintain it's required permits, insurances and transport licenses in full effect and to maintain training and operational excellence for employees, vehicles and facilities, alike.
- + SPENCER ENVIRONMENTAL, Inc. is a wholly owned, private corporation, listed in Dunn & Bradstreet, is a member in good standing and active in many local and national industry associations. As such, SE will endeavor to utilize it's experience, knowledge and prestige in the industry to provide each customer with efficient, accurate, quality service.

SPENCER ENVIRONMENTAL, INC.

May 13, 1996  
Issue Date

SEATTLE, WASHINGTON  
(206) 863-3310

PORTLAND, OREGON  
(503) 655-0896


EUGENE, OREGON  
(503) 746-6309



503 788-4612

# RIVER CITY

DISPOSAL & RECYCLING



P.O. Box 30087  
Portland, Or 97294  
**253-5656**

## SERVICE AGREEMENT NON-HAZARDOUS WASTES

Containers • Drop Boxes • Recycling

B  
I  
L  
L  
I  
N  
G

CUSTOMER'S BILLING NAME <u>ASHGROVE CEMENT</u>	
CUSTOMER'S BILLING ADDRESS <u>3801 E. MARGINAL WAY SOUTH</u>	
CITY, STATE, ZIP CODE <u>SEATTLE, WA 98134</u>	
CUSTOMER CONTACTS <u>STAN WEBB</u>	TELEPHONE NO. <u>285-9153</u>
SERVICE LOCATION <u>4098 N. PORT CENTER WAY</u>	
SERVICE ADDRESS	TELEPHONE NO.
CITY, STATE, ZIP CODE	
BANK REFERENCE	CONTACT

CUSTOMER NUMBER	
NEW ACCOUNT	\$
HOW OBTAINED	
CHANGE	\$
TYPE OF CHANGE	
CANCEL	\$
REASON	
SHORT TERM	\$
CUSTOMER P.O.	
TELEPHONE NO.	

THIS IS A LEGALLY BINDING CONTRACT, AND CONTRACTOR AGREES TO PROVIDE AND CUSTOMER AGREES TO ACCEPT THE FOLLOWING SERVICES AND EQUIPMENT AT THE CHARGES AND FREQUENCY OF COLLECTION INDICATED BELOW SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED ON THE REVERSE SIDE.

### CONTAINER SPECIFICATIONS

QUANTITY	CAPACITY (CU. YDS.)	OPEN	CLOSED	FRONT	REAR	R-CAN	CASTERS

#### FREQUENCY OF SERVICE

<input type="checkbox"/> ON CALL
<input type="checkbox"/> PICK UP(S) PER WEEK
EFFECTIVE SERVICE DATE <u>1/29/98</u>
EFFECTIVE DISC. DATE
EQUIP PROMISE DATE
P.U. DEL
DATE DELIVERED

#### SCHEDULE OF CHARGES

SERVICE CHARGE PER MONTH	\$
ADDITIONAL CHARGE PER YARD OVER CONT. SPEC.	\$
CONTAINER USE CHARGE	\$
COMPACTOR USE CHARGE	\$

#### SERVICE CHARGE PER

<input type="checkbox"/> YARD	\$
<input type="checkbox"/> TON	\$
	\$
	\$
	\$

1998-01-29

Meter-W Contnrt T1E  
(SHULTE SANITATION)  
XD NAME 7)

S E R V I C E D A T A		MON	TUE	WED	THUR	FRI	SAT	SUN	TOT
NEW									
OLD									
ROUTE									

SPECIAL INSTRUCTIONS SERVICE FOR 1510 gal SEPTIC TANK MONTHLY AT 19 cents per gallon, per service. Drop box Service on-call (10, 20, 30, 40 yd) \$85.00 per service plus disposal cost.

THE TERMS AND CONDITIONS ON REVERSE SIDE ARE PART OF THE AGREEMENT

CUSTOMER

CONTRACTOR

AUTHORIZED SIGNATURE

REPRESENTATIVE'S SIGNATURE

MARINE TERMINAL MGR 2-3-98

1/29/98

TITLE DATE

DATE


# Certificate of Treatment/Disposal/Recycling

WasteXpress certifies that the items received from

Ash Grove Cement  
4098 N. Port Center Way  
Portland OR, 97217

On Bill of Lading dated December 12, 2000 have been properly  
treated/disposed/recycled at WasteXpress' affiliated facilities in compliance with  
all applicable regulatory standards as set forth by the Environmental Protection  
Agency (EPA) and the Oregon Department of Environmental Quality (DEQ)

Dated January 24, 2001  
Sworn and attested by  
WasteXpress Environmental Services

By 

283-  
2010

WASTE MANAGEMENT, INC. ...NONHAZARDOUS WASTE DISPOSAL SOLUTIONS FOR THE PACIFIC NORTHWEST

**Hillsboro Landfill, Inc.**

1305 SE MINTER BRIDGE ROAD HILLSBORO, OR 97123

**PERMIT # 5467****PERMIT TO DISPOSE OF NON-HAZARDOUS MATERIALS**


EXPIRES: 4/11/02

**GENERATOR: ASH GROVE CEMENT**

DESCRIPTION: CEMENT DUST AND DIRT		TONS: 10
<input checked="" type="checkbox"/> SPECIAL WASTE	<input type="checkbox"/> CS	<input type="checkbox"/> CLEAN-UP MATERIAL
LOCATION: PORTLAND, OREGON		COUNTY: Multnomah
CONTACT: ARTHUR MARK		PHONE: 503-324-3296

BILLING: Landfill account	WASTE X/PRESS 5151603	PO#: 1500	JOBS: NM
We accept business checks, cash, VISA / Mastercard or charge (with prior approval)			

SPECIAL HANDLING: NOTE: HAULER: WASTE X/PRESS
DL

APPROVED: 	KRISTIN CASTNER	DATE: 01/11/01 4:41:48 PM
---	-----------------	---------------------------

**A COPY OF THIS PERMIT MUST BE SHOWN BY EACH DRIVER**  
THERE IS A MINIMUM CHARGE OF \$50.00 FOR EACH LOAD OF SPECIAL WASTE



**WASTE MANAGEMENT**  
**HAZARDOUS WASTE IS STRICTLY PROHIBITED**

FROM 503 493 7822

TO

1/11/01 4:51 PM Page 1

# Certificate of Treatment/Disposal/Recycling

WasteXpress certifies that the items received from

Ash Grove Cement  
4098 N Port Center Way  
Portland, OR 97217-3569

On Bill of Lading dated January 12, 2001 have been properly  
treated/disposed/recycled at WasteXpress' affiliated facilities in compliance with  
all applicable regulatory standards as set forth by the Environmental Protection  
Agency (EPA) and the Oregon Department of Environmental Quality (DEQ)

Dated March 29, 2001  
Sworn and attested by  
WasteXpress Environmental Services

By 

# Certificate of Treatment/Disposal/Recycling

WasteXpress certifies that the items received from

Ash Grove Cement  
4098 N. Port Center Way  
Portland, OR 97217

On Bill of Lading dated July 17, 2001 have been properly  
treated/disposed/recycled at WasteXpress' affiliated facilities in compliance with  
all applicable regulatory standards as set forth by the Environmental Protection  
Agency (EPA) and the Oregon Department of Environmental Quality (DEQ)

Dated October 22, 2001  
Sworn and attested by  
WasteXpress Environmental Services

By

*Keith Marx*

# Certificate of Treatment/Disposal/Recycling

WasteXpress certifies that the items received from

Ash Grove Cement  
4098 N. Port Center Way  
Portland, OR 97217

On Bill of Lading dated June 1, 2001 have been properly  
treated/disposed/recycled at WasteXpress' affiliated facilities in compliance with  
all applicable regulatory standards as set forth by the Environmental Protection  
Agency (EPA) and the Oregon Department of Environmental Quality (DEQ)

Dated August 31, 2001  
Sworn and attested by  
WasteXpress Environmental Services

By *Arthur Marx*



625 South 32<sup>nd</sup> Street  
Washougal, WA 98671

## Facsimile Cover Sheet

To: John Hone  
Company: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Fax: 503. 285. 7792

From: Nick HARRIS  
Company: Philip Services Corporation (PSC)  
Phone: (360) 835-8594 or 800-547-2436  
Fax: (360) 835-8872

Date: 2/3/05  
Pages including  
this cover page: 2

### Comments:

Please initial and sign the profile and  
fax back to me. Can you please tell  
me if it is calcium oxide or agricultural  
lime?

Thank You,  
Nick



Quote # 2005020025

**Estimate / Authorization Form**

Ash Grove Cement  
4088 N Port Center Way  
Portland, OR 97217

From : Vick Harris, Environmental Specialist  
Jeff Scott, Account Representative

Date : February 03, 2005  
Contact : John Hone  
Phone : (503) 285-8153  
Fax : (503) 825-7792  
E-Mail :

Phone : (800) 547-2436  
Fax : (360) 835-8872  
E-Mail : VHarris@ContactPSC.com

Service : cement trucks

**I. Transportation**

Roll off, portal to portal, round trip

\$85.00/ per hour

Roll off box rental

\$30.00/ per day

**II. Treatment & Disposal**

Concrete and soil, actual cost from landfill plus 15%, will attach copy of invoice from landfill.

/ cost + 15%

DISPOSAL PRICE is based upon disposal method; therefore the disposal price estimated above may differ from the final Disposal price which will be determined upon profiling and/or upon waste verification at time of waste receipt. All pricing is based on straight time. If overtime, Saturday, or Sunday work is requested, a change order will be issued to reflect the additional costs. Pricing estimate is valid for 30 days.

APPROVAL AND ACCEPTANCE: The undersigned agrees and certifies that they are authorized to act on behalf of the Customer, and the Customer guarantees by their signature to compensate Burlington Environmental Inc. "a wholly owned subsidiary of Philip Services Corp." in full for all actual services performed as described above, which are due and payable 30 days after receipt of the invoice. All past due accounts shall accrue interest at the rate of 1.5% per month. No verbal estimates are valid or enforceable. Customer shall pay all reasonable costs of collection, including but not limited to Attorney's fees and expenses incurred by Philip.

**PLEASE SIGN AS ACKNOWLEDGMENT AND RETURN UPON RECEIPT.**

Customer Signature

Printed Name

Date

"Helping Clients Attain a Competitive Advantage in a Global Market"™

625 South 32nd Street, Washougal WA 98671 (800) 547-2436 (360) 835-8594 Fax (360) 835-8872

# **HILLSBORO LANDFILL WASTE PROFILE SHEET TERMS & CONDITIONS**

Profile Number: \_\_\_\_\_  
Expiration Date: \_\_\_\_\_  
Profile Addendum Attached? ☐ Yes ☒ No

**Service Agreement on File?**☒ Yes ☐ No

This form is to be used to comply with the requirements of governmental waste screening criteria.

**A. Waste Generator Information**

- |  |   |
|--|---|
| 1. Generator/Site Name: <u>Ash Grove Cement</u>    | 2. SIC Code: _____                        |
| 3. Site Address: <u>4098 N. Port Center Way</u>    | 4. Site City: <u>Portland</u>             |
| 6. Site State: <u>OR</u> 7. Zip Code: <u>97217</u> | 6. Site Country: <u>USA</u>               |
| 8. Generator USEPA/Federal ID#: _____              | 9. Site Phone: <u>(503) 8163</u>          |
| 10. Customer Name: <u>PHILIP SERVICES CORP</u>     | 11. Customer Phone: <u>(425) 204-7196</u> |
| 12. Customer Contact: <u>MIKE UHLENDORF</u>        | 13. Customer FAX: <u>(425) 204-7184</u>   |

**B. Waste Stream and Billing Information**

- |   |  |
|---|--|
| 1. Waste Description, Category: _____   | 3. Billing Address: <u>18000 72<sup>nd</sup> AVE S. SUITE 217</u>  |
| 2. State Waste Code: _____  | <u>KENT, WA 98032</u>  |
| 4. Process Generating Waste: <u>Concrete, lime dust and soil (lime and soil &lt;20% of total material), no contamination is expected, MSDS for lime product and concrete are attached</u> |  |
| 5. Transporter/Transfer Station: _____  | 6. Shipping Method: <u>Roll-off</u>  |
| 7. Estimated Quantity (Weight & Vol.): <u>10-20 cubic yards</u>   | per <input checked="" type="checkbox"/> Job <input type="checkbox"/> Year <input type="checkbox"/> Other _____ |
| 8. Delivery Date(s): <u>02-04-06</u>  |  |
| 9. Personal Protective Equipment Requirements: _____  |  |
| 10. Is this a US Dept. of Transportation (USDOT) Hazardous Material?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (If no, skip 10, 11 and 12)                   | 11. Reportable Quantity: _____   |
| 12. Hazard Class / I.D. #: _____  | 13. Shipping Name: _____   |
- ☐ Check if additional information is attached. Indicate the number of attached pages: \_\_\_\_\_

**C. Generator's Certification (Please check box containing number, date and date revised side)**

- |  | Yes                                 | No                                  |   |
|--|-------------------------------------|-------------------------------------|---|
| 1. Is the waste represented by this waste profile sheet a "Hazardous Waste" as defined by USEPA, Canadian, Mexican, State, or Provincial regulation?                               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |   |
| 2. Does the waste represented by this waste profile sheet contain regulated radioactive material or regulated concentrations of Polychlorinated Biphenyls (PCBs)?                  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |   |
| 3. Does this waste profile sheet and all attachments contain true and accurate descriptions of the waste material?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |   |
| 4. Has all relevant information within the possession of the Generator and Customer regarding known or suspected hazards pertaining to the waste been disclosed to the Contractor? | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |   |
| 5. Is the analytical data attached hereto derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules?                                    | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> N/A |
| 6. Will all changes that occur in the character of the waste be identified by the Generator and disclosed to the Contractor prior to providing the waste to the Contractor?        | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |   |

**D. W/M Management's Decision**

- |  |  |
|--|--|
| 1. Management Method: _____  |  |
| 2. Designated Facility: _____  | 3. Hours of acceptance: _____ <input type="checkbox"/> N/A |
| 4. Precautions, Special Handling Procedures, or Limitations on Approval: _____ |  |

Generic Approval: ☐ Yes ☐ NoSpecial Waste Decision: ☐ Approved ☐ Disapproved

Sales Person: \_\_\_\_\_

Date: \_\_\_\_\_

Technical Manager: \_\_\_\_\_

Date: \_\_\_\_\_

**GENERATOR AND CUSTOMER MUST READ AND SIGN REVERSE HEREOF**INITIAL 

**TERMS AND CONDITIONS**

1. **ACCEPTABLE WASTE.** Customer shall deliver and Company shall accept for disposal or other management purpose only Acceptable Waste. As used herein, "Customer" shall mean both Customer and Generator listed on the reverse hereof. Customer shall deliver the full quantity of Acceptable Waste generated and/or handled by Customer as estimated on the reverse hereof. Acceptable Waste means and includes only such waste as is described on the reverse and which is approved and permitted for management at the Designated Facility listed on the reverse, and shall not include any Nonconforming Waste. As used herein, Nonconforming Waste means waste that: (a) is not in conformance with the description and/or estimated quantity of the waste set forth on the reverse; (b) is or contains any infectious waste, or radioactive, volatile, corrosive, highly flammable, explosive, biomedical, biohazardous material or hazardous, dangerous, or toxic substances, as defined pursuant to or listed or regulated under applicable federal, state or local law, except as stated on the reverse; or (c) is prohibited from being received, managed or disposed of at the Designated Facility by federal, state or local law, regulation, rule, code, ordinance, order, permit or permit condition;

2. **REPRESENTATIONS & WARRANTIES.** Customer represents and warrants that: (a) the description of the waste set forth on the reverse hereof is true and correct in all material respects; (b) all waste delivered to the Designated Facility by Customer shall be Acceptable Waste as defined above and shall not be or contain Nonconforming Waste; (c) Customer shall, and shall cause any carrier with which it contracts to, handle and transport the waste in a safe and workmanlike manner in full compliance with all applicable federal, state and local laws, ordinances, decisions, orders, rules or regulations; and (d) Customer has advised its drivers of Company's prohibition on delivery of Nonconforming Waste, of the definitions and listing of hazardous waste and hazardous substances under applicable federal and state law and regulations and of the definition of Acceptable Waste herein. Company represents and warrants that it shall manage the Acceptable Waste in a safe and workmanlike manner in full compliance with all applicable federal, state and local laws, ordinances, decisions, orders, rules or regulations.

3. **WASTE REJECTION.** Company may inspect, analyze or test any waste delivered by Customer and/or may reject, refuse or revoke acceptance of any waste if, in the opinion of Company, the waste or tender of delivery fails to conform to or Customer fails to comply with the terms of this Agreement, including by delivery of Nonconforming Waste. Company may also reject any waste which (a) Company reasonably believes would, as a result of or upon disposal or other management, be a violation of local, state or federal law, regulation, ordinance or permits, including land use restrictions or conditions applicable to the Designated Facility; or (b) in Company's opinion would present a significant risk to human health or the environment, cause a nuisance or otherwise create or expose Company or Customer to potential liability. Company also shall have the right to refuse to accept or to reject any Acceptable Waste in the event of Customer's failure to pay fees owed by Customer hereunder. In the event Company rejects or revokes acceptance of waste hereunder, Customer shall, at its sole cost, immediately remove or arrange to have the rejected waste removed from Company's control or property. Customer shall pay and/or reimburse Company for any and all costs, damages and/or fines incurred as a result of or relating to Customer's tender or delivery of Nonconforming Waste or other failure to comply or conform to this Agreement, including costs of inspection, testing and analysis.


4. **SPECIAL HANDLING; TITLE.** If Company elects, in its sole discretion, to handle, rather than reject, Nonconforming Waste, Company shall have the right to manage such Nonconforming Waste in the manner deemed most appropriate by Company given the characteristics of the Nonconforming Waste. Company may assess and Customer shall pay additional fees associated with delivery of Nonconforming Waste, including, but not limited to, special handling or disposal charges, and costs associated with different quantities of waste, different delivery dates, modifications in operations, specialized equipment, and other operational, environmental, health, safety or regulatory requirements. Title to and ownership of Acceptable Waste shall transfer to Company upon its final acceptance of Acceptable Waste. Title to, ownership of and liability for Nonconforming Waste shall at all times remain with Customer. Revocation of acceptance by Company shall operate to re-vest all incidents of ownership in Customer.


5. **INDEMNITY.** Each party hereto (the "Indemnitor") hereby agrees to indemnify, hold harmless and defend the other party, and its owners, officers, directors, employees and agents (collectively, the "Indemnitees"), from and against any and all liabilities, penalties, fines, forfeitures, fees, demands, claims, causes of action, suits, judgments and costs and expenses incidental thereto, including attorneys' fees (collectively, "Damages"), which any or all of the Indemnitees may hereafter suffer, incur, be responsible for or pay out, including for personal injuries, property damage, or contamination of or adverse effects on the environment, to the extent caused by, or arising from or in connection with the breach of any representations or warranties of the Indemnitor set forth in this Agreement, or any negligent actions or omissions or willful misconduct of the Indemnitor, its employees, officers, owners, directors or agents, or the violation of any law, ordinance or regulation, including, without limitation, the Comprehensive Environmental Response, Compensation and Liability Act, 42 U.S.C. § 9601 et seq., as amended. Such indemnity shall exclude Damages to the extent they arise as a result of any negligent actions or omissions or willful misconduct of the Indemnitees or their employees, officers, owners, directors or agents. The indemnification obligation hereunder shall arise only in excess of any available and collectible insurance proceeds and the Indemnitor shall be liable hereunder to pay only its share of the amount of Damages, if any, that exceeds the total amount that all insurance has paid for the Damages, plus the total of all deductible and self-insured expenses paid under all insurance policies. The obligations in this Section 5 shall survive the performance and termination of this Agreement.

6. **UNCONTROLLABLE CIRCUMSTANCES; TERMINATION.** Except for the obligation to pay fees hereunder, the performance of this Agreement may be discontinued or temporarily suspended by either party, and neither party shall be deemed to be in breach of this Agreement, in the event performance is prevented by a cause or causes beyond the reasonable control of the affected party. Such causes shall include, but not be limited to, acts of God, acts of war, riot, fire, explosion, accident, flood or sabotage, governmental laws (including nuisance), permit conditions, regulations, restrictions (including land use), condition of the waste, injunction or actions or omissions of third party transporters or other contractors, suppliers or vendors. Company may immediately terminate management services hereunder upon written notice to Customer in the event Customer breaches any term, provision or obligation under this Agreement, in which case, Customer shall be liable for and shall pay to Company all costs and losses incurred by Company as a result of or relating to any such termination.

7. **MISCELLANEOUS.** This Agreement shall be governed by the laws of the state in which the Designated Facility is located. Every provision of this Agreement shall be severable. This Agreement represents the entire understanding and Agreement between the parties relating to the management of waste, except that, if the parties, or their parent companies, are parties to a national service agreement, the terms of such national service agreement shall govern over any inconsistent terms in this Agreement. No representations, statements or Agreements, unless agreed to by the parties in writing, shall modify, change, amend or otherwise affect the obligations undertaken in this Agreement. No waiver by either party of any one or more defaults or breaches by the other in the performance of this Agreement shall operate or be construed as a waiver of any future defaults or breaches. Customer may not assign this Agreement without the prior written consent of Company. This Agreement shall be binding upon and shall inure to the benefit of the parties' successors and assigns.

**THIS IS A LEGALLY BINDING CONTRACT. EACH UNDERSIGNED INDIVIDUAL ACKNOWLEDGES THAT HE/SHE HAS READ AND UNDERSTANDS THE TERMS AND CONDITIONS OF THIS AGREEMENT SET FORTH ABOVE AND ON THE REVERSE HEREOF AND THAT HE/SHE HAS THE AUTHORITY TO SIGN ON BEHALF OF CUSTOMER/GENERATOR AND COMPANY. BY SIGNING BELOW, CUSTOMER AND GENERATOR INDICATE A FIRST HAND KNOWLEDGE OF THE WASTE'S CHARACTERISTICS AND CERTIFY THE TRUTH OF THE INFORMATION ON THE REVERSE HEREOF. AGREED TO AS OF THE DATES BELOW.**

CUSTOMER:  
  
 (AUTHORIZED SIGNATURE)  
 Michael D. Uhlendorf, Materials Manager  
 (NAME, TITLE)  
 DATE: February 3, 2005

GENERATOR:  
  
 (AUTHORIZED SIGNATURE)  
 John Hone, Terminal Manager  
 (NAME, TITLE)  
 DATE: 2-4-05

COMPANY:  
 \_\_\_\_\_  
 (AUTHORIZED SIGNATURE)  
 \_\_\_\_\_  
 (NAME, TITLE)  
 DATE: \_\_\_\_\_



**Environmental Business Solutions, Inc.**

*A Best Management Practice Business serving Oregon & Washington*

11954 NE Glisan #241  
Portland, OR 97220

(503) 231-7605 fax  
(503) 969-3900 Jim

Dear John

Attached is your Post Packet. Apart from the billing portion, I would like to point out two elements of it.

First -- the Waste Profile Questionnaire and Bill of Lading documents identify volumes, estimated contents, destination and more -- data regulators recommend property owners hold for every site that generates waste. Keep these records for future reference.

Second -- the Sediment Report is a detailed picture of sediment levels before and after servicing. If you have dated records from when they were serviced before EBS cleaned them, this will help you map how rapidly which drains were filling up more or less quickly. Use this data to prevent ordering services too often or where on your site/s it is not needed. If you do not hold these records, you now have a baseline. EBS will use this baseline against our findings your next Sediment Report in 6 to 12 months.

Thank you for your trust in our business, and please do not hesitate to call with any praise, complaints, comments or suggestions.

Sincerely,

Marcus D Orange  
Storm/ Industrial Waste Water Consultant  
503\*519\*2719



**Environmental Business Solutions, Inc.**  
*An Oregon Best Management Practice Business*

11954 NE Glisan #241  
Portland, OR 97220

(503) 969-3900  
(503) 231-7605 fax

## Post Packet Checklist

Customer name \_\_\_\_\_ Ash Grove Cement \_\_\_\_\_

EBS	Client	Document Description
Y or N	Y or N	
y	y	Sediment Report Form
y	y	Signed Invoice
y	y	Waste Profile Form
n	n	Chain of Custody
y	y	EBS Generic/ <b>Client Analytical Test Report</b>
y	y	Bill of Lading
y	n	On File/Pictures mailed /
y	y	Certificate of Disposal
y	n	Weight Ticket
		<b>Items below required in EBS packet only</b>
y	n	* Plant inventory form
y	n	* Plant invoice copy
y	n	* Misc. project materials: directional maps, drawings, customer & vendor notes, time sheets, job flow sheets, etc.

Date mailed \_\_\_\_\_ 12\*16\*05 \_\_\_\_\_

## Certificate of Treatment/Disposal/Recycling

Environmental Business Solutions, Inc. certifies that the items received from

Ash Grove Cement  
4098 N Port Way  
Portland, Oregon 97217

On Bill of Lading dated 1/25/05, invoice #126720 have been properly treated/disposed/recycled at EBS Inc. affiliated facilities in compliance with all applicable regulatory standards as set forth by the Environmental Protection Agency (EPA) and the Oregon Department of Environmental Quality (DEQ). DEQ # ORQ000022426

Dated 12\*16\*05  
Sworn and attested by  
Environmental Business Solutions, Inc.  
By Jim Hinkley



**Environmental Business Solutions, Inc.**

11954 NE Glisan #241  
Portland, OR 97220

(503) 969-3900  
(503) 408-7604 fax

**BILL OF LADING**  
**DEQ ID # ORQ000022426**

Company name:	Ash Grove Cement
Site Address:	4098 N Port Way, Portland, Or.

Consigned to: EBS  
Destination: Hillsboro Landfill  
Hillsboro, Or.

Number tonss	Description	Class
14.12	Non-haz sediment from truck wash	NA

**Certification**

I hereby certify that the above attached description is complete and accurate to the best of my knowledge and ability to determine that no deliberate or willful omission of composition or properties exists, and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all material described by the EBS, Inc Waste Product Questionnaire.

Shipper, per \_\_\_\_\_ on file \_\_\_\_\_ Date 12-16-05

**Please sign above and fax back to (503) 408-7604 – Thank you.**



Environmental Business Solutions, Inc.

A Best Management Practice business serving Oregon & Washington

11954 NE Glisan #141  
Portland, OR 97220

(503) 231-7605 fax  
(503) 969-3900 Jim

## SEDIMENT REPORT

Report date \_\_\_\_\_ Report by WJ Service by WJ

Contact	<u>JOHN HONE</u>	
Company		
Site address	<u>4098 N. PORTWAY</u>	<u>PORTLAND OR 97217</u>
Billing Address		
Phone/fax/email	<u>503.285.9153</u>	

Contract

Itemized

SBP

Coning req? Y / N \* 24 hour notice required? Y / N \* Sediment rate: L / M / H \* Rain ok? Y / N \* Forklift Y / N

Residential Area Y / N Earliest Start Time \_\_\_\_\_ Site contacts/phones: \_\_\_\_\_

Date last service \_\_\_\_\_, Analytical Y / N If So Date \_\_\_\_\_ Test Ran (VOC / O&G / TCLP) POTW \_\_\_\_\_


Types: Trenches, CB / Catch Basin, OWS / Oil Water Sep, WWS / Waste Water System, TNK / Tanks L=long, D=deep, W= wide,

W=water, S=Sediment ex: (18" 6) OWS B=bags, P=plates

Recommendations: \_\_\_\_\_

Key: PS = Park space, P=Prolonged, PT = Pass Thru, D= Damaged, XL=exchange liner, N-L=needs new liner, OL-D old liner need disposed, OL-noD= old liner no disposal, G=grass, S=snake

**Circled Items Cleaned**



Service Clean Date 12/14/05

Mileage S <u>10.90</u>	Travel Time S <u>6:45</u>	Pressure Wash S _____	WWS Multi S Pre s. _____	WWS Sensors Cleaned Y / N
Mileage F <u>10.49</u>	Travel Time F <u>7:30</u>	Pressure Wash F _____	WWS Multi F Pre s. _____	WWS Inj. Cleaned Y / N
Mileage S _____	Travel Time S _____	WWS Grids Bag / Plates	WWS PPR S Pre. _____	WWS Sup Sen.Cled Y / N
Mileage F _____	Travel Time F <u>4:30</u>	WWS Grids Cleaned Y / N	WWS PPR F Pre. _____	WWS Carb S Pres _____
Sub Miles _____	Sub Trv. Time _____	OWS Grids Cleaned Y / N		WWS Carb F Pres _____
Total Miles _____	Total Trv Time _____			

**Coffey Laboratories, Inc.**

Date: 05-Jan-06

CLIENT: EBS  
Lab Order: 0512171  
Project: Ashgove Cement 12/05  
Lab ID: 0512171-01A

Client Sample ID: Tr ckwash Effluent  
Tag Number:  
Collection Date: 12/15/2005  
Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>OIL AND GREASE</b>		<b>EPA 1664</b>		Analyst: nac		
HEM, SGT	ND	3.0		mg/L	1	12/23/2005
HEM, Total	ND	3.0		mg/L	1	12/23/2005
<b>PH</b>		<b>EPA 150.1</b>		Analyst: dew		
pH	8.3	0		pH units	1	12/15/2005

Qualifiers: ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
B - Analyte detected in the associated Method Blank  
\* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
R - RPD outside accepted recovery limits  
E - Value above quantitation range

Page 1 of 1

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB no. 2050-0039.

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.							
		CESOG		71606											
3. Generator's Name and Mailing Address <b>ASH GROVE CEMENT 4098 N PORT CENTER WAY</b>						A. State Manifest Document Number									
						B. State Generator's ID									
4. Generator's Phone <b>PORTLAND OR 97217 (503)285-9153</b>						C. State Transporter's ID									
5. Transporter 1 Company Name <b>BURLINGTON ENVIRONMENTAL, INC.</b>				6. US EPA ID Number <b>WAR000001743</b>		D. Transporter's Phone <b>(253) 383-3044</b>									
7. Transporter 2 Company Name				8. US EPA ID Number		E. State Transporter's ID									
						F. Transporter's Phone									
9. Designated Facility Name and Site Address <b>BURLINGTON ENVIRONMENTAL, INC. KENT 20245 77TH AVENUE SOUTH KENT, WA 98032</b>						10. US EPA ID Number <b>WAD991281767</b>									
						G. State Facility's ID									
						H. Facility's Phone <b>(253) 872-8030</b>									
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.			
						No		Type							
a. <b>PAINT RELATED MATERIAL 3 UN1263 PGII ENG(128)</b>						1		DM		55		G			
b.															
c.															
d.															
J. Additional Descriptions for Materials Listed Above <b>3) 355173-00 - PAINT THINNER - AF01 AF02 AF03 AF04 (1)</b>						K. Handling Codes for Wastes Listed Above <b>a)</b>									
15. Special Handling Instructions and Additional Information <b>PLEASE MAIL FINAL MANIFEST WITH JOHN BOWE.</b>															
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name <b>Marcus Orange (on BEHALF OF GENERATOR)</b>						Signature <i>Marcus Orange</i>		Month		Day		Year			
17. Transporter 1 Acknowledgment of Receipt of Materials						Printed/Typed Name <b>Mark D. Flinn</b>		Signature <i>Mark D. Flinn</i>		Month		Day		Year	
18. Transporter 2 Acknowledgment of Receipt of Materials						Printed/Typed Name		Signature		Month		Day		Year	
19. Discrepancy Indication Space															
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.															
Printed/Typed Name <b>Cathy Woodin</b>						Signature <i>Cathy Woodin</i>		Month		Day		Year			

From: PACIFIC POWER VAC

5032619900

04/16/2006 11:32 #005 P.001/001

<b>Material Characterization Profile</b>		Profile Number: Effective Date: Expiration Date:
For assistance, contact Customer Service at 1-503-281-8800		
Generator Name: <b>ASH GROVE</b> Generator EPA ID: Pickup Address:  County: Technical Contact: Phone:	Billing Name: <b>EBS</b> Billing Address:  Billing Contact: Billing Phone:	
Name of Waste: <b>FLAMMABLE / HIGH PH</b> Description of Waste: <b>CONSTITUENTS: OIL-BASED SOLVENTS, CONCRETE POWDER</b> Process Generating Waste: <b>EQUIPMENT MNT. / SITE CLEANING</b>		
Shipping Information: Quantity: <b>55gal</b> Unit: <b>Per</b>		
Is the waste off-specification or discarded commercial product? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, is an MSDS available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> MSDS Provided		
Is the waste a hazardous waste as defined in RCRA (40 CFR §261)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, list waste codes:		
Is the waste a USDOT Hazardous Material? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Is the waste/wastewater subject to a CWA Categorical Pretreatment Standard (40 CFR §400-471)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No List:		
Method chemical/physical properties determined: <input checked="" type="checkbox"/> Process Knowledge <input type="checkbox"/> Lab Analysis <input type="checkbox"/> Lab Analysis Provided <input type="checkbox"/> MSDS <input type="checkbox"/> MSDS Provided		
Composition (key compounds, soil, water, PPE, debris, etc.):		Used Oil Management Parameters:
<b>ABSOLVENT</b> % 25 <b>SOLVENT</b> % 50 <b>USED OIL</b> % 12.5 <b>CONCRETE POWDER</b> % 12.5		Halogens: <input type="checkbox"/> ≤ 1000 ppm <input checked="" type="checkbox"/> ≤ 4000 ppm <input type="checkbox"/> BTU Value: <input type="checkbox"/> < 2 (BTU/1000lb) <input type="checkbox"/> 2-5 (BTU/1000lb) <input type="checkbox"/> 5-9 (BTU/1000lb) <input checked="" type="checkbox"/> 9-12 (BTU/1000lb) <input type="checkbox"/> > 12 (BTU/1000lb) Sulfur: <input checked="" type="checkbox"/> ≤ 2% <input type="checkbox"/> Ash (%): <input checked="" type="checkbox"/> ≤ 1% <input type="checkbox"/> Moisture (%): <b>50</b> Viscosity (SUS): <b>75%</b>
Description: Color: Odor:		
Physical State @ 70°F (check all that apply): <input checked="" type="checkbox"/> Free Liquid % 25 <input checked="" type="checkbox"/> Sludge % 25 <input checked="" type="checkbox"/> Solid % 25 <input type="checkbox"/> Pumpable % <input checked="" type="checkbox"/> Pourable % 25	pH: <input type="checkbox"/> ≤ 2 <input checked="" type="checkbox"/> < 12.5 <input type="checkbox"/> < 5 <input type="checkbox"/> ≥ 12.5 <input type="checkbox"/> < 9 <input type="checkbox"/>	Specific Gravity: <input type="checkbox"/> < 0.8 <input type="checkbox"/> 0.8-1.2 <input checked="" type="checkbox"/> > 1.2
Flash Point: <input type="checkbox"/> < 130 °F <input type="checkbox"/> < 140 °F <input checked="" type="checkbox"/> 140 - 200 °F <input type="checkbox"/> ≥ 200 °F	TSS: <input type="checkbox"/> < 200 ppm <input type="checkbox"/> < 1000 ppm <input type="checkbox"/> ≤ 5000 ppm <input checked="" type="checkbox"/> > 5000 ppm	TDS: <input type="checkbox"/> < 0.5 ppm <input type="checkbox"/> ≤ 1.0 ppm <input checked="" type="checkbox"/> > 1.0 ppm
Oil & Grease: <input checked="" type="checkbox"/> > 100 ppm <input checked="" type="checkbox"/> > 5% <input type="checkbox"/>	BOD <sub>5</sub> <input type="checkbox"/> COD: <input checked="" type="checkbox"/> < 200 ppm <input checked="" type="checkbox"/> < 2000 ppm <input type="checkbox"/> ≤ 7500 ppm <input type="checkbox"/> > 7500 ppm	Ammonia Sulfides Phenols Cyanides: <input checked="" type="checkbox"/> < 0.02 ppm <input type="checkbox"/> < 0.1 ppm <input type="checkbox"/> < 5 ppm <input type="checkbox"/> ≥ 5 ppm
Contains Chelating Agents: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, list:	PCBs: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Conc.: Radioactive: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Metals: Metal results below are: <input type="checkbox"/> Total <input type="checkbox"/> TCLP (Check all that are known present and indicate concentration)		
<input type="checkbox"/> Arsenic ppm <input type="checkbox"/> Barium ppm <input type="checkbox"/> Cadmium ppm <input type="checkbox"/> Chromium ppm	<input type="checkbox"/> Cobalt ppm <input type="checkbox"/> Copper ppm <input type="checkbox"/> Lead ppm <input type="checkbox"/> Mercury ppm	<input type="checkbox"/> Molybdenum ppm <input type="checkbox"/> Nickel ppm <input type="checkbox"/> Selenium ppm <input type="checkbox"/> Silver ppm
<input type="checkbox"/> Tin ppm <input type="checkbox"/> Titanium ppm <input type="checkbox"/> Vanadium ppm <input type="checkbox"/> Zinc ppm		
Organics: Organic results below are: <input type="checkbox"/> Total <input type="checkbox"/> TCLP (Check all that are known present and indicate concentration)		
<input type="checkbox"/> Bis(2-ethylhexyl)phthalate ppm <input type="checkbox"/> Carbazole ppm <input type="checkbox"/> n-Decane ppm	<input type="checkbox"/> o-Cresol ppm <input type="checkbox"/> p-Cresol ppm <input type="checkbox"/> 2,3-Dichloroaniline ppm	<input type="checkbox"/> Fluoranthene ppm <input type="checkbox"/> 2,4,6-Trichlorophenol ppm <input type="checkbox"/> n-Octadecane ppm
I certify under penalty of law that this document, all attachments and supporting materials were prepared and presented by me or under my direct supervision and that the information provided is a true accurate and complete representation of the waste materials to be processed for evaluation and management by Pacific Power Vac (PPV). Furthermore, I agree that any waste materials managed under any approval issued by PPV pursuant to this request will be transported, delivered, or transferred to be in conformance with the waste characterization profile. Where PPV determines a waste to be non-comforming, the generator shall be responsible for all costs associated with timely return of the waste to generator or for other alternate and lawful management of the non-comforming waste conducted on behalf of the generator.		
Generator Signature: <u>John Hone</u>		Printed Name: <u>John Hone</u> Date: <u>4-20-06</u>
Title: <u>Terminal MGR</u>		

## BILL OF LADING

**CONSIGNEE:**

Thermo Electron Corporation  
1410 Gillingham Lane  
Sugar Land, Texas 77478

**SHIPPER:**

Ash Grove Cement  
3737 North Port Center Way  
Portland, OR. 97217


**NATURE AND QUANTITY OF CONTENTS****PACKAGE**

PROPER SHIPPING NAME	FORM	ACTIVITY	CATEGORY	TRANSPORT INDEX	TYPE
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (FORM 49 CFR 172.101 HAZARDOUS MATERIALS TABLE)	CHEMICAL FORM AND PHYSICAL STATE (GAS/ LIQUID/SOLID) OR SPECIAL FORM	NUMBER OF BECQUERELS AND CURIES	I - WHITE OR II - YELLOW OR III - YELLOW LABEL	FOR YELLOW LABEL CATEGORIES ONLY	TYPE A OR TYPE B
Radioactive Material, Type A Package Special Form Non Fissile Excepted  UN3332	Special Form	3.7GBq	Yellow II	0.1	Type A

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

**RMA #: 30437**

REMARKS:

  
AUTHORIZED SIGNATURE

8-1-06  
DATE

**Thermo**

ELECTRON CORPORATION  
dba Thermo MeasureTech  
1410 Gillingham Lane  
Sugar Land, Texas 77478

**Emergency Telephone: (800) 424-9300 or (703) 527-3887**

Telephone: (800) 437-7979 or (713) 272-0404

Fax: (713) 272-2273

<http://www.thermo.com>

Revised 08/2001

# Gauge Inspection and Leak Test Certificate

## USER

company: Ash Grove Cement

address: 3737 north Port Center Way

city: Portland

state: OR. zip: 97217

## PRODUCT

brand: Kay-Ray/Sensell

model: 7062 serial: 12708

location:

tag:

isotope: ☒ Cs-137 ☐ Co-60

☐ Am-241-Be

activity: 100 mCi assay: 9/79

SURVEY METER (req'd for leak test certification only)

brand: Ludlum

model: 3 serial: 121693

cal. date: 9.95

background: 0.02

## LEAK TEST

☐ not done

☒ measured < 0.0045 uCi

☐ measured > 0.005 uCi,  
contact RSO

## PERFORMED BY

company: Thermo Electron

name: James Eisenhart

signature: *James Eisenhart*

date: 8/1/06

## System Information

### APPLICATION

- ☐ point level  
☐ dual point level  
☒ continuous level  
☐ density  
☐ neutron backscatter  
☐ weigh scale  
☐ strip source  
☐ insertion source  
☐ analyzer

### STATUS

- ☐ in use  
☒ mounted but not in use  
☐ unlocked  
☐ locked off  
☐ in storage

## Five Point Safety Check

### (1) NAMEPLATE

☒ okay

☐ needs cleaning

☐ needs to be replaced

### (2) ON/OFF INDICATOR

☒ okay

☐ needs cleaning

☐ needs to be replaced

### (3) SHUTTER LOCK

☒ okay

☐ needs to be replaced

### (4) SHUTTER OPERATION

☒ okay

☐ needs cleaning

### VERIFIED BY:

☒ survey

☐ needs lubrication

☐ response

☐ stuck on

☐ stuck off

☐ missing

### (5) OVERALL CONDITION

☒ okay

☐ mild to moderate corrosion

☐ severe corrosion

☐ needs to be replaced

## COMMENTS

Unit is being sent in for disposal

**Thermo**

ELECTRON CORPORATION

1410 Gillingham Lane, Sugar Land, Texas 77478, 800-437-7979, 713-272-0404

Thermo MeasureTech

Instructions: This form is may be used to record the visual inspection and leak testing of a nuclear gauge. A preprinted inventory label may be placed over the user and product information blanks for convenience. When this form is used for leak test certification, the survey meter information must be completed. As you complete the inspection, check all of the blanks that apply. Use comments to document the findings and/or recommended corrective actions as needed.

This record is important and must be kept on file for inspection by the regulatory agency.  
(c)2005 Thermo Electron Corp.  
24 Hour Emergency 1-800-437-7979  
<http://www.thermo.com>



<b>CUSTOMER NAME AND ADDRESS:</b>	Ash Grove Cement	<b>CUSTOMER PO#:</b>	063318
	3737 North Port Center Way	<b>SERIAL #:</b>	12708
	Portland, OR. 97217	<b>THERMO TECH:</b>	James Eisenhart
<b>CONTACT:</b>	Tom McLaughlin	<b>JOB REF #:</b>	300309066
<b>PHONE/FAX:</b>	360-607-4375	<b>START DATE:</b>	8/1/06

**EQUIPMENT MODEL/SCOPE OF SERVICE PROVIDED:**  
Pack and ship one Kay-Ray model 7062 100mCi Cs-137 source

**CONDITION FOUND**  
Good for it's age.

[illegible]

## PARTS/SOURCE DISPOSAL/INFO

[illegible]

SAFETY CHECKS		COMPLETED	SAFETY CHECKS		COMPLETED
GROUNDS SECURE		N/A	OIL SPILLS REMOVED		N/A
INTERLOCKS REPLACED		N/A	HANDLED BACK SAFE		N/A
ALL COVERS REPLACED		N/A	INSPECTED BY CUSTOMER		N/A
JOB COMPLETED:		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
CUSTOMER SIGNATURE:			DATE:	8/1/06	
TECHNICIAN SIGNATURE:			DATE:	8/1/06	

Source: Trunk / Customer / Salvage

**Action: Bill / Warranty**

# Greenberry Industrial

PO Box 1990  
1330 NE Elliott Circle  
Corvallis, OR 97339

Phone: (503) 285-6633  
Fax: (541) 757-9649

TRANSMITTAL

No. 00025

**PROJECT:** Ash Grove Cement - Structural/Mech

**DATE:** 8/1/2006

**TO:** Westmar  
200 Grand Ave  
Suite 100  
Vancouver, WA 98661

**REF:** Nuclear Gauge Removal  
Thermo Electron paperwork

**ATTN:** Rachael Brake

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	<b>SENT VIA:</b>	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input checked="" type="checkbox"/> Other:	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

ITEM	PACKAGE	SUBMITTAL	DRAWING	REV.	ITEM NO.	COPIES	DATE	DESCRIPTION	STATUS
COI					1	1	8/1/2006	Nuclear Gauge Removal	

**Remarks:** The nuclear gauge was removed this morning. Attached is the paperwork documenting the procedures followed. In a few weeks time we will receive paperwork that must be filed by Ash Grove to formally change ownership of the source. When I receive that paperwork I will distribute it accordingly.

CC: Ken Rone, Ash Grove  
John Hone, Ash Grove

Signed: \_\_\_\_\_  
Tom McLaughlin

WASTE MANAGEMENT, INC. ...NON HAZARDOUS WASTE DISPOSAL SOLUTIONS FOR THE PACIFIC NORTHWEST

**Hillsboro Landfill, Inc.**

3205 SE MINTER BRIDGE ROAD HILLSBORO, OR 97123

**PERMIT # 10058****PERMIT TO DISPOSE OF NON-HAZARDOUS MATERIALS**This permit authorizes disposal of Customer's waste materials in accordance with the Industrial Waste & Disposal Services Agreement dated 8/2006**EXPIRES: 11/15/06****GENERATOR: ASH GROVE CEMENT**

DESCRIPTION: <b>USED FILTER BAGS</b>	TONS: <b>4</b>
<input checked="" type="checkbox"/> SPECIAL WASTE <input type="checkbox"/> CS <input type="checkbox"/> C&D <input type="checkbox"/> CLEAN-UP	
LOCATION: <b>PORTLAND, OREGON</b>	COUNTY: <b>Multnomah</b>
CONTACT: <b>BILL HEERDT</b>	PHONE: <b>541-757-8458</b>
	FAX: <b>541-757-9649</b>

BILLING: <b>Landfill account GREENBERRY INDUSTRIAL VIA WM HAULING</b>	PO#: <b>N/A</b>	JOB#: <b>N/A</b>
---	-----------------	------------------

*We accept business checks, cash, VISA / Mastercard or charge (with prior approval)*

SPECIAL HANDLING : <b>NOTE: CONTROL DUST</b>	
HAULER: <b>WASTE MANAGEMENT</b>	
MK	TYT

APPROVED: 	KRISTIN CASTNER	DATE: <b>08/15/06 1:00:27 PM</b>
---	-----------------	----------------------------------

**A COPY OF THIS PERMIT MUST BE SHOWN BY EACH DRIVER**  
THERE IS A MINIMUM CHARGE OF \$50-\$60 FOR EACH LOAD OF SPECIAL WASTE**WASTE MANAGEMENT**  
**HAZARDOUS WASTE IS STRICTLY PROHIBITED**

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of		
3. Generator's Name and Mailing Address HARRISBURG CEMENT 4036 W. HART CENTER WAY PORTLAND OR 97217						
4. Generator's Phone ( )		6. US EPA ID Number		A. Transporter's Phone		
NRCE		12-000000-000000		503-283-450		
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter's Phone		
9. Designated Facility Name and Site Address HARRISBURG LAND FILL INC 3205 W. HART CENTER WAY PORTLAND OR 97217		10. US EPA ID Number		C. Facility's Phone		
11. Waste Shipping Name and Description				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. concrete debris (non regulated by DOT)				1	210000 lb	
b.						
c.						
d.						
D. Additional Descriptions for Materials Listed Above				E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information						
Job # 14313 DO # 71735						
16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Printed/Typed Name John Hune			Signature John Hune		Month Day Year 12 24 98	
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Rick Brooks			Signature Rick Brooks		Month Day Year 12 24 98	
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name			Signature		Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name			Signature		Month Day Year	

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
3. Generator's Name and Mailing Address Hill-Horne Landfill 4475 S 15th Street Milwaukee WI				
4. Generator's Phone (503) 226 9163				
5. Transporter 1 Company Name NRC	6. US EPA ID Number WV-1606-00-000004	A. Transporter's Phone 513 293 1150		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address Hill-Horne Landfill 4475 S 15th Street Milwaukee WI	10. US EPA ID Number	C. Facility's Phone		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. Concrete Debris (Asphalt Paved Material)		1	40000	Wt
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above		E. Handling Codes for Wastes Listed Above U000 1514 2000 Tot		
15. Special Handling Instructions and Additional Information				
16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name John Horne		Signature [Signature]		Month Day Year 10 24 98
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name John Alukovich		Signature [Signature]		Month Day Year 10 24 98
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

# Greenberry Industrial

PO Box 1990  
5330 NE Elliott Circle  
Corvallis, OR 97339

Phone: (503) 285-6633  
Fax: (541) 757-9649

TRANSMITTAL

No. 00061

**PROJECT:** Ash Grove Cement - Structural/Mech

**DATE:** 9/18/2006

**TO:** Westmar  
200 Grand Ave  
Suite 100  
Vancouver, WA 98661

**REF:**

Glenn  
Dollar

**ATTN:** Rachael Brake

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
<input type="checkbox"/> Shop Drawings	<input type="checkbox"/> Approval	<input type="checkbox"/> Approved as Submitted
<input checked="" type="checkbox"/> Letter	<input checked="" type="checkbox"/> Your Use	<input checked="" type="checkbox"/> Approved as Noted
<input type="checkbox"/> Prints	<input type="checkbox"/> As Requested	<input type="checkbox"/> Returned After Loan
<input type="checkbox"/> Change Order	<input type="checkbox"/> Review and Comment	<input type="checkbox"/> Resubmit
<input type="checkbox"/> Plans		<input type="checkbox"/> Submit
<input type="checkbox"/> Samples	<b>SENT VIA:</b>	<input type="checkbox"/> Returned
<input type="checkbox"/> Specifications	<input checked="" type="checkbox"/> Attached	<input type="checkbox"/> Returned for Corrections
<input type="checkbox"/> Other:	<input type="checkbox"/> Separate Cover Via:	<input type="checkbox"/> Due Date:

**Remarks:** Attached is a letter documenting acceptance of ownership of the radioactive material which was removed at the Ship Unloader Filter Vessel. It is incumbent on Ash Grove to contact the state of Oregon to have the ownership transfer documented.

CC:File

Signed:

Tom McLaughlin

## ACKNOWLEDGMENT OF RECEIPT OF RADIOACTIVE MATERIAL

September 14, 2006

Tom McLaughlin  
Greenberry Industrial  
1330 NE Elliott Circle  
Corvallis, OR 97339

RMA Number 30437

Attention Tom McLaughlin:


This is to certify that Thermo Electron has received and accepted ownership of the radioactive material described below pursuant to applicable regulations and as authorized by our Texas Radioactive Material License L03524.

Manufacturer	Model	Serial	Isotope	Source	Activity Units	Assay
KAY-RAY/SENSALL	7062	12708	Cs-137	KR-8131	100 mCi	9/1/1979
Summary (1 source)					100 mCi	

This receipt should be retained in your files as a permanent record showing the disposition of this radioactive material. If you are not the Radiation Safety Officer or responsible for maintaining regulatory records for radioactive material, please forward this letter to the appropriate person.

If you have any questions or require additional assistance, please contact us at (800) 437-7979 or (713) 272-0404.

Sincerely,  
Thermo Electron



Angelica Guidry  
Services Support Specialist



**Environmental Business Solutions, Inc.**

*A Best Management Practice Business serving Oregon & Washington*

11954 NE Glisan #241  
Portland, OR 97220

(503) 231-7605 fax  
(503) 969-3900 Jim

Greetings John,

Attached is your Post Packet. Apart from the billing portion, I would like to point out some elements of it.

- 1) The "Post Packet Checklist" outlines the content within the packet.
- 2) Followed by the "Waste Profile Questionnaire" and "Bill of Lading" documents identifying volumes, estimated contents, destination and more – Stormwater and Industrial water regulators recommend property owners hold these documents for every site that generates waste. Keep these records for future reference, and to comply with any Stormwater or Industrial water discharge permits that your firm might have.
- 3) The Sediment Report is a detailed picture of sediment levels before servicing. If you have dated records from when they were serviced before EBS cleaned them, this will help you map how rapidly which drains were filling up more or less quickly. Use this data to prevent ordering services too often or where on your site/s it is not needed. If you have not held these records in the past, you now have a baseline. EBS will use this baseline against our findings for your next free "Sediment Report" in 6 to 12 months.
- 4) Next a copy of the invoice for services rendered as your file copy.
- 5) Afterwards a copy of analytical, either the clients own or the EBS generic copy for reference. This identifies the material as non-hazardous.
- 6) Lastly, the "Certificate of Disposal" or (COD) acknowledging that the Material was disposed of in the proper fashion by our firm.

Thank you for your trust in our business, and please do not hesitate to call with any praise, critiques, comments or suggestions.

Sincerely,

Marcus D Orange  
Storm/Industrial Wastewater Consultant  
EBS, Inc.  
503\*519\*2719



**Environmental Business Solutions, Inc.**  
*An Oregon Best Management Practice Business*

11954 NE Glisan #241  
Portland, OR 97220

(503) 969-3900  
(503) 231-7605 fax

## Post Packet Checklist

Customer name Ash Grove Cement

EBS	Client	Document Description
Y or N	Y or N	
y	y	Sediment Report Form
y	y	Signed Invoice
y	y	Waste Profile Form
n	n	Chain of Custody
y	y	EBS Generic/ Client Analytical Test Report
y	y	Bill of Lading
y	n	On File/Pictures mailed /
y	y	Certificate of Disposal
y	n	Weight Ticket
		<b>Items below required in EBS packet only</b>
y	n	* Plant inventory form
y	n	* Plant invoice copy
y	n	* Misc. project materials: directional maps, drawings, customer & vendor notes, time sheets, job flow sheets, etc.

Date mailed 02\*08\*07

<b>RESPONSIBLE FOR PAYMENT:</b> Generator <input type="checkbox"/> Consultant <input checked="" type="checkbox"/>	<b>TPS TECHNOLOGIES INC.</b> <b>PORTLAND, OREGON</b> <b>SOIL DATA AND CERTIFICATION SHEET</b>	<b>TODAYS DATE: 1-15-03</b> <b>DELIVERY DATE: 1-16-03</b>
--	---	--

<b>Generator/Property Owner: Ash Grove Cement</b> Mailing Address: 3737 N Port Way Portland Oregon 97227 Contact: John Hone Phone: 503-285-9153 Fax: 503-285-7792	<b>Consultant/Engineering Firm: EBS, Inc.</b> Address: 11954 N.E. Glisan Contact: Jim Hinkley Phone: 503-969-3900 Fax: 503-408-7604
---	---

<b>Testing Laboratory</b> (include contact person and phone number): Coffey Labs-Mark Leed	<b>Sampling Procedures and Location</b> (attach additional sheets and map): Voc 8260, TPH-DX / from truck-wash vault chamber/ Paint Filter test (site address should be included on lab results)
---	--

**Site History:** (Attach additional sheet if necessary) Type of contamination (gas, diesel, used oil, etc.) Sediment from automated truckwash, contaminated with diesel. Past activities at site: none Estimated quantity in tons: 17

How did soil contamination occur? Rinseate from truck wash

Site Name/Address w/ zip code 4098 N. Port Way, Portland, Or. 97217

Please check appropriate box below and attach all required analytical reports, including test methodologies used. Unless otherwise noted, composite samples should be collected with the following frequency: One (1) sample for 250 tons or less; two (2) samples for 500 tons or less, and one (1) additional sample for each 500 additional tons.

<input type="checkbox"/> I/We certify that the soil referenced herein is contaminated solely by virgin petroleum products from leaking underground storage tanks(s). Attach analysis for the following: 1. Total Petroleum Hydrocarbons ID Test (Method TPH-HCID) (may be omitted if Residential LUST) 2. If Method TPH-HCID shows gasoline is present, perform a Total Petroleum Hydrocarbons test for gasoline (Method TPH-G or EPA Method 8020) 3. If Method TPH-HCID shows that diesel, heating oil, and/or Bunker C is present, perform Total Petroleum Hydrocarbons test for fuel oils Method NWTPH-DX) 4. If Method TPH-HCID shows that both gasoline and diesel or heating oils are present, both types of TPH must be performed	<input checked="" type="checkbox"/> I certify that some or all of the contaminants in the soil referenced herein is waste oil or some other non-virgin petroleum product, or virgin petroleum or hydrocarbon product from something other than a leaking underground storage tank. Attach analysis for the following: 1. If gasoline is present, perform Method TPH-G or EPA Method 8020** 2. If diesel, heating oil or other heavy hydrocarbons are present, perform EPA Method NWTPH-DX. 3. Volatile Organic Compounds (EPA Methods 9020 or 9252). If TOX levels are >100 ppm, additional testing using EPA Methods 8010 or 8260 as well as Method 8080, 8081 or 8082 for PCBs shall be utilized to assist in the hazardous waste determination. 4. Total metals concentration for eight (8) RCRA metals*** a) arsenic      c) cadmium      e) lead      g) selenium b) barium      d) chromium      f) mercury      h) silver 5. Additional analytical data as required. ** If elevated benzene levels are detected, an additional TCLP benzene test may be required in an above-ground soil or leak situation. *** If elevated metal levels are detected, an additional TCLP test may be required.
---	--

No soils referenced herein may be delivered until this certificate is received and approved by TPST, and TPST issues manifest(s) and assigns a delivery date. If any soils delivered to TPST are found to be "hazardous waste" pursuant to federal or state regulations, Client shall be solely responsible for their removal. If Client fails to remove such soils, TPST, acting as Client's agent, may arrange for such removal at Client's expense.

This is a complete and accurate description of the soil referenced herein; no deliberate or willful omissions have been made and all known or suspected hazards have been disclosed herein. I/We further certify that the soil is not "**Hazardous**" as defined by the U.S. Department of Transportation (DOT), US Environmental Protection Agency (EPA), State of Oregon, or local regulations. I/We further certify that the soils referenced herein **contain no free liquids**. All required analytical reports with proper address information are attached.

Generator/Owner Authorized Signatory: \_\_\_\_\_ Date: \_\_\_\_\_

Print Name: John Hone Title: Plant Manager

Engineer/Environmental Firm  
 Authorized Signatory: Marcus D Orange Date: 02\*08\*07  
 Print Name: Marcus D Orange Title: President



**Environmental Business Solutions, Inc.**

11954 NE Glisan #241  
Portland, OR 97220

(503) 969-3900  
(503) 408-7604 fax

**BILL OF LADING**  
**DEQ ID # ORQ000022426**

Company name:	Ash Grove Cement
Site Address:	3737 N Port Way

Consigned to: EBS  
Destination: Hillsboro Landfill  
Hillsboro, Or.

Number tons	Description	Class
16.73	Non-haz sediment from truck wash	NA

**Certification**

I hereby certify that the above attached description is complete and accurate to the best of my knowledge and ability to determine that no deliberate or willful omission of composition or properties exists, and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all material described by the EBS, Inc Waste Product Questionnaire.

Shipper, per \_\_\_\_\_ on file \_\_\_\_\_ Date 2\*8\*07

**Please sign above and fax back to (503) 408-7604 – Thank you.**



Report Date: May 3, 2002  
Job Number: A20416H  
PO Number: None Provided  
Project No: None Provided  
Project Name: Ash Grove Cement

Jim Hinkley  
Environmental Business  
Solutions  
11954 NE Glisan, PMB #241  
Portland, OR 97220

### Analytical Narrative

The sample was received on 04/16/02 by Coffey Laboratories, Inc. (CLI) Sample Reception personnel under strict chain of custody protocol. The following information was provided at the time of sample reception:

Laboratory Sample ID	Field Identification	Matrix	Collection Date	Collection Time
A20416H-1	Sludge From 1st Chamber Of Truck Wash	Sludge	04/15/02	1500

The recommended holding time for each batch of analyses was in accordance with the data quality objectives as specified in the CLI Quality Assurance Plan unless otherwise noted.

Acceptable precision and accuracy were achieved for all analyses associated with this work order as demonstrated by the recoveries of the quality control samples analyzed concurrently with each batch.

The data submitted in this report is for the sole and exclusive use of the above-named client. All samples associated with the work order will be retained a maximum of 15 days from the report date or until the maximum holding time expires. All results pertain only to samples submitted.

Thank you for allowing Coffey Laboratories to be of service to you. If you have questions or need further assistance, please do not hesitate to call our Customer Services Department.

Sincerely,

Technical Services

TS /atc

**Coffey Laboratories, Inc.**

12423 N.E. Whitaker Way • Portland, OR • 97230 • (503) 254-1794 • FAX (503) 254-1452



## Analytical Data

Environmental Business

Job Number: A20416H

Page Number: 2 of 5

Lab Sample ID: A20416H-1

Field ID: Sludge From 1st Chamber Of Truck Wash

Date/Time: 04/15/02 1500

Matrix: Sludge

EPA Category: Volatile Organic Chemicals

Analysis Performed: EPA 8260; Volatile Organics by GC/MS.

Analysis Date: 04/23/02

Analyst: MRD

Parameter	Detection Limit	Laboratory Blank	Analytical Result
Acetone	8.4	ND	ND
Benzene	2.8	ND	ND
Bromobenzene	2.8	ND	ND
Bromochloromethane	2.8	ND	ND
Bromodichloromethane	2.8	ND	ND
Bromoform	2.8	ND	ND
Bromomethane	2.8	ND	ND
2-Butanone (MEK)	2.8	ND	ND
n-Butylbenzene	2.8	ND	ND
sec-Butylbenzene	2.8	ND	ND
tert-Butylbenzene	2.8	ND	ND
Carbon Disulfide	2.8	ND	ND
Carbon tetrachloride	2.8	ND	ND
Chlorobenzene	2.8	ND	ND
Chloroethane	2.8	ND	ND
2-Chloroethylvinyl ether	2.8	ND	ND
Chloroform	2.8	ND	ND
Chloromethane	2.8	ND	ND
2-Chlorotoluene	2.8	ND	ND
4-Chlorotoluene	2.8	ND	ND
1,2-Dibromo-3-chloropropane	2.8	ND	ND
Dibromochloromethane	2.8	ND	ND
1,2-Dibromoethane	2.8	ND	ND
Dibromomethane	2.8	ND	ND
1,2-Dichlorobenzene	2.8	ND	ND
1,3-Dichlorobenzene	2.8	ND	ND
1,4-Dichlorobenzene	2.8	ND	ND
Dichlorodifluoromethane	2.8	ND	ND
1,1-Dichloroethane	2.8	ND	ND
1,2-Dichloroethane	2.8	ND	ND

Results expressed as mg/kg unless otherwise noted.

ND means none detected at or above the detection limit listed.

**Coffey Laboratories, Inc.**

12423 N.E. Whitaker Way • Portland, OR • 97230 • (503) 254-1794 • FAX (503) 254-1452



## Analytical Data

Environmental Business

Job Number: A20416H

Page Number: 3 of 5

Lab Sample ID: A20416H-1

Field ID: Sludge From 1st Chamber Of Truck Wash

Date/Time: 04/15/02 1500

Matrix: Sludge

EPA Category: Volatile Organic Chemicals

Analysis Performed: EPA 8260; Volatile Organics by GC/MS.

Analysis Date: 04/23/02

Analyst: MRD

Parameter	Detection Limit	Laboratory Blank	Analytical Result
1,1-Dichloroethene	2.8	ND	ND
cis-1,2-Dichloroethene	2.8	ND	ND
trans-1,2-Dichloroethene	2.8	ND	ND
1,2-Dichloropropane	2.8	ND	ND
1,3-Dichloropropane	2.8	ND	ND
2,2-Dichloropropane	2.8	ND	ND
1,1-Dichloropropene	2.8	ND	ND
cis-1,3-Dichloropropene	2.8	ND	ND
trans-1,3-Dichloropropene	2.8	ND	ND
Ethylbenzene	2.8	ND	ND
Hexachlorobutadiene	2.8	ND	ND
2-Hexanone	2.8	ND	ND
Iodomethane	2.8	ND	ND
Isopropylbenzene	2.8	ND	ND
4-Isopropyltoluene	2.8	ND	ND
4-Methyl-2-pentanone	2.8	ND	ND
Methylene chloride	2.8	ND	ND
Naphthalene	2.8	ND	ND
n-Propylbenzene	2.8	ND	ND
Styrene	2.8	ND	ND
1,1,1,2-Tetrachloroethane	2.8	ND	ND
1,1,2,2-Tetrachloroethane	2.8	ND	ND
Tetrachloroethene	2.8	ND	ND
Toluene	2.8	ND	ND
1,2,3-Trichlorobenzene	2.8	ND	ND
1,2,4-Trichlorobenzene	2.8	ND	ND
1,1,1-Trichloroethane	2.8	ND	ND
1,1,2-Trichloroethane	2.8	ND	ND
Trichloroethene	2.8	ND	ND
Trichlorofluoromethane	2.8	ND	ND

Results expressed as mg/kg unless otherwise noted.

ND means none detected at or above the detection limit listed.

**Coffey Laboratories, Inc.**

12423 N.E. Whitaker Way • Portland, OR • 97230 • (503) 254-1794 • FAX (503) 254-1452



### Analytical Data

Environmental Business

Job Number: A20416H

Page Number: 4 of 5

Lab Sample ID: A20416H-1

Field ID: Sludge From 1st Chamber Of Truck Wash

Date/Time: 04/15/02 1500

Matrix: Sludge

EPA Category: Volatile Organic Chemicals

Analysis Performed: EPA 8260; Volatile Organics by GC/MS.

Analysis Date: 04/23/02

Analyst: MRD

Parameter	Detection Limit	Laboratory Blank	Analytical Result
1,2,3-Trichloropropane	2.8	ND	ND
1,2,4-Trimethylbenzene	2.8	ND	ND
1,3,5-Trimethylbenzene	2.8	ND	ND
Vinyl acetate	2.8	ND	ND
Vinyl chloride	2.8	ND	ND
m,p-Xylene	5.6	ND	ND
o-Xylene	2.8	ND	ND
4-Bromofluorobenzene (Surr.)	---	---	84%
Dibromofluoromethane (Surr.)	---	---	135%
Toluene-d8 (Surr.)	---	---	99%

Results expressed as mg/kg unless otherwise noted.

ND means none detected at or above the detection limit listed.

**Coffey Laboratories, Inc.**

12423 N.E. Whitaker Way • Portland, OR • 97230 • (503) 254-1794 • FAX (503) 254-1452



### Analytical Data

Environmental Business

Job Number: A20416H

Page Number: 5 of 5

Lab Sample ID: A20416H-1

Field ID: Sludge From 1st Chamber Of Truck Wash

Date/Time: 04/15/02 1500

Matrix: Sludge

EPA Category: Extractable Organics

Analysis Performed: NW TPH-Dx; TPH quantitative semi-volatile petroleum products

Analysis Date: 04/15/02

Analyst: MKM

Parameter	Detection Limit	Laboratory Blank	Analytical Result
Diesel	4550.	ND	ND
Hydrocarbons heavier than C24	4550.	ND	12,000.
o-Terphenyl (Surr.)	---	---	Diluted out of range

Results expressed as mg/kg unless otherwise noted.

ND means none detected at or above the detection limit listed.

**Coffey Laboratories, Inc.**

12423 N.E. Whitaker Way • Portland, OR • 97230 • (503) 254-1794 • FAX (503) 254-1452



Environmental Business Solutions, Inc.

A Best Management Practice business serving Oregon & Washington

11954 NE Glisan #241  
Portland, OR 97220

(503) 231-7605 fax  
(503) 969-3900 Jim

Report date 11/20/07 Report by MARCUS Service Date 2/8/07 Service by MARCUS Start Time: 8:30  
Finish Time: 5:30

Contact	<u>JOHN HONE</u>
Company	<u>ASH GROVE SOUTH TERMINAL</u>
Site address	<u>4098 N. PORTWAY PORTLAND OREGON 97217</u>
Billing Address	
Phone/fax/email	<u>503.285.9153</u>

Contract  
Itemized  
SBP

Coning req? ☒ Y / ☐ N \* 24 hour notice required? ☒ Y / ☐ N \* Sediment rate: L / M / H \* Rain ok? ☒ Y / ☐ N \* Forklift ☒ Y / ☐ N  
Residential Area ☒ Y / ☐ N Earliest Start Time 8:30 Site contacts/phones: JOHN HONE  
Date last service 12/10/05 Analytical Y / N If So Date \_\_\_\_\_ Test Ran (VOC / O&G / TCLP) POTW \_\_\_\_\_

Types: Trenches, CB / Catch Basin, OWS / Oil Water Sep, WWS / Waste Water System, TNK / Tanks L=long, D=deep, W= wide.  
W=water, S=Sediment ex: (18" 6) OWS B=bags, P=plates

Recommendations:

SIDE WALL PRESURE WASHED / ASPHALT BROKE UP  
IN FIRST CHAMBER

Key: PS = Park space, A = asphalt, PT = Pass Thru, D= Damaged, XL=exchange liner, N-NL=needs new liner, OL-D old liner ne  
disposed, OL-noD= old liner no disposal, G=grass, S=snake

Work Circled is completed  
Recycled Water / Sediment


W ↑

1.0. 4'

2.0. 10"

3.0. 5"

18x19(3) Pits ② 10x14 10x①4



2 TRUCKS THREE LOADS  
3000 gal  
950 gal

E. ↓



Results For Today,  
Answers For Tomorrow  
An Oregon "Best Management"  
Practice Company

11954 NE GLISAN, PMB #241  
PORTLAND, OR 97220  
(503) 969-3900  
FAX (503) 231-7605  
ebolutions1@qwest.net  
Fed. ID #93-1278716

DATE: 2/8/07 CUST. ACCT. #: WASH PAD  
CUSTOMER: ASH GROVE CONTACT: JOHN  
ADDRESS: 3737 N PORT WAY  
CITY: PORTLAND STATE: OR ZIP: 97217  
PH: (503) 285 9153 CUST. P.O. #:

INVOICE 127228

WASTE WATER ANALYSIS:		Price Per Unit	Quantity	ESTIMATE	FINAL		
ANALYSIS	CLIENT COPY		X				
			X				
			X				
			X				
			X				
SEDIMENT ANALYSIS: Note: These fees may require renewal every 12 months		Price Per Unit	Quantity				
ANALYSIS	CLIENT COPY		X				
			X				
			X				
			X				
			X				
TRAVEL TIME: PORT TO PORT THREE TECH		Price Per Hour	No. of Vehicles	No. of Hours			
PROCESSING	ESTIMATE: Final:	246-	X 1	X 9	2214-		
			X	X			
		MILEAGE: Price Per Mile No. of Vehicles No. of Miles					
		ESTIMATE: Final:	X	X			
		X	X				
WASTEWATER: <input type="checkbox"/> Treated <input type="checkbox"/> Filtered		Price Per Gallon	No. of Gallons				
PROCESSING	ESTIMATE: Final:		X				
			X				
		SEDIMENT: Price Per Gallon No. of Gallons					
		ESTIMATE: Final:	X				
		X	X				
EQUIPMENT: KING VAC ONE TECH		Price Per Hour	No. of Hours				
DISPOSAL	ESTIMATE: Final:	200-	X 8		1600-		
			X				
		LABOR: Price Per Hour No. of Hours					
		ESTIMATE: Final:	X				
		X	X				
CONTAINER: Price Per Container No. of Containers							
DISPOSAL	ESTIMATE: Final:	X					
		X					
		PER TON FEE: SEDIMENT DISPOSED @ Public		Cost Per Ton	No. of Tons		
		ESTIMATE: Final:	350-	X 16.73	-100	4182.50	
		Solid WASTE FACILITY	X				
POLYLINERS: <input type="checkbox"/> 5 Gallon Liner <input type="checkbox"/> 55 Gallon Liner <input type="checkbox"/> Drop Box Liner		Cost Per Liner	No. of Liners				
DISPOSAL	ESTIMATE: Final:		X				
			X				
		HIGH PRESSURE WASH: Note: 1 Unit = 15 Minutes		Cost Per Unit	No. of Units		
		ESTIMATE: Final:	25-	X 11		275-	
		X	X				
MISC. ITEMS: DEPARTMENT OF ENVIRONMENTAL QUALITY PACKET							
OTHER	NOTE: PER TON COST HAS INCREASED TO \$350, INCREASED 100%				45-		

A 1.5% PER MONTH FINANCE CHARGE WILL APPLY TO UNPAID BALANCES OVER 30 DAYS. ALL ESTIMATES VOID AFTER 30 DAYS.

☒ VISA ☐ MASTERCARD ☐ Cash or Check ☒ Net 30 10

SIGNATURE AS PER JOHN HONE DATE 2/5/07

White - Master Green - Accts Receivable Canary - Copy Pink - Invoice Goldenrod - Estimate

SUBTOTAL		TAX	FREIGHT	DISCOUNT	ESTIMATED TOTAL
					8316.5
					8316.5
					\$ TOTAL



# Certificate of Treatment/Disposal/Recycling

Environmental Business Solutions, Inc. certifies that the items received from

Ash Grove Cement  
3737 N Port Way  
Portland, Oregon 97217

On Bill of Lading dated 02\*08\*07, invoice #127228, these materials have been properly treated/disposed/recycled at EBS Inc. affiliated facilities in compliance with all applicable regulatory standards as set forth by the Environmental Protection Agency (EPA) and the Oregon Department of Environmental Quality (DEQ).

Dated 02\*08\*07

Sworn and attested by  
Environmental Business Solutions, Inc.  
Oregon Dept. of Environmental Quality ID # ORQ000022426

By Marcus D Orange

# Waste Inventory Form

Refer to the attached instruction sheet for guidelines for completing this form

A Inventory number	B Chemical name or trade name/base chemical	C Active ingredients/ contaminants	D Metro use only (cost codes)	E Number and size of containers	F Amount in containers - specify in quarters (25%, 50%, 75% or 100%)
<b>Example</b>					
1	Drain opener	Sodium hydroxide		2 1 gallon	100%
2	Paint thinner	Toluene		1 1 gallon	50%
3	Paint stripper	Methylene chloride		1 5 gallon	75%
4	Aerosol paint	Petroleum distillate		14 12-ounce aerosol	25%
5	Weed killer	2,4 D		1 5 pounds	25%
AGC 1	Patching/cement	Petroleum distillate		1 gallon	100%
AGC 2	Paint	Methylene		1 gallon	75%
AGC 3	Paint	Alkyd Resin sol.		1 gallon	25%
AGC 4	Paint	distilled silica		1 gallon	<del>100%</del> 75%
AGC 5	Patching/cement	Petroleum distillate		1 gallon	50%
AGC 6	Paint	Alkyd Resin		1 gallon	100%
AGC 7	Paint	distilled		1 gallon	25%
AGC 8	Paint	Glycol Ethers		1 gallon	100%
AGC 9	Paint	Glycol Ethers		1 gallon	100%
AGC 10	Paint	Glycol Ethers		1 gallon	100%
AGC 11	Paint	Glycol Ethers		1 gallon	100%
AGC 12	Reson Paint	Methylene chloride		5 gallon	50% = 2 1/2
AGC 13	Paint	Methylene chloride		5 gallon	1/3 = 1 1/2
AGC 14	Paint	Methylene chloride		5 gallon	75% = 3
AGC 15	Paint	Methylene chloride		5 gallon	100%
AGC 16	Thinner	toluene		4 1/4 gallon	100%

Date \_\_\_\_\_ Page 1 of 1

Business/organization name Ash Grove Cement Company

Contact person/phone number Glenn Dollar 503 286 1677

Metro ID number

or circle pending

ext 423

# Appointment Schedule (CEG)

Page: 1

Metro Central Hazardous Waste  
6161 NW 51st Ave.  
Portland, OR 97210  
Phone: 223-8133 Fax: 223-8020

Metro South Hazardous Waste  
2001 Washington St.  
Oregon City, OR 97045  
Phone: 655-0480 Fax: 655-2699

Company: Ash Grove Cement Co.

Current Date: 9/11/2007

EPA/DEQ #: 2920

Inventory Date: 9/11/2007

Site: Central H2W

Appt Date: 9/12/2007

At: 10:00 AM

Payment: Cash

Credit Account:

Line #	Cost Code	# of Containers	Container Size	Units	% Full	Line Total
1	AF1	5	1.00	gal	100.00	\$26.00
2	AF1	2	1.00	gal	25.00	\$3.00
3	AF1	2	1.00	gal	75.00	\$8.00
4	AFL	2	1.00	ea	100.00	\$2.00
5	AF1	1	5.00	gal	50.00	\$13.00
6	AF1	1	5.00	gal	30.00	\$8.00
7	AF1	1	5.00	gal	75.00	\$19.00
8	AF1	1	5.00	gal	75.00	\$19.00
9	AF1	1	5.00	gal	100.00	\$26.00
10	AF1	1	4.25	gal	100.00	\$22.00
General and administrative cost:						\$0.50

Total weight: 222.13 lbs.

Subtotal: \$146.50

Scalehouse transaction fee: \$8.50

Total: \$155.00

Date Accepted: 9/12/07

Received by: *[Signature]*  
(print)

Please Check



H2W copy



Scalehouse copy

Please keep this receipt for your records.  
Please pay when leaving facility.

## Legend:

AF1/AF2/AFL Flammable materials, C Halogenated solvent, E Isocyanate, G Waterbased, GR Latex paint, HG1/HG2/HG3/HG4 Mercury containing items, I1/I2/I3/I4/I5 Batteries, K1/K2/K3/K4 Acids, L Bases, M Oxidizers, N1/N2/N3/N4 Poisons, P1 Ballasts, PR1/PR2 Propane, Q1/Q2/Q3 Aerosols, R1/R2 Reactives, U Unknown, V PPE/contaminated debris, Z2 Oil.

Comments:



4530 NE 138th Ave.  
Portland, OR 97230  
P : 503-261-9800  
F : 503-261-9900

OR CCB# 175147  
WA CCB#m PACIDPL935JL

Truck ID # 11

Receiving Manifest # 4588

Date: Sept. 24, 2007

Customer Name: Jammies Environmental

Waste Description: oil/water / sludge

Driver Name: Jason Harvel

Hours of operation: Monday through Friday 6:30am to 7:30pm

58020 LB 000 ID 2:17F 9-24-07

53560 LB 000 ID 3:44P 9-24-07

4460 lbs.

05544RP



4530 NE 138th Ave.  
Portland, OR 97230  
Phone: (503) 261-9800  
Fax: (503) 261-9900

## Plant Receiving Manifest

Generator	Generator Name	Ash Grove Cement			<p>This form to be completed by the Hauler of Nonhazardous wastes. The completed form must be presented at the disposal site prior to disposal. <b>HAZARDOUS AND TSCA WASTE MAY NOT BE DISPOSED OF AT ANY DISPOSAL SITE.</b></p> <p>Violation of this restriction could subject you to revocation of your disposal permit. Answer all questions (please print).</p>
	Location Address	1120 W. Port Ave.			
	Mailing Address				
	City/State/Zip	Portland, OR			
	Phone				
Waste Profile	Profile #	Waste Description	Qty	Unit	One Time?
		Calc. waste	4,460	lbs	<input checked="" type="radio"/> Yes <input type="radio"/> No
					<input type="radio"/> Yes <input type="radio"/> No
					<input type="radio"/> Yes <input type="radio"/> No
					<input type="radio"/> Yes <input type="radio"/> No
					<input type="radio"/> Yes <input type="radio"/> No
		NOTE: NON-CONFORMING WASTE MATERIALS NOT CONSISTENT WITH ESTABLISHED PROFILE MAY INCUR ADDITIONAL PROCESSING FEES			<input type="radio"/> Yes <input type="radio"/> No
Transporter	Company Name / Address		I certify that the information supplied on this manifest is true, that it accurately describes the vehicle, waste and source(s) of the waste presented at the time of submission, and that the waste consists SOLELY of the non-hazardous wastes listed above to the best of my knowledge.	Truck Information	Vehicle Make: <u>International</u>
	123 Industrial Way Longview, WA 98052				Vehicle Model: <u>Camp Vex</u>
	Driver Signature: <u>John Harvel</u> Date: <u>9-24-07</u> Time: <u>3:45</u>				Capacity (Gallons): <u>3000</u>
	Print or Type Name: <u>John Harvel</u>				Truck License No: <u>05344RP</u>
Disposal Site	Pacific Power Vac 4530 NE 138th Ave. Portland, Oregon 97230 503-261-9800		Screening	Microtox Toxicity Screening Results	
	Analyst's Signature: <u>[Signature]</u> Date: <u>9/24</u> Time: <u>3:45</u>			Sample No: <u>      </u> Waste Subcategory: <u>A B C Non-Reg</u>	
	Print or Type Name: <u>John Harvel</u>			PCB: <u>      </u> PH: <u>7</u>	
				Cyanide: <u>      </u> Sulfide: <u>      </u>	
			Light Loss %: <u>      </u> (Loads with light loss greater than 90% will be rejected)		
			Pass <input checked="" type="radio"/> Fail <input type="radio"/> Reason for rejection: <u>      </u>		

# Appointment Schedule (CEG)

Page: 1

**Metro Central Hazardous Waste**  
6161 NW 61st Ave.  
Portland, OR 97210  
Phone: 223-8133 Fax: 223-8020

**Metro South Hazardous Waste**  
2001 Washington St.  
Oregon City, OR 97045  
Phone: 655-0480 Fax: 655-2699

**Company:** Ash Grove Cement Co.

**Current Date:** 10/24/2007

**EPA/DEQ #:** 2920

**Inventory Date:** 10/23/2007

**Site:** Central H2W

**Appt Date:** 10/29/2007

**At:** 11:00 AM

**Payment:** Check

**Credit Account:**

Line #	Cost Code	# of Containers	Container Size	Units	% Full	Line Total
1	AF1	2	1.00	gal	100.00	\$10.00
2	AF1	4	1.00	gal	25.00	\$5.00
3	AF1	4	1.00	gal	100.00	\$21.00
4	AF1	4	5.00	gal	75.00	\$77.00
5	AF1	1	5.00	gal	100.00	\$26.00
General and administrative cost:						\$0.50

**Total weight:** 216.00 lbs.

**Subtotal:** \$139.50


**Scalehouse transaction fee:** \$8.50

**Total:** \$148.00

**Date Accepted:**

10/29/07

**Received by:**  
(print)



Please keep this receipt for your records.  
Please pay when leaving facility.

## Please Check

- ☒ H2W copy
- ☒ Customer copy
- ☒ Scalehouse copy

## Legend:

AF1/AF2/AFL Flammable materials, C Halogenated solvent, E Isocyanate, G Waterbased, GR Latex paint, HG1/HG2/HG3/HG4 Mercury containing items, I1/ I2/ I3/I4/I5 Batteries, K1/K2/K3/K4 Acids, L Bases, M Oxidizers, N1/N2/N3/N4 Poisons, P1 Ballasts, PR1/PR2 Propane, Q1/Q2/Q3 Aerosols, R1/R2 Reactives, U Unknown, V PPE/contaminated debris, Z2 Oil.

**Comments:**



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

**INVOICE**  
**27-158**

**BILL TO**

Ash Grove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #

PT-10693

TERMS:

Due Upon Re...

DATE

8/20/2007

**DESCRIPTION**

**AMOUNT**

PROJECT: ASHGROVE  
LOCATION: PORTLAND, OR

**ITEM 1: CEMENT DISPOSAL**

0.00

Provide labor, front loader, and dump truck to load, transport, and dispose of nine (9) loads of cement from south end of Ash Grove plant.

PRICE AS PER BID  
TOTAL ITEM 1

Ash Grove - PDX Terminal  
Original Invoice  
Received

7,250.00  
7,250.00

AUG 23 2007

CO# \_\_\_\_\_

Due Date \_\_\_\_\_

Approved By \_\_\_\_\_

**TOTAL**

**\$7,250.00**

*Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per annum.*



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

**INVOICE**  
**27-073**

**BILL TO**

Ash Grove Cement Co  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #  
PT-10387

TERMS: Due Upon Re.  
DATE 5/7/2007

**DESCRIPTION**

**AMOUNT**

PROJECT: REPAIRS AT ASH GROVE GOLDENDALE TERMINAL  
LOCATION: PORTLAND, OR

**ITEM 1: REPAIRS AT TERMINAL**

Provide labor, materials and transportation to accomplish the following dock repairs in accordance with customers direction:

- Pressure wash ramp and floating docks
- Flush cut existing pilling tops and taper
- Repair aluminum ramp at top end.
- Reinstall sign
- Install (1) each 10" rope cleat
- Replace deteriorated 2"x6" bumper board
- Install rubber hose cushion at bumper

Labor straight time (48 hrs. x \$52.00)

2,496.00

Materials and Transportation

501.00

TOTAL ITEM 1

2,997.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

MAY 12 2007

MAY 21 2007

5/18 - Ref please change PO.

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By \_\_\_\_\_

**TOTAL \$2,997.00**

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per anum.



10/2 - Rob to make to

# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

## INVOICE

27-175

**BILL TO**

AshGrove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO # \_\_\_\_\_ TERMS: \_\_\_\_\_ DATE \_\_\_\_\_  
Due Upon Re... 9/25/2007

**DESCRIPTION**

**AMOUNT**

PROJECT: CEMENT DISPOSAL  
LOCATION: ASHGROVE - PORTLAND

**ITEM 1: CEMENT DISPOSAL**

Provide labor, front loader and dump truck to load, transport and dispose cement from south end of Ashgrove plan.

PRICE AS PER BID  
TOTAL ITEM 1

5,800.00  
5,800.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

SEP 26 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By [Signature]

**TOTAL \$5,800.00**

*Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per anum.*



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

## INVOICE

27-091

### BILL TO

Ash Grove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright

PO #

TERMS:

DATE

PT-10456

Due Upon Re...

5/30/2007

### DESCRIPTION

### AMOUNT

PROJECT: M/V MING HAI  
LOCATION: ASH GROVE CEMENT TERMINAL

#### ITEM 1: #5 CARGO HOLD

Provide labor, materials and transportation to attend vessel at Ash Grove Terminal and remove 700 to 750 ton of cement. Transport to CMW and disposal accordingly.

Labor straight time (904 hrs. x \$48.00)	43,392.00
Labor overtime time (336 hrs. x \$72.00)	24,192.00
Trucking, disposal and materials	36,317.00
CMW Transportation	1,485.00
Super bags (595 bags x \$20 each)	11,900.00
Transport purchased bags from Oakland to Portland on next day delivery	2,450.00

TOTAL ITEM 1

119,736.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

JUN 4 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By \_\_\_\_\_

TOTAL \$119,736.00

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per anum.



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

7/18  
Possible  
Paperwork?

**INVOICE**

27-120

**BILL TO**

Ash Grove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #

PT-10601

TERMS:

Due Upon Re...

DATE

7/11/2007

**DESCRIPTION**

AMOUNT

PROJECT: ASHGROVE  
LOCATION: PORTLAND, OR

**ITEM 1: CEMENT DISPOSAL**

Provide labor, front loader, and dump trucks to load, transport, and dispose of nine (9) truck loads of cement from South end of Ash Grove plant.

PRICE AS PER BID  
TOTAL ITEM 1

7,250.00  
7,250.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

JUL 17 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By MA

**TOTAL**

**\$7,250.00**

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per annum.



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

**INVOICE**  
**27-198**

**BILL TO:**

AshGrove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #                      TERMS:                      DATE  
Due Upon Re...                      10/22/2007

DESCRIPTION                      AMOUNT

PROJECT: CEMENT DISPOSAL  
LOCATION: ASH GROVE

ITEM 1: CEMENT DISPOSAL  
Provide labor and dump truck to load, transport and dispose cement from South end of Ash Grove plant.

PRICE AS PER BID                      5,800.00  
TOTAL ITEM 1                      5,800.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

OCT 22 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By \_\_\_\_\_ *[Signature]* 11/2/07

**TOTAL \$5,800.00**

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per annum.



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

## INVOICE

27-209

### BILL TO

AshGrove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #

TERMS:

DATE

Due Upon Re. 12/19/2007

### DESCRIPTION

### AMOUNT

PROJECT: TRANSPORT CEMENT  
LOCATION: ASHGROVE

ITEM 1: TRANSPORT CEMENT

Provide labor, trucking and loader to load and dispose cement from Ashgrove.

PRICE AS PER COST

6,800.00

Ash Grove - PDX Terminal  
Original Invoice  
Received

DEC 21 2007

PT- 11189

PO # 11189

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By *[Signature]*  
1/10/08

1/11/08 Ned po.  
1/18/08 Rob to make blanket PO

TOTAL \$6,800.00

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per annum.



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666

Phone # 360-693-5818  
Fax # 360-693-5819

## INVOICE

28-015

### BILL TO

AshGrove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #

PT-11189

TERMS:

Due Upon Re

DATE

2/7/2008

DESCRIPTION

AMOUNT

PROJECT: ASHGROVE  
LOCATION: PORTLAND - ASHGROVE

### ITEM 1: TRANSPORT CEMENT

Provide labor and trucking to load and dispose cement from Ashgrove.

PRICE AS PER COST:

6,800.00


Ash Grove - PDX Terminal  
Original Invoice  
Received

FEB 13 2008

CO#

Due Date

Approved By



TOTAL

\$6,800.00

Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per anum.



# Columbia Metal Works, Inc.

P.O. Box 61982  
Vancouver, WA 98666  
Phone # 360-693-5818  
Fax # 360-693-5819

## INVOICE

~~27-171~~

### BILL TO

AshGrove Cement  
3737 N Port Center Wy  
Portland, OR 97217  
Attn: Gary Wright/John Hone

PO #

TERMS:

DATE

Due Upon Re... 9/10/2007

### DESCRIPTION

### AMOUNT

**KEN**  
PROJECT: M/V ~~NEW~~ GALLANT  
LOCATION: ASHGROVE, OR

#### ITEM 1: #1 HOLD

Provide labor, materials, and transportation to attend vessel at the terminal and clean #1 cargo hold.

Overtime labor hours (32 hrs. x \$72.00)  
Consumables  
Transportation  
TOTAL ITEM 1

Ash Grove - PDX Terminal  
Original Invoice  
Received

2,304.00  
82.00  
24.00  
2,410.00

SEP 11 2007

CO# \_\_\_\_\_  
Due Date \_\_\_\_\_  
Approved By                     

**TOTAL \$2,410.00**

*Past due accounts are charged FINANCE CHARGES of 1.5%  
per month equalling 18% per anum.*

ers  
N. Suttle Road  
Portland, Oregon 97217  
Phone 503-286-8352  
Toll Free 800-367-8894  
EPA# ORD980975692



Eugene, OR: EPA# ORQ000024941  
Hoquiam, WA: EPA# WAD988519419  
Klamath Falls, OR: EPA# ORD980980775  
Kennewick, WA: EPA# WAH000011577  
Medford, OR: EPA# ORD987197092  
North Bend, OR: EPA# ORD980978266  
Salt Lake City, UT: EPA# UTD982589459  
Spokane, WA: EPA# WAH000011585

<b>BILL OF LANDING</b> 196053	
Date 2-11-08	Customer ID Number 5762
Dispatch #: 4036	

Generator	Ashgrove Cement		John 503-285-4621	
	Name	Contact Person	Phone	
Transportation	4098 N Port Center Way		POX, OR	
	Address	City	State	Zip

Billing Address		
	Check#	PO#
	Profile Date: 1-10-08	

Transportation	Consigned To:	Fuel Processors Inc		
	Destination:	4150 N Suttle Rd POX, OR		
	Via Carrier:	ORRRCO		
	Driver:	Matt		
Truck #		6957	Miles Run:	

Load Ticket #
---------------

Gal./Brl.	Description	Sniffer P / F	CDT/ HCDD	pH	Flash Point	Rate per Gal./Brl.	Rate per Hour	Charge
389	Oil Cleanup	P			200			

Above material being transported for Recycling	EPA#	Total:
--	------	--------

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED X	DATE: 2-11-08
----------	---------------

Headquarters  
4150 N. Suttle Road  
Portland, Oregon 97217  
Phone 503-286-8352  
Toll Free 800-367-8894  
EPA# ORD980975692



Eugene, OR: EPA# ORQ000024941  
Hoquiam, WA: EPA# WAD988519419  
Klamath Falls, OR: EPA# ORD980980775  
Kennewick, WA: EPA# WAH000011577  
Medford, OR: EPA# ORD987197092  
North Bend, OR: EPA# ORD980978266  
Salt Lake City, UT: EPA# UTD982589459  
Spokane, WA: EPA# WAH000011585

<b>BILL OF LANDING</b> 205752	
Date 2-14-08	Customer ID Number 5762
Dispatch #: 7277	

Generator	Ashgrove Cement		Dore 503-285-4621	
	Name	Contact Person	Phone	
Transportation	4098 N Port Center Way		POX, OR	
	Address	City	State	Zip

Billing Address		
	Check#	PO#
	Profile Date:	

Transportation	Consigned To:	Fuel Processors Inc		
	Destination:	4150 N Suttle Rd POX, OR		
	Via Carrier:	ORRRCO		
	Driver:	Matt		
Truck #		6957	Miles Run:	

Load Ticket #
---------------

Gal./Brl.	Description	Sniffer P / F	CDT/ HCDD	pH	Flash Point	Rate per Gal./Brl.	Rate per Hour	Charge
200	Cleanup	P			200			
1	Swatches					10.5		10.5

Above material being transported for Recycling	EPA#	Total:
--	------	--------

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.



4630 NE 138th Ave  
Portland, OR 97230  
Phone: (503) 261-9800  
Fax: (503) 261-9800

15 2008

## Plant Receiving Manifest

## Certificate of Disposal

Generator	Generator Name: <u>Ash Grove Swan Island</u>		This form to be completed by the Handler of non-hazardous wastes. The completed form must be presented at the disposal site prior to disposal. HAZARDOUS AND TOXIC WASTE MAY NOT BE DISPOSED OF AT ANY DISPOSAL SITE. Violation of this restriction could subject you to revocation of your disposal permit. Answer all questions (please print).	
	Location Address:			
	Mailing Address:			
	City/State/Zip:			
Waste Profile	Phone:		Profile # _____ Waste Description _____ Quantity _____ Unit _____ One Time? _____ <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO	
NOTE: NON-CONFORMING WASTE MATERIALS NOT CONSISTENT WITH ESTABLISHED PROFILE MAY INCUR ADDITIONAL PROCESSING FEES.				
Transporter	Company Name/Address: <u>Jammies</u>		I certify that the information supplied on this manifest is true, that I accurately describe the vehicle, waste and contents of the waste presented at the time of submission, and that the waste consists SOLELY of the non-hazardous wastes listed above to the best of my knowledge.	Truck Information Vehicle Make: <u>International</u> Vehicle Model: <u>11</u> Capacity (Gallons): <u>3000 gals</u> Truck License No: <u>055R1412 P</u> Trailer License No: _____
	Driver Signature: <u>Steven N...</u> Date: <u>2-25-08</u> Time: <u>11:45A</u>			
	Print or Type Name: _____			
Disposal Site	Pacific Power Vac 4630 NE 138th Ave Portland, Oregon 97230 Phone: 503-261-9800		Screening Microtox Toxicity Screening Results Sample No.: _____ PCB: _____ Waste Subcategory: _____ PH: <u>1165</u> A/B/C Non-Reg Cyanide: _____ Sulfide: _____ Light Loss %: _____ (Loads with light loss greater than 90% will be rejected). <input checked="" type="radio"/> Pass Reason for Rejection: _____	
	Analyst Signature: <u>B. Taylor</u> Date: <u>2-25-08</u> Time: <u>11:30A</u>			
	Print or Type Name: <u>Zach Taylor</u>			

4630 NE 138th Ave  
Portland, OR 97230  
P: 503-261-9800  
F: 503-261-9800



OR OCS# 175147  
WA CCR# PAC001001

Track ID # 71 INTRNATIONAL  
 Receiving Manifest # 2089  
 Date: 2-25-08  
 Customer Name: Jammies ENV. INC.  
 Waste Description: Water & Sludge  
 Driver Name: STEVE  
 Hours of operation: Monday through Friday 8:00am to 7:30pm

Net 3060 LB

Carrier's No. 11

at ASH GROVE SWAMP ISLAND (Date) 2-25-08 FROM

(Mail or street address for purposes of notification only.)

On Collect on Delivery Shipments, the letters "COD" must appear before consignee's name or as otherwise provided in Item 435, Sec. 1.

Route \_\_\_\_\_ Delivery Address \_\_\_\_\_  
(\*To be filled in only when shipper desires and governing tariffs provide for delivery thereto.)

Collect on Delivery \$ 0 And Remit to \_\_\_\_\_

(Signature of co-signer.)

☐ Shipper ☐ Consignee

If charges are to be prepaid, write or stamp across, "To be Prepaid."

Received \$ \_\_\_\_\_ to apply  
in prepayment of the charges on the  
properly described instrument.

### Average Cost

For \_\_\_\_\_  
(The signature here acknowledges only  
the amount prepaid.)

### CHAPTER ADJUSTED

\*The above containers used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41 of the Uniform Freight Classification and Rule 5 of the National Auto

\* Shipper's imprint in lieu of stamp, incl. a copy of bill of lading approved by the Interstate Commerce Commission.

\*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight.  
NOTE — Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not extendable

Shlpper, Per

Permanent post-office address of shipper.

Shipper, Per

Per

Carrier's Name: JAMIES ENV INC

Carrier's No. 77

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of lading.

at 4061 N Port Center Way Portland (Date)            FROM           

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as shown below, which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its own railroad, water line, highway, or by rail or by water, or within the territory of its highway operations, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of oil or gas of said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Freight Bill of Lading set forth (1) in the Uniform Freight Classification in effect on the date hereof, if this is a rail or mill-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

(Mail or street address for purposes of notification only.)

Consigned TO ASH GROVE

On Collect on Delivery Shipments, the letters "COD" must appear before consignee's name or as otherwise provided in Item 430, Sec. 1.

Destination PACIFIC POWER & LIGHT PORTLAND OR City

County

State

Z10

Route \_\_\_\_\_ Delivery Address \_\_\_\_\_

\*\*\*To be filled in only when shipper desires and governing tariffs provide for delivery thereat.\*\*\*

Delivering Carrier Stu N Car or Vehicle Initials and No

Collect on Delivery \$ 0 And Remit to \_\_\_\_\_

Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consigned shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of customer)

C. O. D. Charges to be

Paid by

☐ Shipper      ☐ Consignee

If charges are to be prepaid, write on stamp here, "To be Prepaid."

Received \$ \_\_\_\_\_ to apply  
to prepayment of the charges on the  
property described hereon.

Agent or Cashier

Per \_\_\_\_\_  
(The signature here acknowledges only the amount prepaid.)

### Charges Advanced

"The fibre containers used for this shipment conform to the specifications set forth in the box maker's certificate thereon and all other

requirements of Rule 41 of the Uniform Freight Classification and Rule 5 of the National Motor Freight Classification.

NOTE — Where this rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the obligor to be not exceeding

Shopper, Per.

Agent

Permanent post-office  
address of shipper:

Per

1

10 1032



4530 NE 138th Ave  
Portland, OR 97230  
Phone: (503) 261-8800  
Fax: (503) 261-8800

## Plant Receiving Manifest

Hours Operation: 8:30 AM - 7:30 PM

## Certificate of Disposal

Generator	Generator Name: <u>Ash Grove</u>		This form to be completed by the Hauler of Nonhazardous wastes. The completed form must be presented at the disposal site prior to disposal. HAZARDOUS AND TSCA WASTE MAY NOT BE DISPOSED OF AT ANY DISPOSAL SITE. Violation of this restriction could subject you to revocation of your disposal permit. Answer all questions (please print).		
	Location Address:				
	Mailing Address:				
	City/State/Zip:				
	Phone:				
Waste Profile	Profile #	Waste Description	Quantity	Unit	One Time?
		<u>Cement Water &amp; City Water</u>	<u>24600</u>	<u>LB</u>	<input type="radio"/> YES <input type="radio"/> NO
					<input checked="" type="radio"/> YES <input type="radio"/> NO
					<input type="radio"/> YES <input type="radio"/> NO
					<input type="radio"/> YES <input type="radio"/> NO
NOTE: NON-CONFORMING WASTE MATERIALS NOT CONSISTENT WITH ESTABLISHED PROFILE MAY INCUR ADDITIONAL PROCESSING FEES.					
Transporter	Company Name/Address:		I certify that the information supplied on this manifest is true, that it accurately describes the vehicle, waste and source(s) of the waste presented at the time of submission, and that the waste consists SOLELY of the non-hazardous wastes listed above to the best of my knowledge.	Vehicle Make: <u>INTERNATIONAL</u> Vehicle Model: <u>W 11</u> Capacity (Gallons): <u>3000 gal</u> Truck License No: <u>055442P</u> Trailer License No: _____	
	<u>Jammies</u>				
	Driver Signature: <u>Steven Neil</u> Date: <u>2-13-08</u> Time: <u>9:45</u>				
	Print or Type Name: _____				
	Pacific Power Vac 4530 NE 138th Ave Portland, Oregon 97230 Phone: 503-261-8800				
Disposal Site	Analyst's Signature: <u>Zach Taylor</u> Date: <u>2-13-08</u> Time: <u>9:45A</u>		Microtox Toxicity Screening Results Sample No.: _____ PCB: _____ Waste Subcategory: _____ PH: <u>10</u> A <input checked="" type="radio"/> B <input type="radio"/> C Non-Reg Cyanide: _____ Sulfide: _____ Light Loss %: _____ (Loads with light loss greater than 90% will be rejected). Reason for Rejection: _____		
	Print or Type Name: _____				
	Zach Taylor				
	_____				
	_____				

4530 NE 138th Ave  
Portland, OR 97230  
P: 503-261-8800  
F: 503-261-8800



QR CODE 175147  
WA 00800 PAC000000000000

Truck ID # 111 International  
 Receiving Manifest # 1632  
 Date: 2-13-08  
 Customer Name: Jammies  
 Waste Description: Net 24600 LB  
 Driver Name: SA

Hours of operation: Monday through Friday 8:30am to 7:30pm